AUTHOR INDEX TO VOLUME 74*
(*July-December 2011*)

A

Aabakken L. (*see* Løberg et al). 2011; 74:1347–53
Aach T. (*see* Gross et al). 2011; 74:1354–9
Abdulkader I. (*see* Macías-Garcia et al). 2011; 74: 437–9 (Brief report)
Abe N, Takeuchi H, Ohki A, Yanagida O, Masaki T, Mori T, Sugiyama M. Long-term outcomes of combination of endoscopic submucosal dissection and laparoscopic lymph node dissection without gastrectomy for early gastric cancer patients who have a potential risk of lymph node metastasis., 2011;74:792–7
Abe Y. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Abell TL. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Abell TL, Johnson WD, Kedar A, Runnels JM, Thompson J, Weeks ES, Minocha A, Griswold ME. A double-masked, randomized, placebo-controlled trial of temporary endoscopic mucosal gastric electrical stimulation for gastroparesis., 2011;74:496–503
Abraldes JG. (*see* Balderramo et al). 2011; 74: 285–95
Abrams JA. (*see* Sharma et al). 2011; 74:465–72
Abrams JA. Ablation of esophageal squamous neoplasia: addressing the bigger picture., 2011; 74:1191–3 (Editorial)
Aceituno M. (*see* Pellisé et al). 2011; 74:840–8
Agostoni M, Fanti L, Gemma M, Pasculli N, Beretta L, Testoni PA. Adverse events during monitored anesthesia care for GI endoscopy: an 8-year experience., 2011;74:266–75
Agrawal S. (*see* Maddur et al). 2011; 74:211–3 (Case study)
Ah-Soune P. (*see* Surace et al). 2011; 74:1416–9 (Case study)
Ahmad NA. (*see* Guarner-Argente et al). 2011; 74: 81–6
Ahmed A, Esquivel CO. In memoriam: Emmet B. Keeffe, MD., 2011;74:959–60 (In memoriam)
Ahmed K, Sussman JJ, Wang J, Schmulewitz N. A case of EUS-guided FNA-related pancreatic cancer metastasis to the stomach., 2011;74:231–3 (Brief report)
Ahn HS. (*see* Kim et al). 2011; 74:1127–32 (New methods: clinical endoscopy)
Ahn JY, Jung H-Y, Choi KD, Choi JY, Kim M-Y, Lee JH, Choi K-S, Kim DH, Song HJ, Lee GH, Kim J-H, Park YS. Endoscopic and oncologic outcomes after endoscopic resection for early gastric cancer: 1370 cases of absolute and extended indications., 2011;74:485–93
Aisenberg J. (*see* Tadepalli et al). 2011; 74:1360–8
Akagi T, Yasuda K, Tajima M, Suzuki K, Inomata M, Shiraishi N, Sato Y, Kitano S. Sodium alginate as an ideal submucosal injection material for endoscopic submucosal resection: preliminary experimental and clinical study., 2011;74: 1026–32
Akazawa Y. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Al-Haddad M. (*see* LeBlanc et al). 2011; 74:1300–7
Albert JG, Friedrich-Rust M, Woeste G, Strey C, Bechstein WO, Zeuzem S, Sarrazin C. Benefit of a clipping device in use in intestinal bleeding and intestinal leakage., 2011;74:389–97 (New methods: clinical endoscopy)
Allemann P. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)
Almadi MA, Almessabi A, Wong P, Ghali PM, Barkun A. Ectopic varices., 2011;74:380–8 (Technical review)
Almessabi A. (*see* Almadi et al). 2011; 74:380–8 (Technical review)
Alousi AM. (*see* Kim et al). 2011; 74:817–24
Alten TA. (*see* Lankisch et al). 2011; 74:924–5 (At the focal point)
Alvarez A. (*see* Meisner et al). 2011; 74:876–84
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. Complications of colonoscopy., 2011;74:745–52 (Guideline)
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. Role of EUS for the evaluation of mediastinal adenopathy., 2011;74:239–45 (Guideline)
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. The role of endoscopy in enteral feeding., 2011;74: 7–12 (Guidelines)
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. The role of endoscopy in gastroduodenal obstruction and gastroparesis., 2011;74:13–21 (Guidelines)
American Society for Gastrointestinal Endoscopy (ASGE) Standards of Practice Committee. The role of endoscopy in the management of choledocholithiasis., 2011;74:731–44 (Guideline)
American Society for Gastrointestinal Endoscopy (ASGE) Technology Committee. Drug eluting/biodegradable stents., 2011;74:954–8 (Report on emerging technology)
American Society for Gastrointestinal Endoscopy (ASGE) Technology Committee. Enteral stents., 2011;74:455–64 (Technology status evaluation report)
American Society for Gastrointestinal Endoscopy (ASGE) Technology Committee. GI endoscopes., 2011;74:1–6 (Report on emerging technology)
American Society for Gastrointestinal Endoscopy/American Society for Metabolic and Bariatric Surgery (ASGE/ASMBS) Task Force on Endoscopic Bariatric Therapy. A pathway to endoscopic bariatric therapies., 2011;74:943–53 (White paper)
Amin O. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Aminejab L. (*see* Spada et al). 2011; 74:581–9
Ananthakrishnan AN, Chan AT. Missed polyps, missed opportunities., 2011;74:262–5 (Editorial)
Anderson SR. (*see* Zubarik et al). 2011; 74:87–95
Ando M. (*see* Kawamura et al). 2011; 74:415–8 (Case study)
Andrade R. (*see* Attam et al). 2011; 74:677–82 (New methods: clinical endoscopy)
Ansstas M. (*see* Rastogi et al). 2011; 74:593–602
Antaki F. (*see* Rodrigues and Antaki). 2011; 74: 726–7 (Letter to the editor)
Antignano L. (*see* Yoon et al). 2011; 74:1407–8 (Case study)
Aoyagi Y. (*see* Hashimoto et al). 2011; 74:1389–93 (New methods)
Aparicio D. (*see* Gupta et al). 2011; 74:423–8 (Case study)
Araki H. (*see* Nishiwaki et al). 2011; 74:784–91
Arcidiacono PG. (*see* Carrara et al). 2011; 74:223–5 (Brief report)
Argo CK. (*see* Cerefice et al). 2011; 74:520–6
Arima T. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Arizumi T. (*see* Hamada et al). 2011; 74:548–55
Arnau MR. (*see* Parra-Blanco et al). 2011; 74: 1137–41 (New methods: experimental endoscopy)
Arora M, Uzel G, Shea YR, Kleiner DE, Holland SM, Heller T. GI involvement in disseminated *Mycobacterium genavense*: endoscopy and histology., 2011;74:688–90 (At the focal point)
Artifon ELA. (*see* Gupta et al). 2011; 74:423–8 (Case study)
Aru G. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Asato R. (*see* Muto et al). 2011; 74:477–84
Aslanian HR. (*see* Konda et al). 2011; 74:1049–60
Atlas DS, Rubio-Tapia A, Van Dyke CT, Lahr BD, Murray JA. Capsule endoscopy in nonresponsive celiac disease., 2011;74:1315–22
Attam R, Leslie D, Freeman M, Ikramuddin S, Andrade R. EUS-assisted, fluoroscopically guided gastrostomy tube placement in patients with Roux-en-Y gastric bypass: a novel technique for access to the gastric remnant., 2011;74:677–82 (New methods: clinical endoscopy)
Aubert A, Hammel P, Perniceni T, Validire P, Couvelard A, Christidis C, Molliere F, Levy P, Ruszniewski P. Epidermoid carcinoma complicating esophageal lichen planus without cutaneous or oral involvement., 2011;74:221–3 (Brief report)
Aybar A, Safta AM. Endoscopic removal of a gastric trichobezoar in a pediatric patient., 2011;74: 435–7 (Brief report)
Ayuso-Colella C. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Ayuso-Colella JR. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Azagury D. (*see* Ryou et al). 2011; 74:189–94 (New methods: experimental endoscopy)
Azar R. (*see* Wani et al). 2011; 74:1238–47

B

Badger G. (*see* Zubarik et al). 2011; 74:87–95
Badurdeen DS. (*see* Laiyemo et al). 2011; 74: 253–61
Bailey AA. (*see* Milovic et al). 2011; 74:1294–9
Bain AS. (*see* Lee et al). 2011; 74:128–34
Bajbouj M. (*see* Sharma et al). 2011; 74:465–72
Bak YT. (*see* Kim et al). 2011; 74:703–7 (Case study)

July, pp. 1-238; August, pp. 239-454; September, pp. 455-730; October, pp. 731-942; November, pp. 943-1174; December, pp. 1175-1468.

Bakken J. (*see* Saleem et al). 2011; 74:1426–8 (Brief report)
Balderramo D, Bordas JM, Sendino O, Abraldes JG, Navasa M, Llach J, Cardenas A. Complications after ERCP in liver transplant recipients., 2011;74:285–95
Bamji ND. (*see* Tadepalli et al). 2011; 74:1360–8
Banerjee S. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Bansal A. (*see* Gupta et al). 2011; (*see* Rastogi et al). 2011; (*see* Sharma et al). 2011; 74:465–72; 74:58–64; 74:593–602; 74:610–24
Bapat M. (*see* Maydeo et al). 2011; 74:1308–14
Bardou M. (*see* Barkun et al). 2011; 74:234–5 (Letter to the editor)
Barea M. (*see* Familiari et al). 2011; 74:1248–58
Barkin J. (*see* Kubiliun et al). 2011; 74:541–7
Barkun A. (*see* Almadi et al). 2011; 74:380–8 (Technical review)
Barkun AN, Bardou M, Martel M, Gralnek IM, Sung J. Response to: Erythromycin is preferable to metoclopramide as a prokinetic in acute upper GI bleeding., 2011;74:234–5 (Letter to the editor)
Baron JA. (*see* Greene et al). 2011; 74:334–40
Baron TH. (*see* Meine and Baron). 2011; (*see* Murad and Baron). 2011; (*see* Saleem et al). 2011; 74:1119–26 (Technical review); 74:1172–3 (Letter to the editor); 74:1426–8 (Brief report); 74:321–7; 74:714–6 (Brief report)
Barroso AO. Advanced endoscopy procedures in private practice: is the juice worth the squeeze?, 2011;74:913–5 (The fellows' corner)
Barth BA. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Barthel JS, Kucera S, Harris C, Canchi D, Hoffe S, Meredith K. Cryoablation of persistent Barrett's epithelium after definitive chemoradiation therapy for esophageal adenocarcinoma., 2011;74:51–7
Barthet M. (*see* Surace et al). 2011; 74:1416–9 (Case study)
Battaglia G. (*see* Bocus et al). 2011; 74:204–7 (Case study)
Bechstein WO. (*see* Albert et al). 2011; 74:389–97 (New methods: clinical endoscopy)
Beglinger C. (*see* Heuss et al). 2011; 74:1207–14
Behrens A. (*see* Gross et al). 2011; 74:1354–9
Beretta L. (*see* Agostoni et al). 2011; 74:266–75
Bergman JJGHM. (*see* Pouw et al). 2011; (*see* Voermans et al). 2011; 74:1285–93; 74:35–43
Bergman JJGHM, Zhang Y-M, He S, Weusten B, Xue L, Fleischer DE, Lu N, Dawsey SM, Wang G-Q. Outcomes from a prospective trial of endoscopic radiofrequency ablation of early squamous cell neoplasia of the esophagus., 2011;74:1181–90
Bernasconi G. (*see* Girelli et al). 2011; 74:1067–74
Bernatik T. (*see* Neumann et al). 2011; 74:200–2 (At the focal point)
Berner L. (*see* Farnbacher et al). 2011; 74:527–34
Bernick SJ, Lawson RD. A humanitarian exercise during gastroenterology fellowship., 2011;74:635–6 (The fellows' corner)
Bernstein CN. The color of the most effective tool to use in dysplasia surveillance in inflammatory bowel disease., 2011;74:849–51 (Editorial)
Bessho R. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Betalli P. (*see* Bocus et al). 2011; 74:204–7 (Case study)
Bhagat S. (*see* Puri et al). 2011; 74:1400–2 (At the focal point)
Bhandari S. (*see* Maydeo et al). 2011; 74:1308–14
Bhat M, Laneuville P, Marliss EB, Costea F, Marcus V, Seidman EG, Bitton A. Secondary intestinal lymphangiectasia due to multiple myeloma., 2011;74:718–20 (Brief report)
Bingener J. (*see* Moran et al). 2011; 74:1103–7
Bini R. (*see* Coppola et al). 2011; 74:235–6 (Letter to the editor)
Binmoeller KF. (*see* Chen et al). 2011; 74:805–14
Binmoeller KF, Weilert F, Shah JN, Kim J. EUS-guided transesophageal treatment of gastric fundal varices with combined coiling and cyanoacrylate glue injection (with videos)., 2011;74:1019–25
Bishop PR. (*see* Nowicki and Bishop). 2011; 74:441–3 (Brief report)
Bisschops R. (*see* Pouw et al). 2011; 74:35–43
Bisschops R. Confocal laser endomicroscopy: finally ready to change clinical practice?, 2011;74:781–3 (Editorial)
Bitton A. (*see* Bhat et al). 2011; 74:718–20 (Brief report)
Bléro D. (*see* Familiari et al). 2011; 74:1248–58
Blomberg J, Lagergren J. Response to: Percutaneous endoscopic gastrostomy tube placement should be done when indicated, regardless of C-reactive protein and albumin levels., 2011;74:727 (Letter to the editor)
Bocus P, Realdon S, Eloubeidi MA, Diamantis G, Betalli P, Gamba P, Zanon GF, Battaglia G. High-frequency miniprobes and 3-dimensional EUS for preoperative evaluation of the etiology of congenital esophageal stenosis in children (with video)., 2011;74:204–7 (Case study)
Bodger K, Bowering K, Sarkar S, Thompson E, Pearson MG. All-cause mortality after first ERCP in England: clinically guided analysis of hospital episode statistics with linkage to registry of death., 2011;74:825–33
Bodian CA. (*see* Tadepalli et al). 2011; 74:1360–8
Bok HJ. (*see* Park et al). 2011; 74:1337–46
Bordas JM. (*see* Balderramo et al). 2011; 74:285–95
Boskoski I. (*see* Familiari et al). 2011; 74:1248–58
Boulton R. (*see* Croagh et al). 2011; 74:1413–6 (Case study)
Bouma BE. (*see* Yoo et al). 2011; 74:992–1000
Bourke MJ. (*see* Moss et al). 2011; 74:214–8 (Case study)
Bowering K. (*see* Bodger et al). 2011; 74:825–33
Braden B. (*see* Milovic et al). 2011; 74:1294–9
Brandabur JJ. (*see* Pannala et al). 2011; 74:295–302
Brandt LJ. Patients often hold the clue for diagnosis—even if they do not know it., 2011;74:159–60 (The art of history and physical examination)
Bretagne J-F, Hamonic S, Piette C, Manfredi S, Mallard G, Durand G, Riou F. Neoplasia detection rates after positive fecal occult blood test results are not affected by endoscopy center: a population-based study., 2011;74:141–7
Bretagne JF. (*see* Denis et al). 2011; 74:1325–36
Bretthauer M. (*see* Løberg et al). 2011; 74:1347–53
Bridenbaugh P. (*see* Martin et al). 2011; 74:723 (Letter to the editor)
Bruni A. (*see* Fiocca et al). 2011; 74:1393–8 (New methods)
Bruno MJ. (*see* Poley et al). 2011; 74:916–20 (New methods)
Bucher HC. (*see* Heuss et al). 2011; 74:1207–14
Buchner A. (*see* Guarner-Argente et al). 2011; 74:81–6
Bucobo JC. (*see* Nagula et al). 2011; 74:699–702 (Case study)
Buscaglia JM. (*see* Nagula et al). 2011; 74:699–702 (Case study)
Buscaglia JM, Ho S, Sethi A, DiMaio CJ, Nagula S, Stavropoulos SN, Gonda TA, Poneros JM, Stevens PD. Fully covered self-expandable metal stents for benign esophageal disease: a multicenter retrospective case series of 31 patients., 2011;74:207–11 (Case study)
Butterly LF. (*see* Greene et al). 2011; 74:334–40
Byeon J-S. (*see* Kim et al). 2011; 74:1170–1 (Brief report); 74:228–30 (Brief report)
Byeon J-S, Yang D-H, Kim K-J, Ye BD, Myung S-J, Yang S-K, Kim J-H. Endoscopic submucosal dissection with or without snaring for colorectal neoplasms., 2011;74:1075–83
Byun JM. (*see* Han et al). 2011; 74:1230–7
Byun KS. (*see* Kim et al). 2011; 74:703–7 (Case study)

C

Cabrera HA-A. (*see* Nicolás-Pérez et al). 2011; 74:1146–7 (At the focal point)
Caldera F, Selby L. Response to: Avoidance of PEG 3350 in patients with CHF, cirrhosis, and chronic kidney disease., 2011;74:237 (Letter to the editor)
Caletti G. (*see* Fusaroli et al). 2011; 74:645–55 (Technical review)
Canchi D. (*see* Barthel et al). 2011; 74:51–7
Cappell MS. Advice to program directors and applicants for gastroenterology fellowship application and selection., 2011;74:155–8
Cardenas A. (*see* Balderramo et al). 2011; 74:285–95
Carnuccio A. (*see* Larghi et al). 2011; 74:504–10
Caro-Patón A. (*see* de la Serna-Higuera et al). 2011; 74:672–6 (New methods: clinical endoscopy)
Carrara S, Doglioni C, Arcidiacono PG, Testoni PA. Gastric metstasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography., 2011;74:223–5 (Brief report)
Carretero C. (*see* Spada et al). 2011; 74:581–9
Casellas JA. (*see* Meisner et al). 2011; 74:876–84
Caspary WF. (*see* Milovic et al). 2011; 74:1294–9
Castells A. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Cecconello I. (*see* Hondo et al). 2011; 74:666–71 (New methods: clinical endoscopy)
Ceci V. (*see* Fiocca et al). 2011; 74:1393–8 (New methods)
Cerefice M, Sauer B, Javaid M, Smith LA, Gosain S, Argo CK, Kahaleh M. Complex biliary stones: treatment with removable self-expandable metal stents: a new approach (with videos)., 2011;74:520–6
Cesaro P. (*see* Spada et al). 2011; 74:581–9
Cha JM. (*see* Lee et al). 2011; 74:1094–102
Chae H-S. (*see* Ji et al). 2011; 74:148–53
Chahal P. EUS-guided double cystgastrostomy of 2 infected pseudocysts in series: a novel case of endoscopic cystocystgastrostomy., 2011;74:448 (Letter to the editor)
Chalasani N. (*see* Maddur et al). 2011; 74:211–3 (Case study)
Chan AT. (*see* Ananthakrishnan and Chan). 2011; 74:262–5 (Editorial)
Chandrasekhara V. (*see* Guarner-Argente et al). 2011; 74:219–21 (Brief report)
Chandrasekhara V, Ginsberg GG. ESD for colorectal neoplasms: dissecting value from virtue., 2011;74:1084–6 (Editorial)
Chang C-W. (*see* Wang et al). 2011; 74:398–402 (New methods: clinical endoscopy)
Chang R. (*see* Shim et al). 2011; 74:406–7 (At the focal point)
Charton JP. (*see* Spada et al). 2011; 74:581–9

Chase MP. (*see* Yarze and Chase). 2011; 74:236–7 (Letter to the editor)
Chatterjee A. (*see* Milner and Chatterjee). 2011; 74:1168–70 (Brief report)
Chatzimavroudis G. (*see* Katsinelos et al). 2011; 74:1432 (Letter to the editor); 74:725 (Letter to the editor)
Chavalitdhamrong D, Jensen DM, Kovacs TOG, Jutabha R, Dulai G, Ohning G, Machicado GA. Ischemic colitis as a cause of severe hematochezia: risk factors and outcomes compared with other colon diagnoses., 2011;74:852–7
Cheifetz AS. (*see* Doherty et al). 2011; 74:167–75 (Review article)
Chen C-J. (*see* Wang et al). 2011; 74:398–402 (New methods: clinical endoscopy)
Chen M-J. (*see* Wang et al). 2011; 74:398–402 (New methods: clinical endoscopy)
Chen T-Y. (*see* Wang et al). 2011; 74:398–402 (New methods: clinical endoscopy)
Chen TH, Lin CC, yen Chen T, Tsai MC, Hsu JD. An unusual endoscopic finding of gastric adenocarcinoma., 2011;74:1145–6 (At the focal point)
Chen YK. (*see* Meining et al). 2011; 74:961–8
Chen YK, Parsi MA, Binmoeller KF, Hawes RH, Pleskow DK, Slivka A, Haluszka O, Petersen BT, Sherman S, Devière J, Meisner S, Stevens PD, Costamagna G, Ponchon T, Peetermans JA, Neuhaus H. Single-operator cholangioscopy in patients requiring evaluation of bile duct disease or therapy of biliary stones (with videos)., 2011;74:805–14
Cheon JH. (*see* Park et al). 2011; (*see* Yoon et al). 2011; 74:1337–46; 74:625–33; 74:858–68
Cheon YK. (*see* Jeon et al). 2011; (*see* Oh et al). 2011; 74:556–62; 74:772–80
Chiba T. (*see* Muto et al). 2011; 74:477–84
Chiu PW-y, Sung JJ-y. Endoscopic resection for early gastric cancer: one piece is better than dash to pieces., 2011;74:494–5 (Editorial)
Cho B. (*see* Nagula et al). 2011; 74:699–702 (Case study)
Cho JY. (*see* Jeon et al). 2011; 74:225–7 (Brief report); 74:772–80
Cho S-B. (*see* Park et al). 2011; 74:869–75
Cho WY. (*see* Jeon et al). 2011; 74:772–80
Cho Y-S. (*see* Ji et al). 2011; 74:148–53
Cho YD. (*see* Kim et al). 2011; (*see* Oh et al). 2011; 74:1127–32 (New methods: clinical endoscopy); 74:556–62
Choi H. (*see* Ji et al). 2011; 74:148–53
Choi HJ. (*see* Han et al). 2011; (*see* Kim et al). 2011; 74:1127–32 (New methods: clinical endoscopy); 74:1230–7
Choi HS. (*see* Lee et al). 2011; 74:693–5 (Case study)
Choi J, Kim SG, Im JP, Kang SJ, Lee H-J, Yang H-K, Kim JS, Kim WH, Jung HC, Song IS. Lymph node metastasis in multiple synchronous early gastric cancer., 2011;74:276–84
Choi JY. (*see* Ahn et al). 2011; 74:485–93
Choi K-S. (*see* Ahn et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:485–93
Choi K-Y. (*see* Ji et al). 2011; 74:148–53
Choi KD. (*see* Ahn et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:485–93
Choi S-K. (*see* Park et al). 2011; 74:869–75
Choi SR. (*see* Jeon et al). 2011; 74:772–80
Chong A, Venugopal K, Segarajasingam D, Lisewski D. Tumor seeding after EUS-guided FNA of pancreatic tail neoplasia., 2011;74:933–5 (Brief report)
Chow W-K. (*see* Peng and Chow). 2011; 74:1431–2 (Letter to the editor)
Christein JD. (*see* Varadarajulu et al). 2011; 74:418–23 (Case study); 74:74–80
Christidis C. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Chun HJ. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Chung HH. (*see* Kim et al). 2011; 74:703–7 (Case study)
Chuttani R. (*see* Matthes et al). 2011; (*see* Meining et al). 2011; 74:1369–75; 74:961–8
Clain JE. (*see* Gleeson et al). 2011; 74:897–905
Cohen LB. (*see* Tadepalli et al). 2011; 74:1360–8
Collins J. (*see* Parsi et al). 2011; 74:1148–51 (Case study)
Colombo E. (*see* Girelli et al). 2011; 74:1067–74
Condon D. (*see* Robinson et al). 2011; 74:1061–6
Coppens E. (*see* Familiari et al). 2011; 74:1248–58
Coppola F, Bini R, Gaia S, Cosimato M, Recchia S. ERCP after Fag Kan Roux-en-Y-hepatojejunostomy in Caroli's syndrome., 2011; 74:235–6 (Letter to the editor)
Corley DA, Jensen CD, Marks AR. Can we improve adenoma detection rates? A systematic review of intervention studies., 2011;74:656–65 (Review article)
Coron E. (*see* Sharma et al). 2011; (*see* Spada et al). 2011; 74:465–72; 74:581–9
Corona M. (*see* Fiocca et al). 2011; 74:1393–8 (New methods)
Cosimato M. (*see* Coppola et al). 2011; 74:235–6 (Letter to the editor)
Costamagna G. (*see* Chen et al). 2011; (*see* Familiari et al). 2011; (*see* Larghi et al). 2011; (*see* Spada et al). 2011; (*see* Voermans et al). 2011; 74:1248–58; 74:1285–93; 74:504–10; 74:581–9; 74:805–14
Costantino F. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)
Costea F. (*see* Bhat et al). 2011; 74:718–20 (Brief report)
Cote GA. (*see* Moffatt et al). 2011; (*see* Wani et al). 2011; 74:1238–47; 74:1431 (Letter to the editor)
Coté GA, Keswani RN, Jackson T, Fogel E, Lehman GA, McHenry L, Watkins J, Sherman S. Individual and practice differences among physicians who perform ERCP at varying frequency: a national survey., 2011;74:65–73
Cotton PB. Are low-volume ERCPists a problem in the United States? A plea to examine and improve ERCP practice—NOW., 2011;74:161–6 (Perspective)
Couvelard A. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Crissien AM. (*see* Lee et al). 2011; 74:128–34
Croagh D, Forde C, Boulton R, Mahon B. Cyst fluid carcinoembryonic antigen in the investigation of cystic neuroendocrine tumors of the pancreas., 2011;74:1413–6 (Case study)
Crockett SD. (*see* Sperry et al). 2011; 74:985–91
Cross AJ. (*see* Laiyemo et al). 2011; 74:253–61
Crowell MD. (*see* Yadav et al). 2011; 74:834–9
Cuatrecasas M. (*see* Fernández-Esparrach et al). 2011; (*see* Pellisé et al). 2011; 74:347–54; 74:840–8

D

D'Agostino J. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)
D'Cruz S. (*see* Nadkarni et al). 2011; 74:199–200 (At the focal point)
da Costa Martins B, Takada J, Kawaguti FS, Ribeiro JPA, Hondo FY, de Lima MS, Neves CZ, Nahas CSR, Marques CFS, Sakai P, Maluf-Filho F. PEG rescue with gastropexy after early tube withdrawal: an application of natural orifice transluminal endoscopic surgery (with video)., 2011; 74:709–11 (Brief report)
Dallemagne B. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)
Daram SR, Garretson R. Erythromycin is preferable to metoclopramide as a prokinetic in acute upper GI bleeding., 2011;74:234 (Letter to the editor)
Daram SR, Tang S-J, Vick K, Aru G, Lahr C, Amin O, Taylor M, Sheehan JJ, Abell TL. Novel application of GI electrical stimulation in Roux stasis syndrome (with video)., 2011;74:683–6 (New methods: clinical endoscopy)
Darisetty S. (*see* Ramchandani et al). 2011; (*see* Sekaran et al). 2011; 74:443–5 (Brief report); 74:511–9
Datz C. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Dawsey SM. (*see* Bergman et al). 2011; 74:1181–90
Day LW, Kwon A, Inadomi JM, Walter LC, Somsouk M. Adverse events in older patients undergoing colonoscopy: a systematic review and meta-analysis., 2011;74:885–96
de Frias CP. (*see* Spada et al). 2011; 74:581–9
de la Serna-Higuera C, Pérez-Miranda M, Díez-Redondo P, Gil-Simón P, Herranz T, Pérez-Martín E, Ochoa C, Caro-Patón A. EUS-guided single-incision needle-knife biopsy: description and results of a new method for tissue sampling of subepithelial GI tumors (with video)., 2011; 74:672–6 (New methods: clinical endoscopy)
de Lima MS. (*see* da Costa Martins et al). 2011; 74:709–11 (Brief report)
de Miguel CR. (*see* Pellisé et al). 2011; 74:840–8
de Moura EGH. (*see* Rodrigues et al). 2011; 74:1173 (Letter to the editor)
Dear K. (*see* Leeds et al). 2011; 74:1033–9
Decker GA. (*see* Yadav et al). 2011; 74:834–9
Degen L. (*see* Heuss et al). 2011; 74:1207–14
Dekker E. (*see* Spada et al). 2011; 74:581–9
DeLegge MH. When to call the anesthesiologist for assistance with sedation., 2011;74:1377–9 (The fellows' corner)
Dell-Kuster S. (*see* Heuss et al). 2011; 74:1207–14
Dellon ES. (*see* Sperry et al). 2011; 74:985–91
Delvaux M. (*see* Spada et al). 2011; 74:581–9
Demarquay J-F. (*see* Surace et al). 2011; 74:1416–9 (Case study)
Denis B, Sauleau EA, Gendre I, Piette C, Bretagne JF, Perrin P. Measurement of adenoma detection and discrimination during colonoscopy in routine practice: an exploratory study., 2011;74:1325–36
Dennis KL. (*see* Rastogi et al). 2011; 74:58–64
Denzer UW. (*see* von Renteln et al). 2011; 74:1108–14
Desilets DJ. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Deviere J. (*see* Spada et al). 2011; 74:581–9
Devière J. (*see* Chen et al). 2011; (*see* Familiari et al). 2011; 74:1248–58; 74:805–14
DeWitt J. (*see* LeBlanc et al). 2011; 74:1300–7
DeWitt J, Mohamadnejad M. EUS-guided alcohol ablation of metastatic pelvic lymph nodes after endoscopic resection of polypoid rectal cancer: the need for long-term surveillance., 2011;74:446–7 (Brief report)
DeWitt JM, Levy MJ, Fockens P. Learning EUS tricks from the masters., 2011;74:1116–8 (The fellows' corner)
Dhir V. (*see* Maydeo et al). 2011; 74:1308–14
Dhumane P. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)

Diamantis G. (*see* Bocus et al). 2011; 74:204–7 (Case study)
Diamond SJ, Enestvedt BK, Jiang Z, Holub JL, Gupta M, Lieberman DA, Eisen GM. Adenoma detection rate increases with each decade of life after 50 years of age., 2011;74:135–40
Dietrich AJ. (*see* Greene et al). 2011; 74:334–40
Dietrich CF. (*see* Milovic et al). 2011; 74:1294–9
Díez-Redondo P. (*see* de la Serna-Higuera et al). 2011; 74:672–6 (New methods: clinical endoscopy)
DiMaio CJ. (*see* Buscaglia et al). 2011; 74:207–11 (Case study)
Do JH. (*see* Oh et al). 2011; 74:556–62
Doffoel M. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)
Doglioni C. (*see* Carrara et al). 2011; 74:223–5 (Brief report)
Doherty GA, Moss AC, Cheifetz AS. Capsule endoscopy for small-bowel evaluation in Crohn's disease., 2011;74:167–75 (Review article)
Dominguez-Muñoz JE. (*see* Macías-Garcia et al). 2011; 74:437–9 (Brief report)
Dominitz JA, Ko C. Will colon capsule endoscopy replace screening colonoscopy?, 2011;74:590–2 (Editorial)
Donatelli G. (*see* Fiocca et al). 2011; 74:1393–8 (New methods)
Donatelli G, Perretta S, Allemann P, D'Agostino J, Dhumane P, Costantino F, Dallemagne B, Doffoel M, Marescaux J. Drainage of para-aortic abscess by transrectal endoscopic retroperitoneoscopy (with video)., 2011;74:1162–3 (Brief report)
Dorer R. (*see* Pannala et al). 2011; 74:295–302
Doria-Rose VP. (*see* Laiyemo et al). 2011; 74:253–61
Doubeni C. (*see* Laiyemo et al). 2011; 74:253–61
Douglas S. (*see* Koulaouzidis et al). 2011; 74:941 (Letter to the editor)
Draganov PV. (*see* Nagula et al). 2011; 74:699–702 (Case study)
Drey X. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Dryer P, Schmulewitz N. Colonoscopic yields in 40- to 49-year-old patients with a history of colorectal cancer in a first-degree relative: how high is the risk?, 2011;74:119–21 (Editorial)
Dua KS, Merrill JT, Komorowski R. Neosquamous epithelium after Barrett's ablation: cause for concern?, 2011;74:1424–5 (Brief report)
Dubale N. (*see* Sekaran et al). 2011; 74:443–5 (Brief report)
Dubose J. (*see* Norris et al). 2011; 74:1402–3 (At the focal point)
Dubravcsik Z. (*see* Hritz et al). 2011; 74:1430–1 (Letter to the editor)
Dulai G. (*see* Chavalitdhamrong et al). 2011; 74:852–7
Dulai PS. (*see* von Renteln et al). 2011; 74:906–11
Dulic M. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Dulic-Lakovic E, Dulic M, Hubner D, Fuchssteiner H, Pachofszky T, Stadler B, Maieron A, Schwaighofer H, Püspök A, Haas T, Gahbauer G, Datz C, Ordubadi P, Holzäpfel A, Gschwantler M, for the Austrian Dieulafoy-bleeding Study Group. Bleeding Dieulafoy lesions of the small bowel: a systematic study on the epidemiology and efficacy of enteroscopic treatment., 2011;74:573–80
Dumas R. (*see* Surace et al). 2011; 74:1416–9 (Case study)
Dumot JA. (*see* Mehta et al). 2011; 74:303–8
Dunne C, Harewood GC. Hidden extras: the projected impact of colorectal cancer screening and the burden of procedures on screening centers., 2011;74:448–9 (Letter to the editor)
Durand G. (*see* Bretagne et al). 2011; 74:141–7

E

Early D. (*see* Wani et al). 2011; 74:1238–47
Early DS. (*see* Rastogi et al). 2011; 74:593–602
Edmundowicz SA. (*see* Rastogi et al). 2011; (*see* Wani et al). 2011; 74:1238–47; 74:593–602
Eisen GM. (*see* Diamond et al). 2011; 74:135–40
Ell C. (*see* Pohl and Ell). 2011; 74:309–16
Elliott E. (*see* Gupta et al). 2011; 74:110–8
Elmunzer BJ. (*see* Lewis et al). 2011; 74:753–60
Elmunzer BJ, Taylor JR. Aberrant right hepatic duct with patent ducts of Luschka., 2011;74:196–7 (At the focal point)
Eloubeidi MA. (*see* Bocus et al). 2011; (*see* Fusaroli et al). 2011; (*see* Siddiqui et al). 2011; 74:204–7 (Case study); 74:535–40; 74:645–55 (Technical review)
Endo H. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Enestvedt BK. (*see* Diamond et al). 2011; 74:135–40
Esquivel CO. (*see* Ahmed and Esquivel). 2011; 74:959–60 (In memoriam)
Eun CS. (*see* Lee et al). 2011; 74:1094–102; 74:693–5 (Case study)
Ezoe Y. (*see* Muto et al). 2011; 74:477–84

F

Falk GW. Probe-based confocal endomicroscopy in Barrett's esophagus: the real deal or another tease?, 2011;74:473–6 (Editorial)
Familiari P, Costamagna G, Bléro D, Le Moine O, Perri V, Boskoski I, Coppens E, Barea M, Iaconelli A, Mingrone G, Moreno C, Devière J. Transoral gastroplasty for morbid obesity: a multicenter trial with a 1-year outcome., 2011;74:1248–58
Fan F. (*see* Rastogi et al). 2011; 74:58–64
Fan Y-S. (*see* Kubiliun et al). 2011; 74:541–7
Fanelli F. (*see* Fiocca et al). 2011; (*see* Krokidis et al). 2011; 74:1173–4 (Letter to the editor); 74:1393–8 (New methods)
Fang JC. (*see* Nishiwaki et al). 2011; 74:784–91
Fanti L. (*see* Agostoni et al). 2011; 74:266–75
Farnbacher MJ, Berner L, Raithel M, Hahn EG, Schneider HT. Cleaning of occluded pancreatic duct endoprostheses: a new indication for extracorporeal shock wave lithotripsy?, 2011;74:527–34
Fayad N. (*see* Maddur et al). 2011; 74:211–3 (Case study)
Feihel D. (*see* Tadepalli et al). 2011; 74:1360–8
Fernández-Esparrach G. (*see* Pellisé et al). 2011; 74:840–8
Fernández-Esparrach G, Ayuso-Colella JR, Sendino O, Pagés M, Cuatrecasas M, Pellisé M, Maurel J, Ayuso-Colella C, González-Suárez B, Llach J, Castells A, Ginès À. EUS and magnetic resonance imaging in the staging of rectal cancer: a prospective and comparative study., 2011;74:347–54
Fiocca F, Salvatori FM, Fanelli F, Bruni A, Ceci V, Corona M, Donatelli G. Complete transection of the main bile duct: minimally invasive treatment with an endoscopic-radiologic rendezvous., 2011;74:1393–8 (New methods)
Fleischer DE. (*see* Bergman et al). 2011; (*see* Yadav et al). 2011; 74:1181–90; 74:834–9
Fockens P. (*see* DeWitt et al). 2011; (*see* Spada et al). 2011; (*see* Voermans et al). 2011; 74:1116–8 (The fellows' corner); 74:1285–93; 74:581–9
Fogel E. (*see* Coté et al). 2011; (*see* Moffatt et al). 2011; 74:1431 (Letter to the editor); 74:65–73
Forde C. (*see* Croagh et al). 2011; 74:1413–6 (Case study)
Forsmark CE. (*see* Wagh and Forsmark). 2011; 74:932–3 (Brief report)
Forteza-Vila J. (*see* Macías-Garcia et al). 2011; 74:437–9 (Brief report)
Frederic M. (*see* Spada et al). 2011; 74:581–9
Freedman JS. (*see* Tadepalli et al). 2011; 74:1360–8
Freeman M. (*see* Attam et al). 2011; 74:677–82 (New methods: clinical endoscopy)
Freeman ML. (*see* Gupta et al). 2011; 74:423–8 (Case study)
Friedland S, Triadafilopoulos G. A novel device for ablation of abnormal esophageal mucosa (with video)., 2011;74:182–8 (New methods: experimental endoscopy)
Friedrich-Rust M. (*see* Albert et al). 2011; 74:389–97 (New methods: clinical endoscopy)
Fu K. (*see* Kawaguchi et al). 2011; 74:922–3 (At the focal point)
Fuchssteiner H. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Fujii M, Kawamoto H, Nagahara T, Tsutsumi K, Kato H, Shinoura S, Seno S, Okada H, Yamamoto K. A case of gastric aberrant pancreas diagnosed with EUS-guided FNA., 2011;74:407–9 (At the focal point)
Fujii S. (*see* Muto et al). 2011; 74:477–84
Fujita J. (*see* Ihama et al). 2011; 74:921 (At the focal point)
Fukunaga T. (*see* Sakuma et al). 2011; 74:404–6 (At the focal point)
Fumex F. (*see* Voermans et al). 2011; 74:1285–93
Furholm S. (*see* Løberg et al). 2011; 74:1347–53
Fusaroli P, Saftoiu A, Mancino MG, Caletti G, Eloubeidi MA. Techniques of image enhancement in EUS (with videos)., 2011;74:645–55 (Technical review)
Futagami S. (*see* Kusunoki et al). 2011; 74:798–804

G

Gaddam S. (*see* Gupta et al). 2011; (*see* Rastogi et al). 2011; 74:58–64; 74:593–602; 74:610–24
Gahbauer G. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Gaia S. (*see* Coppola et al). 2011; 74:235–6 (Letter to the editor)
Gaidhane M, Kahaleh M. Single-operator cholangioscopy in biliary disorders: going beyond visualization., 2011;74:815–6 (Editorial)
Gaidos J. (*see* Nagula et al). 2011; 74:699–702 (Case study)
Galasso D. (*see* Larghi et al). 2011; 74:504–10
Galmiche J-P. (*see* Sharma et al). 2011; (*see* Spada et al). 2011; 74:465–72; 74:581–9
Gamba P. (*see* Bocus et al). 2011; 74:204–7 (Case study)
Gan S-I. (*see* Pannala et al). 2011; 74:295–302
Ganguly E. (*see* Zubarik et al). 2011; 74:87–95
García-Cano J. (*see* Meisner et al). 2011; 74:876–84
Garretson R. (*see* Daram and Garretson). 2011; 74:234 (Letter to the editor)
Gay G. (*see* Spada et al). 2011; 74:581–9
Gemma M. (*see* Agostoni et al). 2011; 74:266–75
Gendre I. (*see* Denis et al). 2011; 74:1325–36
Genta RM. (*see* Lebwohl et al). 2011; 74:103–9
Gerke H, Siddiqui J, Nasr I, Van Handel DM, Jensen CS. Efficacy and safety of EMR to completely remove Barrett's esophagus: experience in 41 patients., 2011;74:761–71
Gerkin RD. (*see* Shah et al). 2011; 74:122–7
Gerson LB. (*see* Robinson et al). 2011; 74:1061–6

Ghali PM. (*see* Almadi et al). 2011; 74:380–8 (Technical review)
Gibson R. (*see* Urquhart et al). 2011; 74:378–9 (Thinking outside the box)
Gil-Simón P. (*see* de la Serna-Higuera et al). 2011; 74:672–6 (New methods: clinical endoscopy)
Gimeno-Garcia AZ. (*see* Parra-Blanco et al). 2011; 74:1137–41 (New methods: experimental endoscopy)
Gimeno-García AZ. (*see* Nicolás-Pérez et al). 2011; 74:1146–7 (At the focal point)
Ginès A. (*see* Pellisé et al). 2011; 74:840–8
Ginès À. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Ginsberg GG. (*see* Chandrasekhara and Ginsberg). 2011; (*see* Guarner-Argente et al). 2011; 74:1084–6 (Editorial); 74:219–21 (Brief report); 74:81–6
Giordano-Nappi JH. (*see* Hondo et al). 2011; 74:666–71 (New methods: clinical endoscopy)
Girelli CM, Porta P, Colombo E, Lesinigo E, Bernasconi G. Development of a novel index to discriminate bulge from mass on small-bowel capsule endoscopy., 2011;74:1067–74
Gleeson FC, Clain JE, Rajan E, Topazian MD, Wang KK, Levy MJ. EUS-FNA assessment of extramesenteric lymph node status in primary rectal cancer., 2011;74:897–905
Gluck M. (*see* Pannala et al). 2011; 74:295–302
Goldberg E. (*see* Norris et al). 2011; 74:1402–3 (At the focal point)
Goldberg ME, Veerappan GR. Somatoform disorder after conscious sedation., 2011;74:1432–3 (Letter to the editor)
Goldberg P. (*see* Meisner et al). 2011; 74:876–84
Goldstone R, Itzkowitz S, Harpaz N, Ullman T. Progression of low-grade dysplasia in ulcerative colitis: effect of colonic location., 2011;74:1087–93
Gonda TA. (*see* Buscaglia et al). 2011; 74:207–11 (Case study)
Gonzalez J-M. (*see* Surace et al). 2011; 74:1416–9 (Case study)
González-Huix F. (*see* Meisner et al). 2011; 74:876–84
González-Suárez B. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Goodrich M. (*see* Greene et al). 2011; 74:334–40
Gor N, Patil A. Endoscopic management of postoperative ileocolonic anastomotic bleeding by using water submersion., 2011;74:721–2 (Brief report)
Gordon SR. (*see* Zubarik et al). 2011; 74:87–95
Gosain S. (*see* Cerefice et al). 2011; 74:520–6
Gossum AV. (*see* Spada et al). 2011; 74:581–9
Gostout CJ. (*see* Moran et al). 2011; 74:1103–7
Goto A. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Govil YK. (*see* Olson and Govil). 2011; 74:692 (At the focal point)
Gralnek IM. (*see* Barkun et al). 2011; 74:234–5 (Letter to the editor)
Grant J. (*see* Leeds et al). 2011; 74:1033–9
Green PH. (*see* Longman et al). 2011; (*see* Tennyson and Green). 2011; 74:1323–4 (Editorial); 74:403–4 (At the focal point)
Green PHR. (*see* Lebwohl et al). 2011; 74:103–9
Greene MA, Butterly LF, Goodrich M, Onega T, Baron JA, Lieberman DA, Dietrich AJ, Srivastava A. Matching colonoscopy and pathology data in population-based registries: development of a novel algorithm and the initial experience of the New Hampshire Colonoscopy Registry., 2011; 74:334–40
Gress F. (*see* Hindy et al). 2011; 74:439–41 (Brief report)
Grimaud J. (*see* Surace et al). 2011; 74:1416–9 (Case study)
Griswold ME. (*see* Abell et al). 2011; 74:496–503
Gromski MA. (*see* Matthes et al). 2011; 74:1369–75
Gross S, Trautwein C, Behrens A, Winograd R, Palm S, Lutz HH, Schirin-Sokhan R, Hecker H, Aach T, Tischendorf JJ. Computer-based classification of small colorectal polyps by using narrow-band imaging with optical magnification., 2011;74:1354–9
Grund KE. (*see* Meisner et al). 2011; 74:876–84
Gschwantler M. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Guarner-Argente C, Chandrasekhara V, Levine MS, Marcotte PJ, Weinstein GS, Ginsberg GG. Esophageal stent-induced fistulization to an anterior cervical plate., 2011;74:219–21 (Brief report)
Guarner-Argente C, Shah P, Buchner A, Ahmad NA, Kochman ML, Ginsberg GG. Use of antimicrobials for EUS-guided FNA of pancreatic cysts: a retrospective, comparative analysis., 2011;74:81–6
Gudis K. (*see* Kusunoki et al). 2011; 74:798–804
Guo J. (*see* Xu et al). 2011; 74:1001–9
Gupta AK, Samadder J, Elliott E, Sethi S, Schoenfeld P. Prevalence of any size adenomas and advanced adenomas in 40- to 49-year-old individuals undergoing screening colonoscopy because of a family history of colorectal carcinoma in a first-degree relative., 2011;74:110–8
Gupta K, Aparicio D, Freeman ML, Sakai C, Paione JB, Artifon ELA. Endoscopic biliary recanalization by using a needle catheter in patients with complete ligation or stricture of the bile duct: safety and feasibility of a novel technique (with videos)., 2011;74:423–8 (Case study)
Gupta M. (*see* Diamond et al). 2011; 74:135–40
Gupta N. (*see* Rastogi et al). 2011; (*see* Sharma et al). 2011; 74:465–72; 74:58–64; 74:593–602
Gupta N, Bansal A, Wani SB, Gaddam S, Rastogi A, Sharma P. Endoscopy for upper GI cancer screening in the general population: a cost-utility analysis., 2011;74:610–24
Gupta R. (*see* Monga et al). 2011; (*see* Ramchandani et al). 2011; 74:511–9; 74:935–7 (Brief report)
Gupte GL. (*see* Perera et al). 2011; 74:1429 (Letter to the editor)
Gurudu SR. (*see* Yadav et al). 2011; 74:834–9
Gustafson M. (*see* Martin et al). 2011; 74:723 (Letter to the editor)

H

Haas T. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Hahm JS. (*see* Lee et al). 2011; 74:693–5 (Case study)
Hahn EG. (*see* Farnbacher et al). 2011; 74:527–34
Hall M. (*see* Wani et al). 2011; 74:1238–47
Haluszka O. (*see* Chen et al). 2011; 74:805–14
Hamabe K. (*see* Nakamura et al). 2011; 74:1143–4 (At the focal point)
Hamada T, Isayama H, Nakai Y, Togawa O, Kogure H, Kawakubo K, Tsujino T, Sasahira N, Hirano K, Yamamoto N, Arizumi T, Ito Y, Matsubara S, Sasaki T, Yagioka H, Yashima Y, Mohri D, Miyabayashi K, Mizuno S, Nagano R, Takahara N, Toda N, Tada M, Omata M, Koike K. Duodenal invasion is a risk factor for the early dysfunction of biliary metal stents in unresectable pancreatic cancer., 2011;74:548–55
Hamada T, Tsujino T, Sasahira N, Kogure H, Isayama H, Hirano K, Yamamoto N, Tada M, Koike K. Percutaneous transhepatic cholangioscopy with an ultraslim video upper endoscope with CO_2 insufflation: a feasibility study., 2011; 74:696–9 (Case study)
Hammel P. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Hamonic S. (*see* Bretagne et al). 2011; 74:141–7
Hamuro M. (*see* Sakuma et al). 2011; 74:404–6 (At the focal point)
Han DS. (*see* Lee et al). 2011; 74:1094–102; 74:693–5 (Case study)
Han J-H. (*see* Lee et al). 2011; 74:96–102
Han JP, Hong SJ, Moon JH, Lee GH, Byun JM, Kim HJ, Choi HJ, Ko BM, Lee MS. Benefit of pronase in image quality during EUS., 2011;74:1230–7
Hanes M. (*see* Moran et al). 2011; 74:1103–7
Hanhart A. (*see* Heuss et al). 2011; 74:1207–14
Hanna K. (*see* Hindy et al). 2011; 74:439–41 (Brief report)
Haq T. (*see* Jackson et al). 2011; 74:341–6
Hara AK. (*see* Yadav et al). 2011; 74:834–9
Harada T, Ito S, Sasaki T, Kunisaki R, Shiojima H, Ogawa M, Yokota S. GI involvement of sigmoid mucosal erosion in a 13-year-old girl with microscopic polyangiitis., 2011;74:937–9 (Brief report)
Hardi R. (*see* Pambianco and Hardi). 2011; 74:449 (Letter to the editor)
Harewood GC. (*see* Dunne and Harewood). 2011; 74:448–9 (Letter to the editor)
Haringsma J. (*see* van Heel et al). 2011; 74:44–50
Harpaz N. (*see* Goldstone et al). 2011; 74:1087–93
Harris C. (*see* Barthel et al). 2011; 74:51–7
Harris LA. (*see* Yadav et al). 2011; 74:834–9
Hart J. (*see* Konda et al). 2011; 74:1049–60
Hashimoto S, Kobayashi M, Takeuchi M, Sato Y, Narisawa R, Aoyagi Y. The efficacy of endoscopic triamcinolone injection for the prevention of esophageal stricture after endoscopic submucosal dissection., 2011;74:1389–93 (New methods)
Hassan C. (*see* Spada et al). 2011; 74:581–9
Hatakeyama H. (*see* Nishiwaki et al). 2011; 74:784–91
Hatzidakis A. (*see* Krokidis et al). 2011; 74:1173–4 (Letter to the editor)
Hawes RH. (*see* Chen et al). 2011; 74:805–14
Hayashi M. (*see* Nishiwaki et al). 2011; 74:784–91
Hayashi R. (*see* Muto et al). 2011; 74:477–84
Hayashi T. (*see* Nishiwaki et al). 2011; (*see* Norimura et al). 2011; 74:428–34 (Case study); 74:784–91
Hayashi Y. (*see* Nishimura et al). 2011; (*see* Sakamoto et al). 2011; 74:1157–61 (Case study); 74:328–33
He S. (*see* Bergman et al). 2011; 74:1181–90
Hecker H. (*see* Gross et al). 2011; 74:1354–9
Heigh RI. (*see* Yadav et al). 2011; 74:834–9
Heller T. (*see* Arora et al). 2011; 74:688–90 (At the focal point)
Helmberger T. (*see* Schneider et al). 2011; 74:1163–6 (Brief report)
Henry ZH. (*see* Richter et al). 2011; 74:22–34
Hensman J. (*see* Leeds et al). 2011; 74:1033–9
Hernandez LV. Better imaging *versus* better value: striking a balance in confocal laser endomicroscopy., 2011;74:969–70 (Editorial)
Hernandez Y. (*see* Nagula et al). 2011; 74:699–702 (Case study)
Herranz T. (*see* de la Serna-Higuera et al). 2011; 74:672–6 (New methods: clinical endoscopy)
Herrero LA. (*see* Pouw et al). 2011; 74:35–43
Heuss LT, Hanhart A, Dell-Kuster S, Zdrnja K, Ortmann M, Beglinger C, Bucher HC, Degen L. Propofol sedation alone or in combination with

pharyngeal lidocaine anesthesia for routine upper GI endoscopy: a randomized, double-blind, placebo-controlled, non-inferiority trial., 2011; 74:1207–14
Hewett DG. (*see* Togashi et al). 2011; 74:940 (Letter to the editor)
Hewett DG, Rex DK. Miss rate of right-sided colon examination during colonoscopy defined by retroflexion: an observational study., 2011;74: 246–52
Hibi T. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Hindy P, Parvin R, Hanna K, Gress F. Strongyloidiasis presenting as duodenal obstruction in a patient infected with human T-cell lymphotropic virus type 1., 2011;74:439–41 (Brief report)
Hirano K. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Hirasawa K, Kokawa A, Oka H, Yahara S, Sasaki T, Nozawa A, Morimoto M, Numata K, Taguri M, Morita S, Maeda S, Tanaka K. Risk assessment chart for curability of early gastric cancer with endoscopic submucosal dissection., 2011;74: 1268–75
Ho S. (*see* Buscaglia et al). 2011; 74:207–11 (Case study)
Ho SB. (*see* Lee et al). 2011; 74:128–34
Hoeroldt B. (*see* Leeds et al). 2011; 74:1033–9
Hoff G. (*see* Løberg et al). 2011; 74:1347–53
Hoff I. (*see* Løberg et al). 2011; 74:1347–53
Hoffe S. (*see* Barthel et al). 2011; 74:51–7
Hokama A. (*see* Ihama et al). 2011; 74:921 (At the focal point)
Holland SM. (*see* Arora et al). 2011; 74:688–90 (At the focal point)
Holub JL. (*see* Diamond et al). 2011; 74:135–40
Holzäpfel A. (*see* Dulic-Lakovic et al). 2011; 74: 573–80
Hondo FY. (*see* da Costa Martins et al). 2011; 74:709–11 (Brief report)
Hondo FY, Maluf-Filho F, Giordano-Nappi JH, Neves CZ, Cecconello I, Sakai P. Endoscopic treatment of Zenker's diverticulum by harmonic scalpel., 2011;74:666–71 (New methods: clinical endoscopy)
Hong S-K. (*see* Siddiqui et al). 2011; 74:535–40
Hong SJ. (*see* Han et al). 2011; 74:1230–7
Hong SP. (*see* Park et al). 2011; (*see* Yoon et al). 2011; 74:1337–46; 74:625–33; 74:858–68
Hopfer K, Ziessman H. Nuclear medicine hepatobiliary imaging (cholescintigraphy)., 2011;74: 375–7 (The fellows' corner)
Horimatsu T. (*see* Muto et al). 2011; 74:477–84
Hosaka J. (*see* Kusunoki et al). 2011; 74:798–804
Hosoe N, Imaeda H, Okamoto S, Bessho R, Saito R, Ida Y, Kobayashi S, Kanai T, Hibi T, Ogata H. A case of beef tapeworm *(Taenia saginata)* infection observed by using video capsule endoscopy and radiography (with videos)., 2011;74: 690–1 (At the focal point)
Hosono K. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Hou JK, Qureshi W. Swallowed fluticasone for the treatment of esophageal lichen planus., 2011;74: 708–9 (Brief report)
Houben M. (*see* Pouw et al). 2011; 74:35–43
Hovis CE. (*see* Rastogi et al). 2011; (*see* Wani et al). 2011; 74:1238–47; 74:593–602
Hovis RM. (*see* Wani et al). 2011; 74:1238–47
Howard TJ. (*see* LeBlanc et al). 2011; 74:1300–7
Hritz I, Dubravcsik Z, Szepes A, Madácsy L. Does removal of prophylactic pancreatic stents induce acute pancreatitis?, 2011;74:1430–1 (Letter to the editor)
Hsu JD. (*see* Chen et al). 2011; 74:1145–6 (At the focal point)
Hu B, Mou Y, Yi H, Wang Y, Luo R, Zhang Q, Tang C. Endoscopic enucleation of large esophageal leiomyomas., 2011;74:928–31 (Case study)
Hu Y. (*see* Shao et al). 2011; 74:1172 (Letter to the editor)
Hua J. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Huang ES, Karsan S, Kanwal F, Singh I, Makhani M, Spiegel BM. Impact of nasogastric lavage on outcomes in acute GI bleeding., 2011;74:971–80
Huang Q. (*see* Shao et al). 2011; 74:1172 (Letter to the editor)
Hubner D. (*see* Dulic-Lakovic et al). 2011; 74: 573–80
Huebner M. (*see* Moran et al). 2011; 74:1103–7
Hur KY. (*see* Jeon et al). 2011; 74:225–7 (Brief report)
Hwangbo Y. (*see* Lee et al). 2011; 74:1094–102; 74:603–9
Hyett BH. (*see* Saltzman et al). 2011; 74:1215–24

I

Iaconelli A. (*see* Familiari et al). 2011; 74:1248–58
Ida Y. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Iglesias-García J. (*see* Macías-Garcia et al). 2011; 74:437–9 (Brief report)
Ihama Y, Hokama A, Iraha A, Kaida M, Kinjo F, Fujita J. Esophageal perforation by fish bone ingestion., 2011;74:921 (At the focal point)
Iida H. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Ikeura T. (*see* Matsushita et al). 2011; 74:451 (Letter to the editor)
Ikramuddin S. (*see* Attam et al). 2011; 74:677–82 (New methods: clinical endoscopy)
Im JP. (*see* Choi et al). 2011; 74:276–84
Imaeda H. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Imaizumi Y. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Inadomi JM. (*see* Day et al). 2011; 74:885–96
Inamori M. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Inayama Y. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Infantolino A. (*see* Siddiqui et al). 2011; 74:535–40
Inomata M. (*see* Akagi et al). 2011; 74:1026–32
Inoue N. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Iraha A. (*see* Ihama et al). 2011; 74:921 (At the focal point)
Irani S. (*see* Pannala et al). 2011; 74:295–302
Isayama H. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Isomoto H. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Ito S. (*see* Harada et al). 2011; 74:937–9 (Brief report)
Ito Y. (*see* Hamada et al). 2011; 74:548–55
Itoi T. (*see* Jang et al). 2011; 74:1040–8
Itzkowitz S. (*see* Goldstone et al). 2011; 74: 1087–93
Itzkowitz SH. (*see* Tadepalli et al). 2011; 74: 1360–8
Iwashita A. (*see* Nagahama et al). 2011; 74: 1259–67
Iwashita M. (*see* Nishiwaki et al). 2011; 74:784–91
Izumi Y. (*see* Kawaguchi et al). 2011; 74:922–3 (At the focal point)

J

Jackson C. (*see* Robinson et al). 2011; 74:1061–6
Jackson CS, Haq T, Olafsson S. Push enteroscopy has a 96% cecal intubation rate in colonoscopies that failed because of redundant colons., 2011; 74:341–6
Jackson T. (*see* Coté et al). 2011; 74:65–73
James G. (*see* Leeds et al). 2011; 74:1033–9
Jang JW. (*see* Park et al). 2011; 74:1276–84
Jang JW, Lee SS, Park DH, Seo D-W, Lee S-K, Kim M-H. Feasibility and safety of EUS-guided transgastric/transduodenal gallbladder drainage with single-step placement of a modified covered self-expandable metal stent in patients unsuitable for cholecystectomy., 2011;74:176–81 (New methods: clinical endoscopy)
Jang JY. (*see* Shim et al). 2011; 74:406–7 (At the focal point)
Jang MK. (*see* Park et al). 2011; 74:1422–4 (Brief report)
Jang SI, Kim J-H, Won JY, Lee KH, Kim HW, You JW, Itoi T, Lee D. Magnetic compression anastomosis is useful in biliary anastomotic strictures after living donor liver transplantation., 2011;74: 1040–8
Javaid M. (*see* Cerefice et al). 2011; 74:520–6
Jeen Y-T. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Jensen CD. (*see* Corley et al). 2011; 74:656–65 (Review article)
Jensen CS. (*see* Gerke et al). 2011; 74:761–71
Jensen DM. (*see* Chavalitdhamrong et al). 2011; 74:852–7
Jeon SM. (*see* Park et al). 2011; 74:1337–46
Jeon SR, Cho WY, Jin SY, Cheon YK, Choi SR, Cho JY. Optical biopsies by confocal endomicroscopy prevent additive endoscopic biopsies before endoscopic submucosal dissection in gastric epithelial neoplasias: a prospective, comparative study., 2011;74:772–80
Jeon SR, Kim J-O, Kim HG, Lee TH, Kim WJ, Cho JY, Lee JS, Kim YJ, Hur KY. Migrated anchoring gastric band removed by double-balloon enteroscopy., 2011;74:225–7 (Brief report)
Jeon YC. (*see* Lee et al). 2011; 74:693–5 (Case study)
Ji J-S, Lee B-I, Kim H-K, Cho Y-S, Choi H, Kim B-W, Kim S-W, Kim S-S, Chae H-S, Choi K-Y, Maeng L-S. Antimigration property of a newly designed covered metal stent for esophageal stricture: an in vivo animal study., 2011;74: 148–53
Jiang Y-P. (*see* Xin et al). 2011; 74:563–70
Jiang Z. (*see* Diamond et al). 2011; 74:135–40
Jiménez-Pérez J. (*see* Meisner et al). 2011; 74: 876–84
Jimeno M. (*see* Pellisé et al). 2011; 74:840–8
Jimeno-Ayllon C. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Jin SY. (*see* Jeon et al). 2011; 74:772–80
Johannes RS. (*see* Saltzman et al). 2011; 74: 1215–24
Johansson GW. (*see* Spada et al). 2011; 74:581–9
Johnson C. (*see* LeBlanc et al). 2011; 74:1300–7
Johnson WD. (*see* Abell et al). 2011; 74:496–503
Jong ES. (*see* Kim et al). 2011; 74:703–7 (Case study)
Jonnalagadda SS. (*see* Rastogi et al). 2011; (*see* Wani et al). 2011; 74:1238–47; 74:593–602
Joo Y-E. (*see* Park et al). 2011; 74:869–75
Jothiprakasam S. (*see* Mohan et al). 2011; 74:197–9 (At the focal point)
Juan M. (*see* LeBlanc et al). 2011; 74:1300–7

Jun DW. (*see* Lee et al). 2011; 74:693–5 (Case study)
Jung H-Y. (*see* Ahn et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:485–93
Jung HC. (*see* Choi et al). 2011; 74:276–84
Jung KW. (*see* Kim et al). 2011; 74:1170–1 (Brief report)
Jung Y. (*see* Matthes et al). 2011; 74:1369–75
Jung YS. (*see* Yoon et al). 2011; 74:625–33; 74:858–68
Jutabha R. (*see* Chavalitdhamrong et al). 2011; 74:852–7

K

Kahaleh M. (*see* Cerefice et al). 2011; (*see* Gaidhane and Kahaleh). 2011; 74:520–6; 74:815–6 (Editorial)
Kahi C. (*see* Maddur et al). 2011; 74:211–3 (Case study)
Kaida M. (*see* Ihama et al). 2011; 74:921 (At the focal point)
Kalaitzakis E, Sturgess R. Biliary leiomyoma diagnosed by Spyglass cholangioscopy (with video)., 2011;74:409–10 (At the focal point)
Kalloo AN. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Kalmaz DM. (*see* Lee et al). 2011; 74:128–34
Kaltenbach T. (*see* Raju et al). 2011; 74:1380–8 (Review article)
Kanai T. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Kang D. (*see* Yoo et al). 2011; 74:992–1000
Kang SJ. (*see* Choi et al). 2011; 74:276–84
Kang Y-K. (*see* Lee et al). 2011; 74:1010–8
Kanwal F. (*see* Huang et al). 2011; 74:971–80
Kapel RC. (*see* Lebwohl et al). 2011; 74:103–9
Kapur K. (*see* Leeds et al). 2011; 74:1033–9
Karasek V. (*see* Shah et al). 2011; 74:122–7
Karsan S. (*see* Huang et al). 2011; 74:971–80
Kato H. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Kato M. (*see* Matthes et al). 2011; 74:1369–75
Katsinelos P, Kountouras J, Chatzimavroudis G, Zavos C. Response to: Sufficient sphincterotomy or rescue for impacted entrapped bile stones., 2011;74:1432 (Letter to the editor)
Katsinelos P, Zavos C, Chatzimavroudis G, Kountouras J. Response to: Large-balloon dilation after sphincterotomy: anatomical and technical issues., 2011;74:725 (Letter to the editor)
Katz AJ. (*see* Yoo et al). 2011; 74:992–1000
Kaul V. (*see* Pfau et al). 2011; (*see* Yoon et al). 2011; 74:1175–80 (Technology status evaluation report); 74:1407–8 (Case study)
Kaur N. (*see* Nadkarni et al). 2011; 74:199–200 (At the focal point)
Kawabe M. (*see* Kawaguchi et al). 2011; 74:922–3 (At the focal point)
Kawagoe T. (*see* Kusunoki et al). 2011; 74:798–804
Kawaguchi Y, Fu K, Morimoto T, Shimizu T, Izumi Y, Kawabe M, Miyazaki A. Aortoesophageal fistula after radiation therapy for esophageal cancer (with video)., 2011;74:922–3 (At the focal point)
Kawaguti FS. (*see* da Costa Martins et al). 2011; 74:709–11 (Brief report)
Kawakubo K. (*see* Hamada et al). 2011; 74:548–55
Kawamoto H. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Kawamura M, Sekine H, Kikuchi T, Sakai Y, Nagasaki F, Naganuma H, Shibuya R, Ando M. Endoscopic submucosal dissection for gastric neoplasms by using a novel attachment device—a one-sided, expandable balloon., 2011;74:415–8 (Case study)
Kawana I. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Kedar A. (*see* Abell et al). 2011; 74:496–503
Keswani RN. (*see* Coté et al). 2011; 74:65–73
Keswani RN, Nayar R, Mahajan A, Komanduri S. Touch preparation of jumbo forceps biopsies allows rapid adequacy assessment of subepithelial GI masses., 2011;74:411–4 (Case study)
Keswani RN. Response to: Spending less for rescuing a failed colonoscopy., 2011;74:452 (Letter to the editor)
Kethu SR. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Keum B. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Khaliq A. (*see* Puri et al). 2011; 74:1400–2 (At the focal point)
Khashab M. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Kikuchi T. (*see* Kawamura et al). 2011; 74:415–8 (Case study)
Kim B-W. (*see* Ji et al). 2011; 74:148–53
Kim BS. (*see* Lee et al). 2011; 74:1010–8
Kim CD. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Kim DH. (*see* Ahn et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:485–93
Kim H. (*see* Park et al). 2011; 74:1337–46
Kim H-K. (*see* Ji et al). 2011; 74:148–53
Kim H-S. (*see* Park et al). 2011; 74:869–75
Kim HG. (*see* Jeon et al). 2011; 74:225–7 (Brief report)
Kim HI, Moon JH, Choi HJ, Lee JC, Ahn HS, Song AR, Lee TH, Cho YD, Park S-H, Kim S-J. Holmium laser lithotripsy under direct peroral cholangioscopy by using an ultra-slim upper endoscope for patients with retained bile duct stones (with video)., 2011;74:1127–32 (New methods: clinical endoscopy)
Kim HJ. (*see* Han et al). 2011; (*see* Lee et al). 2011; 74:1230–7; 74:96–102
Kim HJ, Park DH, Ryu CH, Lee SS, Seo D-W, Lee S-K, Kim M-H. New appearance of a snowman-like, polypoid lesion on the major duodenal papilla in a patient with relapsing autoimmune pancreatitis., 2011;74:923–4 (At the focal point)
Kim HN, Alousi AM, Lee JH, Qiao W, Xiao L, Ross WA. Role of ERCP in patients after hematopoietic stem cell transplantation., 2011;74:817–24
Kim HS. (*see* Park et al). 2011; 74:1422–4 (Brief report)
Kim HW. (*see* Jang et al). 2011; 74:1040–8
Kim HY. (*see* Park et al). 2011; 74:1422–4 (Brief report)
Kim J. (*see* Binmoeller et al). 2011; 74:1019–25
Kim J-H. (*see* Ahn et al). 2011; (*see* Byeon et al). 2011; (*see* Jang et al). 2011; (*see* Kim et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:1040–8; 74:1075–83; 74:228–30 (Brief report); 74:485–93
Kim J-O. (*see* Jeon et al). 2011; 74:225–7 (Brief report)
Kim JH. (*see* Kim et al). 2011; 74:703–7 (Case study)
Kim JS. (*see* Choi et al). 2011; (*see* Kim et al). 2011; 74:276–84; 74:703–7 (Case study)
Kim K-J. (*see* Byeon et al). 2011; (*see* Kim et al). 2011; 74:1075–83; 74:1170–1 (Brief report); 74:228–30 (Brief report)
Kim KC. (*see* Lee et al). 2011; 74:1010–8
Kim KH. (*see* Park et al). 2011; 74:1422–4 (Brief report)
Kim KH, Kim JH, Chung HH, Jong ES, Lee BJ, Seo YS, Yim HJ, Yeon JE, Park J-J, Kim JS, Bak YT, Byun KS. Duodenobronchial fistula presenting with persistent pneumonia: report of a case., 2011;74:703–7 (Case study)
Kim M-H. (*see* Jang et al). 2011; (*see* Kim et al). 2011; (*see* Park et al). 2011; 74:1276–84; 74:176–81 (New methods: clinical endoscopy); 74:923–4 (At the focal point)
Kim M-Y. (*see* Ahn et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:485–93
Kim S-J. (*see* Kim et al). 2011; (*see* Lee et al). 2011; 74:1127–32 (New methods: clinical endoscopy); 74:96–102
Kim S-S. (*see* Ji et al). 2011; 74:148–53
Kim S-W. (*see* Ji et al). 2011; 74:148–53
Kim SG. (*see* Choi et al). 2011; 74:276–84
Kim SJ. (*see* Park et al). 2011; 74:1422–4 (Brief report)
Kim TI. (*see* Park et al). 2011; (*see* Yoon et al). 2011; 74:1337–46; 74:625–33; 74:858–68
Kim WH. (*see* Choi et al). 2011; (*see* Park et al). 2011; (*see* Yoon et al). 2011; 74:1337–46; 74:276–84; 74:625–33; 74:858–68
Kim WJ. (*see* Jeon et al). 2011; 74:225–7 (Brief report)
Kim Y-S. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Kim Y-s. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Kim YG, Byeon J-S, Lee SK, Yang D-H, Kim K-J, Ye BD, Myung S-J, Yang S-K, Kim J-H. Gallstone ileus successfully treated with endoscopic fragmentation by using double-balloon endoscopy (with video)., 2011;74:228–30 (Brief report)
Kim YG, Kim K-J, Noh SH, Yang DH, Jung KW, Ye BD, Byeon J-S, Myung S-J, Yang S-K. Clear water filling and puncture: sufficient for endoscopic diagnosis of pneumatosis cystoides intestinalis? (with video), 2011;74:1170–1 (Brief report)
Kim YJ. (*see* Jeon et al). 2011; 74:225–7 (Brief report)
King B, Speziale A. Gastric perforation caused by a pancreatic pseudocyst., 2011;74:1403–4 (At the focal point)
Kinjo F. (*see* Ihama et al). 2011; 74:921 (At the focal point)
Kitano S. (*see* Akagi et al). 2011; 74:1026–32
Kiyotoki S. (*see* Nakamura et al). 2011; 74:1143–4 (At the focal point)
Kleiner DE. (*see* Arora et al). 2011; 74:688–90 (At the focal point)
Knitsch W. (*see* Lankisch et al). 2011; 74:924–5 (At the focal point)
Ko BM. (*see* Han et al). 2011; 74:1230–7
Ko C. (*see* Dominitz and Ko). 2011; 74:590–2 (Editorial)
Kobayashi M. (*see* Hashimoto et al). 2011; 74:1389–93 (New methods)
Kobayashi S. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Kochman ML. (*see* Guarner-Argente et al). 2011; 74:81–6
Kogure H. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Koide T. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Koike K. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Kokawa A. (*see* Hirasawa et al). 2011; 74:1268–75
Komanduri S. (*see* Keswani et al). 2011; 74:411–4 (Case study)
Komorowski R. (*see* Dua et al). 2011; 74:1424–5 (Brief report)
Konda VJA, Aslanian HR, Wallace MB, Siddiqui

UD, Hart J, Waxman I. First assessment of needle-based confocal laser endomicroscopy during EUS-FNA procedures of the pancreas (with videos)., 2011;74:1049–60
Kornacki S. (*see* Tadepalli et al). 2011; 74:1360–8
Koulaouzidis A, Douglas S, Plevris JN. The Edinburgh experience with two small-bowel capsule endoscopy systems., 2011;74:941 (Letter to the editor)
Kountouras J. (*see* Katsinelos et al). 2011; 74:1432 (Letter to the editor); 74:725 (Letter to the editor)
Kovacs TOG. (*see* Chavalitdhamrong et al). 2011; 74:852–7
Kowalski TE. (*see* Siddiqui et al). 2011; 74:535–40
Kozarek RA. (*see* Pannala et al). 2011; 74:295–302
Kratt T. (*see* von Renteln et al). 2011; 74:1108–14
Krokidis M, Orgera G, Fanelli F, Hatzidakis A. Covered biliary metal stents: which, where, when?, 2011;74:1173–4 (Letter to the editor)
Kubiliun N, Ribeiro A, Fan Y-S, Rocha-Lima CM, Sleeman D, Merchan J, Barkin J, Levi J. EUS-FNA with rescue fluorescence in situ hybridization for the diagnosis of pancreatic carcinoma in patients with inconclusive on-site cytopathology results., 2011;74:541–7
Kucera S. (*see* Barthel et al). 2011; 74:51–7
Kuipers EJ. (*see* Poley et al). 2011; (*see* van Heel et al). 2011; 74:44–50; 74:916–20 (New methods)
Kuipers EJ. Improved risk assessment in upper GI bleeding., 2011;74:1225–9 (Editorial)
Kumar M. (*see* Puri et al). 2011; 74:1400–2 (At the focal point)
Kunisaki R. (*see* Harada et al). 2011; 74:937–9 (Brief report)
Kushnir V. (*see* Wani et al). 2011; 74:1238–47
Kusunoki M, Miyake K, Shindo T, Ueki N, Kawagoe T, Gudis K, Futagami S, Tsukui T, Takagi I, Hosaka J, Sakamoto C. The incidence of deep vein thrombosis in Japanese patients undergoing endoscopic submucosal dissection., 2011;74:798–804
Kwek BEA. (*see* Maydeo et al). 2011; 74:1308–14
Kwon A. (*see* Day et al). 2011; 74:885–96
Kwon JE. (*see* Park et al). 2011; 74:1337–46
Kwon OW. (*see* Lee et al). 2011; 74:693–5 (Case study)
Kwon RS. (*see* Lewis et al). 2011; 74:753–60

L

Lagergren J. (*see* Blomberg and Lagergren). 2011; 74:727 (Letter to the editor)
Lahr BD. (*see* Atlas et al). 2011; 74:1315–22
Lahr C. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Laiyemo AO, Doubeni C, Sanderson AK II, Pinsky PF, Badurdeen DS, Doria-Rose VP, Marcus PM, Schoen RE, Lanza E, Schatzkin A, Cross AJ. Likelihood of missed and recurrent adenomas in the proximal *versus* the distal colon., 2011;74:253–61
Lakhtakia S. (*see* Ramchandani et al). 2011; (*see* Sekaran et al). 2011; 74:443–5 (Brief report); 74:511–9
Laneuville P. (*see* Bhat et al). 2011; 74:718–20 (Brief report)
Lankisch TO, Alten TA, Lehner F, Knitsch W. Biliary stent migration with colonic perforation: a very rare complication and the lesson that should be learned from it., 2011;74:924–5 (At the focal point)
Lanza E. (*see* Laiyemo et al). 2011; 74:253–61
Larghi A. (*see* Voermans et al). 2011; 74:1285–93
Larghi A, Verna EC, Ricci R, Seerden TC, Galasso D, Carnuccio A, Uchida N, Rindi G, Costamagna G. EUS-guided fine-needle tissue acquisition by using a 19-gauge needle in a selected patient population: a prospective study., 2011;74:504–10
Lariño-Noia J. (*see* Macías-Garcia et al). 2011; 74:437–9 (Brief report)
Lau JYW. (*see* Wong et al). 2011; 74:450 (Letter to the editor)
Lauwers GY. (*see* Sharma et al). 2011; (*see* Yoo et al). 2011; 74:465–72; 74:992–1000
Law R, Vargo JJ, Stevens T. Acute pancreatitis and aspiration pnuemonia after administration of synthetic human secretin (with video)., 2011;74:1166–8 (Brief report)
Lawson RD. (*see* Bernick and Lawson). 2011; 74:635–6 (The fellows' corner)
Le Moine O. (*see* Familiari et al). 2011; 74:1248–58
LeBlanc JK, Al-Haddad M, McHenry L, Sherman S, Juan M, McGreevy K, Johnson C, Howard TJ, Lillemoe KD, DeWitt J. A prospective, randomized study of EUS-guided celiac plexus neurolysis for pancreatic cancer: one injection or two?, 2011;74:1300–7
Lebwohl B, Kapel RC, Neugut AI, Green PHR, Genta RM. Adherence to biopsy guidelines increases celiac disease diagnosis., 2011;74:103–9
Lee B-I. (*see* Ji et al). 2011; (*see* Lee et al). 2011; 74:1094–102; 74:148–53
Lee BJ. (*see* Kim et al). 2011; 74:703–7 (Case study)
Lee CK, Lee S-H, Hwangbo Y. Narrow-band imaging *versus* I-Scan for the real-time histological prediction of diminutive colonic polyps: a prospective comparative study by using the simple unified endoscopic classification., 2011;74:603–9
Lee CK, Park DI, Lee S-H, Hwangbo Y, Eun CS, Han DS, Cha JM, Lee B-I, Shin JE. Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study., 2011;74:1094–102
Lee D. (*see* Jang et al). 2011; 74:1040–8
Lee GH. (*see* Ahn et al). 2011; (*see* Han et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:1230–7; 74:485–93
Lee H-J. (*see* Choi et al). 2011; 74:276–84
Lee HL, Kwon OW, Lee KN, Jun DW, Eun CS, Lee OY, Jeon YC, Han DS, Yoon BC, Choi HS, Hahm JS, Paik SS. Endoscopic histologic diagnosis of gastric GI submucosal tumors via the endoscopic submucosal dissection technique., 2011;74:693–5 (Case study)
Lee HS. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Lee J, Raman K, Sachithanandan S. Cystic pheochromocytoma mimicking a malignant pancreatic cyst., 2011;74:712–3 (Brief report)
Lee JC. (*see* Kim et al). 2011; 74:1127–32 (New methods: clinical endoscopy)
Lee JH. (*see* Ahn et al). 2011; (*see* Kim et al). 2011; (*see* Park et al). 2011; 74:1337–46; 74:1422–4 (Brief report); 74:485–93; 74:817–24
Lee JH, Choi KD, Kim M-Y, Choi K-S, Kim DH, Park YS, Kim KC, Song HJ, Lee GH, Jung H-Y, Yook JH, Kim BS, Kang Y-K, Kim J-H. Clinical impact of EUS-guided Trucut biopsy results on decision making for patients with gastric subepithelial tumors ≥2 cm in diameter., 2011;74:1010–8
Lee JS. (*see* Jeon et al). 2011; 74:225–7 (Brief report)
Lee KH. (*see* Jang et al). 2011; 74:1040–8
Lee KN. (*see* Lee et al). 2011; 74:693–5 (Case study)
Lee MS. (*see* Han et al). 2011; 74:1230–7
Lee OY. (*see* Lee et al). 2011; 74:693–5 (Case study)
Lee RH, Tang RS, Muthusamy VR, Ho SB, Shah NK, Wetzel L, Bain AS, Mackintosh EE, Paek AM, Crissien AM, Saraf LJ, Kalmaz DM, Savides TJ. Quality of colonoscopy withdrawal technique and variability in adenoma detection rates (with videos)., 2011;74:128–34
Lee S-H. (*see* Lee et al). 2011; 74:1094–102; 74:603–9
Lee S-K. (*see* Jang et al). 2011; (*see* Kim et al). 2011; 74:176–81 (New methods: clinical endoscopy); 74:923–4 (At the focal point)
Lee SK. (*see* Kim et al). 2011; (*see* Park et al). 2011; 74:1276–84; 74:228–30 (Brief report)
Lee SS. (*see* Jang et al). 2011; (*see* Kim et al). 2011; (*see* Park et al). 2011; 74:1276–84; 74:176–81 (New methods: clinical endoscopy); 74:923–4 (At the focal point)
Lee TH. (*see* Jeon et al). 2011; (*see* Kim et al). 2011; 74:1127–32 (New methods: clinical endoscopy); 74:225–7 (Brief report)
Lee TH, Han J-H, Kim HJ, Park SM, Park S-H, Kim S-J. Is the addition of choleretic agents in multiple double-pigtail biliary stents effective for difficult common bile duct stones in elderly patients? A prospective, multicenter study., 2011;74:96–102
Lee W-S. (*see* Park et al). 2011; 74:869–75
Lee YT. Spending less for rescuing a failed colonoscopy., 2011;74:451–2 (Letter to the editor)
Leeds J, McAlindon ME, Grant J, Robson HE, Morley SR, James G, Hoeroldt B, Kapur K, Dear K, Hensman J, Worden K, Sanders DS. Albumin level and patient age predict outcomes in patients referred for gastrostomy insertion: internal and external validation of a gastrostomy score and comparison with artificial neural networks., 2011;74:1033–9
Leggett CL. (*see* Saleem et al). 2011; 74:321–7
Lehman G. (*see* Moffatt et al). 2011; 74:1431 (Letter to the editor)
Lehman GA. (*see* Coté et al). 2011; 74:65–73
Lehner F. (*see* Lankisch et al). 2011; 74:924–5 (At the focal point)
Leighton JA. (*see* Yadav et al). 2011; 74:834–9
Lesinigo E. (*see* Girelli et al). 2011; 74:1067–74
Leslie D. (*see* Attam et al). 2011; 74:677–82 (New methods: clinical endoscopy)
Levi J. (*see* Kubiliun et al). 2011; 74:541–7
Levine MS. (*see* Guarner-Argente et al). 2011; 74:219–21 (Brief report)
Levy MJ. (*see* DeWitt et al). 2011; (*see* Gleeson et al). 2011; 74:1116–8 (The fellows' corner); 74:897–905
Levy P. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Lewis JJ, Rubenstein JH, Singal AG, Elmunzer BJ, Kwon RS, Piraka CR. Factors associated with esophageal stricture formation after endoscopic mucosal resection for neoplastic Barrett's esophagus., 2011;74:753–60
Lewis JT. (*see* Tian et al). 2011; 74:1201–6
Li X. (*see* Xu et al). 2011; 74:1001–9
Li Z. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Li Z-S. (*see* Xin et al). 2011; 74:563–70
Liang S. (*see* Xia et al). 2011; 74:637–44 (Thinking outside the box)
Liao Z. (*see* Xin et al). 2011; 74:563–70
Lidofsky SD. (*see* Zubarik et al). 2011; 74:87–95
Lieberman DA. (*see* Diamond et al). 2011; (*see* Greene et al). 2011; 74:135–40; 74:334–40
Lightdale CJ. (*see* Sharma et al). 2011; 74:465–72

Lillemoe KD. (*see* LeBlanc et al). 2011; 74:1300–7
Lin C-C. (*see* Wang et al). 2011; 74:398–402 (New methods: clinical endoscopy)
Lin CC. (*see* Chen et al). 2011; 74:1145–6 (At the focal point)
Lin J-T. (*see* Tai and Lin). 2011; 74:238 (Letter to the editor)
Lin Y. (*see* Xu et al). 2011; 74:1001–9
Lisewski D. (*see* Chong et al). 2011; 74:933–5 (Brief report)
Llach J. (*see* Balderramo et al). 2011; (*see* Fernández-Esparrach et al). 2011; (*see* Pellisé et al). 2011; 74:285–95; 74:347–54; 74:840–8
Løberg M, Furholm S, Hoff I, Aabakken L, Hoff G, Bretthauer M. Nitrous oxide for analgesia in colonoscopy without sedation., 2011;74: 1347–53
Loffroy R. Endovascular management of peptic ulcer bleeding: maximizing results and minimizing recurrent bleeding., 2011;74:449–50 (Letter to the editor)
Longman RS, Remotti H, Green PH. Esophagitis dissecans superficialis., 2011;74:403–4 (At the focal point)
Lopez R. (*see* Mehta et al). 2011; 74:303–8
López-Cerón M. (*see* Pellisé et al). 2011; 74:840–8
Loren DE. (*see* Siddiqui et al). 2011; 74:535–40
Lu N. (*see* Bergman et al). 2011; 74:1181–90
Luo R. (*see* Hu et al). 2011; 74:928–31 (Case study)
Lutz HH. (*see* Gross et al). 2011; 74:1354–9
Lutzke LS. (*see* Tian et al). 2011; 74:1201–6

M

Machicado GA. (*see* Chavalitdhamrong et al). 2011; 74:852–7
Macías-Garcia F, Iglesias-García J, Abdulkader I, Lariño-Noia J, Forteza-Vila J, Dominguez-Muñoz JE. Tuberculous lymph node at the porta hepatis: diagnosis by EUS-guided FNA., 2011;74: 437–9 (Brief report)
Mackintosh EE. (*see* Lee et al). 2011; 74:128–34
Madácsy L. (*see* Hritz et al). 2011; 74:1430–1 (Letter to the editor)
Maddur H, Agrawal S, Fayad N, Chalasani N, Kahi C. Acute cholecystitis after colonoscopy: a case series., 2011;74:211–3 (Case study)
Maeda S. (*see* Hirasawa et al). 2011; (*see* Tokoro et al). 2011; 74:1268–75; 74:925–7 (At the focal point)
Maeda T. (*see* Nishiwaki et al). 2011; 74:784–91
Maeng L-S. (*see* Ji et al). 2011; 74:148–53
Mahajan A. (*see* Keswani et al). 2011; 74:411–4 (Case study)
Mahon B. (*see* Croagh et al). 2011; 74:1413–6 (Case study)
Maieron A. (*see* Dulic-Lakovic et al). 2011; 74: 573–80
Makhani M. (*see* Huang et al). 2011; 74:971–80
Maki S. (*see* Nagahama et al). 2011; 74:1259–67
Mallard G. (*see* Bretagne et al). 2011; 74:141–7
Mallat DB. (*see* Molloy and Mallat). 2011; 74:725–6 (Letter to the editor)
Maluf-Filho F. (*see* da Costa Martins et al). 2011; (*see* Hondo et al). 2011; 74:666–71 (New methods: clinical endoscopy); 74:709–11 (Brief report)
Mancino MG. (*see* Fusaroli et al). 2011; 74:645–55 (Technical review)
Manfredi S. (*see* Bretagne et al). 2011; 74:141–7
Marcotte PJ. (*see* Guarner-Argente et al). 2011; 74:219–21 (Brief report)
Marcus PM. (*see* Laiyemo et al). 2011; 74:253–61
Marcus V. (*see* Bhat et al). 2011; 74:718–20 (Brief report)
Marescaux J. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)
Marks AR. (*see* Corley et al). 2011; 74:656–65 (Review article)
Marliss EB. (*see* Bhat et al). 2011; 74:718–20 (Brief report)
Marques CFS. (*see* da Costa Martins et al). 2011; 74:709–11 (Brief report)
Martel M. (*see* Barkun et al). 2011; 74:234–5 (Letter to the editor)
Martin JF, Bridenbaugh P, Gustafson M. The SEDASYS System is not intended for the sedation of high-risk patients., 2011;74:723 (Letter to the editor)
Martín-Herrera A. (*see* Nicolás-Pérez et al). 2011; 74:1146–7 (At the focal point)
Martinek J, Suchanek S, Stefanova M, Rotnaglova B, Zavada F, Strosova A, Zavoral M. Training on an ex vivo animal model improves endoscopic skills: a randomized, single-blind study., 2011; 74:367–73
Masaki T. (*see* Abe et al). 2011; 74:792–7
Matsubara S. (*see* Hamada et al). 2011; 74:548–55
Matsuda T. (*see* Raju et al). 2011; 74:1380–8 (Review article)
Matsui T. (*see* Nagahama et al). 2011; 74:1259–67
Matsumoto S, Miyatani H, Yoshida Y, Nokubi M. Duodenal carcinoid tumors: 5 cases treated by endoscopic submucosal dissection., 2011;74: 1152–6 (Case study)
Matsushima K. (*see* Norimura et al). 2011; 74: 428–34 (Case study)
Matsushita M, Ikeura T, Shimatani M, Takaoka M, Okazaki K. Simple injection of hypertonic saline-epinephrine solution oral to the papilla for prevention and treatment of post-sphincterotomy bleeding., 2011;74:451 (Letter to the editor)
Matsushita M, Mori S, Tahashi Y, Wakamatsu T, Okazaki K. Excessive length of a tube in the stomach: a risk factor for tangled or knotted tube., 2011;74:237–8 (Letter to the editor)
Matthes K, Jung Y, Kato M, Gromski MA, Chuttani R. Efficacy of full-thickness GI perforation closure with a novel over-the-scope clip application device: an animal study., 2011;74:1369–75
Maurel J. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Maydeo A, Kwek BEA, Bhandari S, Bapat M, Dhir V. Fiberoptic probe and catheter system–guided holmium laser lithotripsy of difficult biliary and pancreatic duct stones (with videos)., 2011;74: 1308–14
Mayershofer R. (*see* Spada et al). 2011; 74:581–9
McAlindon ME. (*see* Leeds et al). 2011; 74:1033–9
McCrady W. (*see* Tang et al). 2011; 74:195–6 (At the focal point)
McGreevy K. (*see* LeBlanc et al). 2011; 74:1300–7
McHenry L. (*see* Coté et al). 2011; (*see* LeBlanc et al). 2011; 74:1300–7; 74:65–73
McKinley MJ. (*see* Volfson and McKinley). 2011; 74:727–8 (Letter to the editor)
Mehta PP, Sanaka MR, Parsi MA, Zuccaro G, Dumot JA, Lopez R, Vargo JJ. Effect of the time of day on the success and adverse events of ERCP., 2011;74:303–8
Meine GC, Baron TH. Endoscopic papillary large-balloon dilation combined with endoscopic biliary sphincterotomy for the removal of bile duct stones (with video)., 2011;74:1119–26 (Technical review)
Meining A, Chen YK, Pleskow D, Stevens P, Shah RJ, Chuttani R, Michalek J, Slivka A. Direct visualization of indeterminate pancreaticobiliary strictures with probe-based confocal laser endomicroscopy: a multicenter experience., 2011;74: 961–8
Meining AR. (*see* Sharma et al). 2011; 74:465–72
Meisner S. (*see* Chen et al). 2011; 74:805–14
Meisner S, González-Huix F, Vandervoort JG, Goldberg P, Casellas JA, Roncero O, Grund KE, Alvarez A, García-Cano J, Vázquez-Astray E, Jiménez-Pérez J, for the WallFlex Colonic Registry Group. Self-expandable metal stents for relieving malignant colorectal obstruction: short-term safety and efficacy within 30 days of stent procedure in 447 patients., 2011;74:876–84
Merchan J. (*see* Kubiliun et al). 2011; 74:541–7
Mercky P. (*see* Surace et al). 2011; 74:1416–9 (Case study)
Meredith K. (*see* Barthel et al). 2011; 74:51–7
Merrill JT. (*see* Dua et al). 2011; 74:1424–5 (Brief report)
Michalek J. (*see* Meining et al). 2011; 74:961–8
Michalek JE. (*see* Sharma et al). 2011; 74:465–72
Miller CB. (*see* Sperry et al). 2011; 74:985–91
Miller KM. (*see* Tadepalli et al). 2011; 74:1360–8
Milner DA, Chatterjee A. A case of portal vein thrombosis caused by ingestion of a foreign body., 2011;74:1168–70 (Brief report)
Milovic V, Wehrmann T, Dietrich CF, Bailey AA, Caspary WF, Braden B. Extracorporeal shock wave lithotripsy with a transportable mini-lithotripter and subsequent endoscopic treatment improves clinical outcome in obstructive calcific chronic pancreatitis., 2011;74:1294–9
Minamoto H. (*see* Rodrigues et al). 2011; 74:1173 (Letter to the editor)
Minashi K. (*see* Muto et al). 2011; 74:477–84
Mingrone G. (*see* Familiari et al). 2011; 74:1248–58
Minocha A. (*see* Abell et al). 2011; 74:496–503
Mirza DF. (*see* Perera et al). 2011; 74:1429 (Letter to the editor)
Miura Y. (*see* Nishimura et al). 2011; 74:1157–61 (Case study)
Miyabayashi K. (*see* Hamada et al). 2011; 74: 548–55
Miyake K. (*see* Kusunoki et al). 2011; 74:798–804
Miyamoto S. (*see* Muto et al). 2011; 74:477–84
Miyata T. (*see* Sakamoto et al). 2011; 74:328–33
Miyatani H. (*see* Matsumoto et al). 2011; 74:1152–6 (Case study)
Miyazaki A. (*see* Kawaguchi et al). 2011; 74:922–3 (At the focal point)
Miyazaki Y. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Mizuno S. (*see* Hamada et al). 2011; 74:548–55
Moffatt DC, Cote GA, Lehman G, Fogel E, Sherman S. Response to: Does removal of prophylactic pancreatic stents induce acute pancreatitis?, 2011;74:1431 (Letter to the editor)
Mohamadnejad M. (*see* DeWitt and Mohamadnejad). 2011; 74:446–7 (Brief report)
Mohan P, Ramakrishnan R, Jothiprakasam S, Velayutham V, Rajagopal S, Venkataraman J. Spontaneous gallbladder perforation presenting as biliary ascites., 2011;74:197–9 (At the focal point)
Mohri D. (*see* Hamada et al). 2011; 74:548–55
Molliere F. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Molloy JW, Mallat DB. Novel use of the Soehendra stent extractor for pancreatic stone lithotripsy., 2011;74:725–6 (Letter to the editor)
Monga A, Gupta R, Ramchandani M, Rao GV, Santosh D, Reddy DN. Endoscopic radiofrequency ablation of cholangiocarcinoma: new

palliative treatment modality (with videos)., 2011;74:935–7 (Brief report)
Moon CM. (*see* Park et al). 2011; 74:1337–46
Moon JH. (*see* Han et al). 2011; (*see* Kim et al). 2011; 74:1127–32 (New methods: clinical endoscopy); 74:1230–7
Moran E, Hanes M, Huebner M, Gostout CJ, Bingener J. Pulmonary and peritoneal inflammatory findings in transgastric NOTES compared with laparoscopy: pooled analysis from randomized porcine survival studies., 2011;74:1103–7
Moreno C. (*see* Familiari et al). 2011; 74:1248–58
Mori S. (*see* Matsushita et al). 2011; 74:237–8 (Letter to the editor)
Mori T. (*see* Abe et al). 2011; 74:792–7
Morimoto M. (*see* Hirasawa et al). 2011; 74:1268–75
Morimoto T. (*see* Kawaguchi et al). 2011; 74:922–3 (At the focal point)
Morita S. (*see* Hirasawa et al). 2011; (*see* Muto et al). 2011; 74:1268–75; 74:477–84
Morley SR. (*see* Leeds et al). 2011; 74:1033–9
Moss A, Bourke MJ, Pathmanathan N. Safety of colonic tattoo with sterile carbon particle suspension: a proposed guideline with illustrative cases., 2011;74:214–8 (Case study)
Moss AC. (*see* Doherty et al). 2011; 74:167–75 (Review article)
Motohashi O. Two-point fixed endoscopic submucosal dissection in rectal tumor (with video)., 2011;74:1132–6 (New methods: clinical endoscopy)
Mou Y. (*see* Hu et al). 2011; 74:928–31 (Case study)
Mullady DK. (*see* Wani et al). 2011; 74:1238–47
Muller AF. (*see* Pee and Muller). 2011; 74:202–3 (At the focal point)
Munoz-Navas M. (*see* Spada et al). 2011; 74:581–9
Murad F. (*see* Wani et al). 2011; 74:1238–47
Murad MH. (*see* Saleem et al). 2011; 74:321–7
Murad MH, Baron TH. Response to: Meta-analysis should be interpreted with caution., 2011;74:1172–3 (Letter to the editor)
Murray JA. (*see* Atlas et al). 2011; 74:1315–22
Muthusamy VR. (*see* Lee et al). 2011; 74:128–34
Muto M, Satake H, Yano T, Minashi K, Hayashi R, Fujii S, Ochiai A, Ohtsu A, Morita S, Horimatsu T, Ezoe Y, Miyamoto S, Asato R, Tateya I, Yoshizawa A, Chiba T. Long-term outcome of transoral organ-preserving pharyngeal endoscopic resection for superficial pharyngeal cancer., 2011;74:477–84
Myung S-J. (*see* Byeon et al). 2011; (*see* Kim et al). 2011; 74:1075–83; 74:1170–1 (Brief report); 74:228–30 (Brief report)

N

Nadkarni N, D'Cruz S, Kaur N, Sachdev A. Acute parotitis after ERCP., 2011;74:199–200 (At the focal point)
Nagahama T, Yao K, Maki S, Yasaka M, Takaki Y, Matsui T, Tanabe H, Iwashita A, Ota A. Usefulness of magnifying endoscopy with narrow-band imaging for determining the horizontal extent of early gastric cancer when there is an unclear margin by chromoendoscopy (with video)., 2011;74:1259–67
Nagahara T. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Nagano R. (*see* Hamada et al). 2011; 74:548–55
Naganuma H. (*see* Kawamura et al). 2011; 74:415–8 (Case study)
Nagasaki F. (*see* Kawamura et al). 2011; 74:415–8 (Case study)
Nägel A. (*see* Neumann et al). 2011; 74:200–2 (At the focal point)
Nagula S. (*see* Buscaglia et al). 2011; 74:207–11 (Case study)
Nagula S, Gaidos J, Draganov PV, Bucobo JC, Cho B, Hernandez Y, Buscaglia JM. Retrograde spiral enteroscopy: feasibility, success, and safety in a series of 22 patients., 2011;74:699–702 (Case study)
Nahas CSR. (*see* da Costa Martins et al). 2011; 74:709–11 (Brief report)
Nakai Y. (*see* Hamada et al). 2011; 74:548–55
Nakajima A. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Nakamura K. (*see* Sakuma et al). 2011; 74:404–6 (At the focal point)
Nakamura M, Okamoto T, Kiyotoki S, Saito M, Hamabe K, Nishikawa J, Sakaida I. Esophageal squamous papilloma with tentacular processes., 2011;74:1143–4 (At the focal point)
Nakao K. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Namati J. (*see* Yoo et al). 2011; 74:992–1000
Narisawa R. (*see* Hashimoto et al). 2011; 74:1389–93 (New methods)
Nasr I. (*see* Gerke et al). 2011; 74:761–71
Navasa M. (*see* Balderramo et al). 2011; 74:285–95
Nayar R. (*see* Keswani et al). 2011; 74:411–4 (Case study)
Nemeth A. (*see* Spada et al). 2011; 74:581–9
Nemiroski A. (*see* Ryou et al). 2011; 74:189–94 (New methods: experimental endoscopy)
Neugut AI. (*see* Lebwohl et al). 2011; 74:103–9
Neuhaus H. (*see* Chen et al). 2011; (*see* Spada et al). 2011; (*see* Voermans et al). 2011; 74:1285–93; 74:581–9; 74:e05–14
Neuhaus H. New techniques for direct biliary visualization: do we need them and what can be achieved?, 2011;74:317–20 (Editorial)
Neumann H, Nägel A, Bernatik T, Wickles N, Neurath MF, Raithel M. Endoscopic closure of large, spontaneous, choledochoduodenal fistula by using an over-the-scope clip., 2011;74:200–2 (At the focal point)
Neurath MF. (*see* Neumann et al). 2011; 74:200–2 (At the focal point)
Neves CZ. (*see* da Costa Martins et al). 2011; (*see* Hondo et al). 2011; 74:666–71 (New methods: clinical endoscopy); 74:709–11 (Brief report)
Nicolas D. (*see* Parra-Blanco et al). 2011; 74:1137–41 (New methods: experimental endoscopy)
Nicolás-Pérez D, Gimeno-García AZ, Cabrera HA-A, Martín-Herrera A, Quintero-Carrión E. Carcinoid of the minor duodenal papilla causing upper GI bleeding., 2011;74:1146–7 (At the focal point)
Nishida T. (*see* Shintaku et al). 2011; 74:1420–2 (Brief report)
Nishikawa J. (*see* Nakamura et al). 2011; 74:1143–4 (At the focal point)
Nishimura N. (*see* Sakamoto et al). 2011; 74:328–33
Nishimura N, Yamamoto H, Yano T, Hayashi Y, Sato H, Miura Y, Shinhata H, Sunada K, Sugano K. Balloon dilation when using double-balloon enteroscopy for small-bowel strictures associated with ischemic enteritis., 2011;74:1157–61 (Case study)
Nishioka NS. (*see* Yoo et al). 2011; 74:992–1000
Nishiwaki S, Araki H, Fang JC, Hayashi M, Takada J, Iwashita M, Tagami A, Hatakeyama H, Hayashi T, Maeda T, Saito K. Retrospective analyses of complications associated with transcutaneous replacement of percutaneous gastrostomy and jejunostomy feeding devices., 2011;74:784–91
Noh SH. (*see* Kim et al). 2011; 74:1170–1 (Brief report)
Nokubi M. (*see* Matsumoto et al). 2011; 74:1152–6 (Case study)
Norimura D, Isomoto H, Imaizumi Y, Akazawa Y, Matsushima K, Inoue N, Yamaguchi N, Ohnita K, Shikuwa S, Arima T, Hayashi T, Takeshima F, Miyazaki Y, Nakao K. Case series of duodenal follicular lymphoma, observed by magnified endoscopy with narrow-band imaging., 2011;74:428–34 (Case study)
Norris WE, Goldberg E, Dubose J. A bullet to the head., 2011;74:1402–3 (At the focal point)
Northup PG. (*see* Richter et al). 2011; 74:22–34
Nowicki MJ, Bishop PR. Successful endoscopic removal of an appendiceal polyp in a child with juvenile polyposis syndrome., 2011;74:441–3 (Brief report)
Nozawa A. (*see* Hirasawa et al). 2011; 74:1268–75
Numata K. (*see* Hirasawa et al). 2011; 74:1268–75

O

O'Donnell S. (*see* Siddiqui et al). 2011; 74:535–40
Ochiai A. (*see* Muto et al). 2011; 74:477–84
Ochoa C. (*see* de la Serna-Higuera et al). 2011; 74:672–6 (New methods: clinical endoscopy)
Ogata H. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Ogawa M. (*see* Harada et al). 2011; 74:937–9 (Brief report)
Oh H-C, Cheon YK, Cho YD, Do JH. Use of udenafil is not associated with a reduction in post-ERCP pancreatitis: results of a randomized, placebo-controlled, multicenter trial., 2011;74:556–62
Ohki A. (*see* Abe et al). 2011; 74:792–7
Ohning G. (*see* Chavalitdhamrong et al). 2011; 74:852–7
Ohnita K. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Ohtsu A. (*see* Muto et al). 2011; 74:477–84
Oka H. (*see* Hirasawa et al). 2011; 74:1268–75
Okada H. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Okamoto S. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Okamoto T. (*see* Nakamura et al). 2011; 74:1143–4 (At the focal point)
Okazaki K. (*see* Matsushita et al). 2011; 74:237–8 (Letter to the editor); 74:451 (Letter to the editor)
Olafsson S. (*see* Jackson et al). 2011; 74:341–6
Olson MR, Govil YK. Two polyps on a common stalk., 2011;74:692 (At the focal point)
Olyaee M. (*see* Rastogi et al). 2011; 74:58–64
Omata M. (*see* Hamada et al). 2011; 74:548–55
Onega T. (*see* Greene et al). 2011; 74:334–40
Oosterveen S. (*see* Thimmapuram and Oosterveen). 2011; 74:1399–400 (At the focal point)
Ordubadi P. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Orgera G. (*see* Krokidis et al). 2011; 74:1173–4 (Letter to the editor)
Oropeza-Vail M. (*see* Rastogi et al). 2011; 74:58–64
Ortmann M. (*see* Heuss et al). 2011; 74:1207–14
Oshiro H. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Ota A. (*see* Nagahama et al). 2011; 74:1259–67
Ozaslan E. Large-balloon dilation after sphincterotomy: anatomical and technical issues., 2011; 74:723–4 (Letter to the editor)

P

Pachofszky T. (*see* Dulic-Lakovic et al). 2011; 74: 573–80
Paek AM. (*see* Lee et al). 2011; 74:128–34
Pagés M. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Paik SS. (*see* Lee et al). 2011; 74:693–5 (Case study)
Paione JB. (*see* Gupta et al). 2011; 74:423–8 (Case study)
Pallin DJ, Saltzman JR. Is nasogastric tube lavage in patients with acute upper GI bleeding indicated or antiquated?, 2011;74:981–4 (Editorial)
Palm S. (*see* Gross et al). 2011; 74:1354–9
Pambianco DJ, Hardi R. The debate for nonanesthesiologist-administered propofol sedation in endoscopy rages on., 2011;74:449 (Letter to the editor)
Panés J. (*see* Pellisé et al). 2011; 74:840–8
Pannala R, Brandabur JJ, Gan S-I, Gluck M, Irani S, Patterson DJ, Ross AS, Dorer R, Traverso LW, Picozzi VJ, Kozarek RA. Afferent limb syndrome and delayed GI problems after pancreaticoduodenectomy for pancreatic cancer: single-center, 14-year experience., 2011;74:295–302
Papachristou GI, Slivka A. Response to: Pancreaticobiliary complications after composite visceral transplantation: incidence, risk, and management strategies., 2011;74:1429–30 (Letter to the editor)
Park C-H. (*see* Park et al). 2011; 74:869–75
Park DH. (*see* Jang et al). 2011; (*see* Kim et al). 2011; 74:176–81 (New methods: clinical endoscopy); 74:923–4 (At the focal point)
Park DH, Jang JW, Lee SS, Seo D-W, Lee SK, Kim M-H. EUS-guided biliary drainage with transluminal stenting after failed ERCP: predictors of adverse events and long-term results., 2011;74: 1276–84
Park DI. (*see* Lee et al). 2011; 74:1094–102
Park HW, Kim SJ, Park JW, Shin WG, Kim KH, Jang MK, Lee JH, Kim HY, Kim HS. Pill-related esophageal intramural dissection treated by an endoscopic procedure., 2011;74:1422–4 (Brief report)
Park J-J. (*see* Kim et al). 2011; 74:703–7 (Case study)
Park JJ, Cheon JH, Kwon JE, Shin JK, Jeon SM, Bok HJ, Lee JH, Moon CM, Hong SP, Kim TI, Kim H, Kim WH. Clinical outcomes and factors related to resectability and curability of EMR for early colorectal cancer., 2011;74:1337–46
Park JW. (*see* Park et al). 2011; 74:1422–4 (Brief report)
Park S-H. (*see* Kim et al). 2011; (*see* Lee et al). 2011; 74:1127–32 (New methods: clinical endoscopy); 74:96–102
Park S-Y, Kim H-S, Yoon K-W, Cho S-B, Lee W-S, Park C-H, Joo Y-E, Choi S-K, Rew J-S. Usefulness of cap-assisted colonoscopy during colonoscopic EMR: a randomized, controlled trial., 2011;74:869–75
Park SC. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Park SM. (*see* Lee et al). 2011; 74:96–102
Park YS. (*see* Ahn et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:485–93
Parra-Blanco A, Nicolas D, Arnau MR, Gimeno-Garcia AZ, Rodrigo L, Quintero E. Gastric endoscopic submucosal dissection assisted by a new traction method: the clip-band technique. A feasibility study in a porcine model (with video)., 2011;74:1137–41 (New methods: experimental endoscopy)
Parsi MA. (*see* Chen et al). 2011; (*see* Mehta et al). 2011; 74:303–8; 74:805–14
Parsi MA, Stevens T, Collins J, Vargo JJ. Utility of a prototype peroral video cholangioscopy system with narrow-band imaging for evaluation of biliary disorders (with videos)., 2011;74:1148–51 (Case study)
Parvin R. (*see* Hindy et al). 2011; 74:439–41 (Brief report)
Pasculli N. (*see* Agostoni et al). 2011; 74:266–75
Pasha SF. (*see* Yadav et al). 2011; 74:834–9
Patel NM, Schwartz DJ. Lower GI bleeding from ileocolonic histoplasmosis., 2011;74:1404–6 (At the focal point)
Pathmanathan N. (*see* Moss et al). 2011; 74:214–8 (Case study)
Patil A. (*see* Gor and Patil). 2011; 74:721–2 (Brief report)
Patrie JT. (*see* Richter et al). 2011; 74:22–34
Patterson DJ. (*see* Pannala et al). 2011; 74:295–302
Pearson MG. (*see* Bodger et al). 2011; 74:825–33
Pedra CAC. (*see* Rodrigues et al). 2011; 74:1173 (Letter to the editor)
Pedrosa MC. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Pee L, Muller AF. Duodenal stent placement: a tale of two halves., 2011;74:202–3 (At the focal point)
Peetermans JA. (*see* Chen et al). 2011; 74:805–14
Pellisé M. (*see* Fernández-Esparrach et al). 2011; 74:347–54
Pellisé M, López-Cerón M, de Miguel CR, Jimeno M, Zabalza M, Ricart E, Aceituno M, Fernández-Esparrach G, Ginès A, Sendino O, Cuatrecasas M, Llach J, Panés J. Narrow-band imaging as an alternative to chromoendoscopy for the detection of dysplasia in long-standing inflammatory bowel disease: a prospective, randomized, crossover study., 2011;74:840–8
Peng Y-C, Chow W-K. Sufficient sphincterotomy or rescue for impacted entrapped bile stones., 2011;74:1431–2 (Letter to the editor)
Perera MTPR, Sharif K, Gupte GL, Mirza DF. Pancreaticobiliary complications after composite visceral transplantation: incidence, risk, and management strategies., 2011;74:1429 (Letter to the editor)
Pérez-Martín E. (*see* de la Serna-Higuera et al). 2011; 74:672–6 (New methods: clinical endoscopy)
Pérez-Miranda M. (*see* de la Serna-Higuera et al). 2011; 74:672–6 (New methods: clinical endoscopy)
Perniceni T. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Perretta S. (*see* Donatelli et al). 2011; 74:1162–3 (Brief report)
Perri V. (*see* Familiari et al). 2011; 74:1248–58
Perrin P. (*see* Denis et al). 2011; 74:1325–36
Peters FP. (*see* Pouw et al). 2011; 74:35–43
Peters FTM. (*see* Pouw et al). 2011; 74:35–43
Petersen BT. (*see* Chen et al). 2011; 74:805–14
Petruzziello L. (*see* Spada et al). 2011; 74:581–9
Peura DA. (*see* Richter et al). 2011; 74:22–34
Pfau PR, Banerjee S, Barth BA, Desilets DJ, Kaul V, Kethu SR, Pedrosa MC, Pleskow DK, Tokar J, Varadarajulu S, Wang A, Wong Kee Song L-M, Rodriguez SA. Sphincter of Oddi manometry., 2011;74:1175–80 (Technology status evaluation report)
Phadnis MA. (*see* Varadarajulu et al). 2011; 74: 74–80
Picozzi VJ. (*see* Pannala et al). 2011; 74:295–302
Piette C. (*see* Bretagne et al). 2011; (*see* Denis et al). 2011; 74:1325–36; 74:141–7
Pinsky PF. (*see* Laiyemo et al). 2011; 74:253–61
Pioche M, Saurin JC. Response to: The Edinburgh experience with two small-bowel capsule endoscopy systems., 2011;74:941–2 (Letter to the editor)
Pipas JM. (*see* Zubarik et al). 2011; 74:87–95
Piraka CR. (*see* Lewis et al). 2011; 74:753–60
Pleskow D. (*see* Meining et al). 2011; 74:961–8
Pleskow DK. (*see* Chen et al). 2011; (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report); 74:805–14
Plevris JN. (*see* Koulaouzidis et al). 2011; 74:941 (Letter to the editor)
Pohl H. (*see* von Renteln et al). 2011; 74:906–11
Pohl J, Ell C. Direct transnasal cholangioscopy with ultraslim endoscopes: a one-step intraductal balloon-guided approach., 2011;74:309–16
Poley J-W, van Tilburg AJP, Kuipers EJ, Bruno MJ. Breaking the barrier: using extractable fully covered metal stents to treat benign biliary hilar strictures., 2011;74:916–20 (New methods)
Ponchon T. (*see* Chen et al). 2011; (*see* Voermans et al). 2011; 74:1285–93; 74:805–14
Poneros JM. (*see* Buscaglia et al). 2011; 74:207–11 (Case study)
Pop GH. (*see* Richter et al). 2011; 74:22–34
Porta P. (*see* Girelli et al). 2011; 74:1067–74
Post J. (*see* Yadav et al). 2011; 74:834–9
Pouw RE, van Vilsteren FGI, Peters FP, Herrero LA, ten Kate FJW, Visser M, Schenk BE, Schoon EJ, Peters FTM, Houben M, Bisschops R, Weusten BLAM, Bergman JJGHM. Randomized trial on endoscopic resection-cap *versus* multiband mucosectomy for piecemeal endoscopic resection of early Barrett's neoplasia., 2011;74: 35–43
Prasad GA. (*see* Tian et al). 2011; 74:1201–6
Puri R, Sud R, Kumar M, Bhagat S, Khaliq A. Tubercular gastroduodenal abscess presenting with obstructive jaundice: diagnosis with EUS-guided FNA., 2011;74:1400–2 (At the focal point)
Püspök A. (*see* Dulic-Lakovic et al). 2011; 74: 573–80

Q

Qiao W. (*see* Kim et al). 2011; 74:817–24
Qiu L. (*see* Shao et al). 2011; 74:1172 (Letter to the editor)
Quintero E. (*see* Parra-Blanco et al). 2011; 74: 1137–41 (New methods: experimental endoscopy)
Quintero-Carrión E. (*see* Nicolás-Pérez et al). 2011; 74:1146–7 (At the focal point)
Qureshi W. (*see* Hou and Qureshi). 2011; 74:708–9 (Brief report)

R

Raithel M. (*see* Farnbacher et al). 2011; (*see* Neumann et al). 2011; 74:200–2 (At the focal point); 74:527–34
Rajagopal S. (*see* Mohan et al). 2011; 74:197–9 (At the focal point)
Rajan E. (*see* Gleeson et al). 2011; 74:897–905
Raju B. (*see* Sekaran et al). 2011; 74:443–5 (Brief report)
Raju GS, Saito Y, Matsuda T, Kaltenbach T, Soetikno R. Endoscopic management of colonoscopic perforations (with videos)., 2011;74: 1380–8 (Review article)
Ramakrishnan R. (*see* Mohan et al). 2011; 74:197–9 (At the focal point)
Raman K. (*see* Lee et al). 2011; 74:712–3 (Brief report)
Ramchandani M. (*see* Monga et al). 2011; (*see* Sek-

aran et al). 2011; 74:443–5 (Brief report); 74: 935–7 (Brief report)
Ramchandani M, Reddy DN, Gupta R, Lakhtakia S, Tandan M, Darisetty S, Sekaran A, Rao GV. Role of single-operator peroral cholangioscopy in the diagnosis of indeterminate biliary lesions: a single-center, prospective study., 2011;74:511–9
Ramirez FC. (*see* Shah et al). 2011; 74:122–7
Rao GV. (*see* Monga et al). 2011; (*see* Ramchandani et al). 2011; 74:511–9; 74:935–7 (Brief report)
Rastogi A. (*see* Gupta et al). 2011; (*see* Sharma et al). 2011; 74:465–72; 74:610–24
Rastogi A, Early DS, Gupta N, Bansal A, Singh V, Ansstas M, Jonnalagadda SS, Hovis CE, Gaddam S, Wani SB, Edmundowicz SA, Sharma P. Randomized, controlled trial of standard-definition white-light, high-definition white-light, and narrow-band imaging colonoscopy for the detection of colon polyps and prediction of polyp histology., 2011;74:593–602
Rastogi A, Wani S, Gupta N, Singh V, Gaddam S, Reddymasu S, Ulusarac O, Fan F, Romanas M, Dennis KL, Sharma P, Bansal A, Oropeza-Vail M, Olyaee M. A prospective, single-blind, randomized, controlled trial of EUS-guided FNA with and without a stylet., 2011;74:58–64
Rawls D. (*see* Tang et al). 2011; 74:195–6 (At the focal point)
Realdon S. (*see* Bocus et al). 2011; 74:204–7 (Case study)
Recchia S. (*see* Coppola et al). 2011; 74:235–6 (Letter to the editor)
Reddy DB. (*see* Sekaran et al). 2011; 74:443–5 (Brief report)
Reddy DN. (*see* Monga et al). 2011; (*see* Ramchandani et al). 2011; (*see* Sekaran et al). 2011; 74: 443–5 (Brief report); 74:511–9; 74:935–7 (Brief report)
Reddymasu S. (*see* Rastogi et al). 2011; 74:58–64
Regan KA. (*see* Richter et al). 2011; 74:22–34
Remotti H. (*see* Longman et al). 2011; 74:403–4 (At the focal point)
Rew J-S. (*see* Park et al). 2011; 74:869–75
Rex DK. (*see* Hewett and Rex). 2011; 74:246–52
Rex DK. Development of a distal rectal cancer 5 years after a normal photograph of the distal rectum., 2011;74:728–9 (Letter to the editor)
Ribeiro A. (*see* Kubiliun et al). 2011; 74:541–7
Ribeiro JPA. (*see* da Costa Martins et al). 2011; 74:709–11 (Brief report)
Ricart E. (*see* Pellisé et al). 2011; 74:840–8
Ricci R. (*see* Larghi et al). 2011; 74:504–10
Riccioni ME. (*see* Spada et al). 2011; 74:581–9
Richter JA, Patrie JT, Richter RP, Henry ZH, Pop GH, Regan KA, Peura DA, Sawyer RG, Northup PG, Wang AY. Bleeding after percutaneous endoscopic gastrostomy is linked to serotonin reuptake inhibitors, not aspirin or clopidogrel., 2011;74:22–34
Richter RP. (*see* Richter et al). 2011; 74:22–34
Rindi G. (*see* Larghi et al). 2011; 74:504–10
Riou F. (*see* Bretagne et al). 2011; 74:141–7
Rivera R. (*see* Yoon et al). 2011; 74:1407–8 (Case study)
Robinson CA, Jackson C, Condon D, Gerson LB. Impact of inpatient status and gender on small-bowel capsule endoscopy findings., 2011;74: 1061–6
Robson HE. (*see* Leeds et al). 2011; 74:1033–9
Rocha-Lima CM. (*see* Kubiliun et al). 2011; 74: 541–7
Rodrigo L. (*see* Parra-Blanco et al). 2011; 74: 1137–41 (New methods: experimental endoscopy)
Rodrigues AJ, Scordamaglio PR, Tedde ML, Minamoto H, de Moura EGH, Pedra CAC. Bronchoscopic closure of tracheoesophageal fistulas., 2011;74:1173 (Letter to the editor)
Rodrigues DM, Antaki F. Percutaneous endoscopic gastrostomy tube placement should be done when indicated, regardless of C-reactive protein and albumin levels., 2011;74:726–7 (Letter to the editor)
Rodriguez SA. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Romanas M. (*see* Rastogi et al). 2011; 74:58–64
Roncero O. (*see* Meisner et al). 2011; 74:876–84
Rösch T. (*see* von Renteln et al). 2011; 74:1108–14; 74:906–11
Ross AS. (*see* Pannala et al). 2011; 74:295–302
Ross AS. A decade of double-balloon enteroscopy: what have we learned?, 2011;74:571–2 (Editorial)
Ross WA. (*see* Kim et al). 2011; 74:817–24
Rothstein RI. (*see* von Renteln et al). 2011; 74: 906–11
Rotnaglova B. (*see* Martinek et al). 2011; 74:367–73
Rubenstein JH. (*see* Lewis et al). 2011; 74:753–60
Rubio-Tapia A. (*see* Atlas et al). 2011; 74:1315–22
Runnels JM. (*see* Abell et al). 2011; 74:496–503
Ruszniewski P. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Ryan MB. (*see* Ryou et al). 2011; 74:189–94 (New methods: experimental endoscopy)
Ryou M, Nemiroski A, Azagury D, Shaikh SN, Ryan MB, Westervelt RM, Thompson CC. An implantable wireless biosensor for the immediate detection of upper GI bleeding: a new fluorescein-based tool for diagnosis and surveillance (with video)., 2011;74:189–94 (New methods: experimental endoscopy)
Ryu CH. (*see* Kim et al). 2011; 74:923–4 (At the focal point)
Ryu HS. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)

S

Sachdev A. (*see* Nadkarni et al). 2011; 74:199–200 (At the focal point)
Sacher-Huvelin S. (*see* Spada et al). 2011; 74:581–9
Sachithanandan S. (*see* Lee et al). 2011; 74:712–3 (Brief report)
Safta AM. (*see* Aybar and Safta). 2011; 74:435–7 (Brief report)
Saftoiu A. (*see* Fusaroli et al). 2011; 74:645–55 (Technical review)
Saito K. (*see* Nishiwaki et al). 2011; 74:784–91
Saito M. (*see* Nakamura et al). 2011; 74:1143–4 (At the focal point)
Saito R. (*see* Hosoe et al). 2011; 74:690–1 (At the focal point)
Saito Y. (*see* Raju et al). 2011; 74:1380–8 (Review article)
Sakai C. (*see* Gupta et al). 2011; 74:423–8 (Case study)
Sakai E. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Sakai P. (*see* da Costa Martins et al). 2011; (*see* Hondo et al). 2011; 74:666–71 (New methods: clinical endoscopy); 74:709–11 (Brief report)
Sakai Y. (*see* Kawamura et al). 2011; 74:415–8 (Case study)
Sakaida I. (*see* Nakamura et al). 2011; 74:1143–4 (At the focal point)
Sakamoto C. (*see* Kusunoki et al). 2011; 74:798–804
Sakamoto H, Yamamoto H, Hayashi Y, Yano T, Miyata T, Nishimura N, Shinhata H, Sato H, Sunada K, Sugano K. Nonsurgical management of small-bowel polyps in Peutz-Jeghers syndrome with extensive polypectomy by using double-balloon endoscopy., 2011;74:328–33
Sakamoto Y. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Sakuma Y, Yazumi S, Fukunaga T, Yamamoto A, Hamuro M, Nakamura K. Melena from jejunal mucosal varices caused by esophageal variceal sclerotherapy–induced splenic arteriovenous fistula., 2011;74:404–6 (At the focal point)
Saleem A, Bakken J, Baron TH. Early massive bleeding after duodenal self-expandable metal stent placement for palliation of malignant gastric outlet obstruction (with video)., 2011;74: 1426–8 (Brief report)
Saleem A, Leggett CL, Murad MH, Baron TH. Meta-analysis of randomized trials comparing the patency of covered and uncovered self-expandable metal stents for palliation of distal malignant bile duct obstruction., 2011;74:321–7
Saleem A, Wang KK, Baron TH. Successful endoscopic treatment of intraductal extension of a villous adenoma with high-grade dysplasia, with 3-year follow-up., 2011;74:714–6 (Brief report)
Saltzman JR. (*see* Pallin and Saltzman). 2011; 74: 981–4 (Editorial)
Saltzman JR, Tabak YP, Hyett BH, Sun X, Travis AC, Johannes RS. A simple risk score accurately predicts in-hospital mortality, length of stay, and cost in acute upper GI bleeding., 2011;74: 1215–24
Salvatori FM. (*see* Fiocca et al). 2011; 74:1393–8 (New methods)
Samadder J. (*see* Gupta et al). 2011; 74:110–8
Sanaka MR. (*see* Mehta et al). 2011; 74:303–8
Sanders DS. (*see* Leeds et al). 2011; 74:1033–9
Sanderson AK II. (*see* Laiyemo et al). 2011; 74: 253–61
Santosh D. (*see* Monga et al). 2011; 74:935–7 (Brief report)
Saraf LJ. (*see* Lee et al). 2011; 74:128–34
Sarkar S. (*see* Bodger et al). 2011; 74:825–33
Sarrazin C. (*see* Albert et al). 2011; 74:389–97 (New methods: clinical endoscopy)
Sasahira N. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Sasaki T. (*see* Hamada et al). 2011; (*see* Harada et al). 2011; (*see* Hirasawa et al). 2011; 74:1268–75; 74:548–55; 74:937–9 (Brief report)
Satake H. (*see* Muto et al). 2011; 74:477–84
Sato H. (*see* Nishimura et al). 2011; (*see* Sakamoto et al). 2011; 74:1157–61 (Case study); 74:328–33
Sato Y. (*see* Akagi et al). 2011; (*see* Hashimoto et al). 2011; 74:1026–32; 74:1389–93 (New methods)
Sauer B. (*see* Cerefice et al). 2011; 74:520–6
Sauleau EA. (*see* Denis et al). 2011; 74:1325–36
Saurin JC. (*see* Pioche and Saurin). 2011; 74:941–2 (Letter to the editor)
Savides TJ. (*see* Lee et al). 2011; 74:128–34
Sawyer RG. (*see* Richter et al). 2011; 74:22–34
Schachschal G. (*see* von Renteln et al). 2011; 74: 1108–14
Schatzkin A. (*see* Laiyemo et al). 2011; 74:253–61
Schembre D. Response to: Spending less for rescuing a failed colonoscopy., 2011;74:452–3 (Letter to the editor)
Schenk BE. (*see* Pouw et al). 2011; 74:35–43
Schepp W. (*see* Schneider et al). 2011; 74:1163–6 (Brief report)
Schirin-Sokhan R. (*see* Gross et al). 2011; 74: 1354–9
Schmeltzer PA, Smith MT. Duodenal variceal

bleeding successfully treated with endoscopic banding (with video)., 2011;74:716–7 (Brief report)
Schmid R. (*see* Schneider et al). 2011; 74:1163–6 (Brief report)
Schmulewitz N. (*see* Ahmed et al). 2011; (*see* Dryer and Schmulewitz). 2011; 74:119–21 (Editorial); 74:231–3 (Brief report)
Schneider A, Türck J, Helmberger T, Schmid R, Schepp W. Radiofrequency ablation-associated necrosis of the hepatic duct confluence: re-establishing biliary continuity with percutaneous cholangiographic-peroral cholangioscopic rendezvous (with videos)., 2011;74:1163–6 (Brief report)
Schneider HT. (*see* Farnbacher et al). 2011; 74: 527–34
Schoen RE. (*see* Laiyemo et al). 2011; 74:253–61
Schoenfeld P. (*see* Gupta et al). 2011; 74:110–8
Schoon EJ. (*see* Pouw et al). 2011; 74:35–43
Schumacher B. (*see* Voermans et al). 2011; 74: 1285–93
Schwaighofer H. (*see* Dulic-Lakovic et al). 2011; 74:573–80
Schwartz DJ. (*see* Patel and Schwartz). 2011; 74: 1404–6 (At the focal point)
Scordamaglio PR. (*see* Rodrigues et al). 2011; 74: 1173 (Letter to the editor)
Sedlock RE. Training to competency in colonoscopy: assessing and defining competency standards., 2011;74:355–66
Seerden TC. (*see* Larghi et al). 2011; 74:504–10
Segarajasingam D. (*see* Chong et al). 2011; 74: 933–5 (Brief report)
Seidman EG. (*see* Bhat et al). 2011; 74:718–20 (Brief report)
Sekaran A. (*see* Ramchandani et al). 2011; 74: 511–9
Sekaran A, Dubale N, Lakhtakia S, Raju B, Ramchandani M, Darisetty S, Reddy DB, Reddy DN. Malakoplakia: an unusual cause of lower GI bleeding in a child., 2011;74:443–5 (Brief report)
Sekine H. (*see* Kawamura et al). 2011; 74:415–8 (Case study)
Sekino Y. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Selby L. (*see* Caldera and Selby). 2011; 74:237 (Letter to the editor)
Sendino O. (*see* Balderramo et al). 2011; (*see* Fernández-Esparrach et al). 2011; (*see* Pellisé et al). 2011; 74:285–95; 74:347–54; 74:840–8
Seno S. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Seo D-W. (*see* Jang et al). 2011; (*see* Kim et al). 2011; (*see* Park et al). 2011; 74:1276–84; 74: 176–81 (New methods: clinical endoscopy); 74: 923–4 (At the focal point)
Seo MH, Chun HJ, Jeen Y-T, Park SC, Keum B, Kim Y-S, Seo YS, Lee HS, Um SH, Kim CD, Ryu HS. Esophageal web resolved by endoscopic incision in a patient with Plummer-Vinson syndrome., 2011;74:1142–3 (At the focal point)
Seo YS. (*see* Kim et al). 2011; (*see* Seo et al). 2011; 74:1142–3 (At the focal point); 74:703–7 (Case study)
Sethi A. (*see* Buscaglia et al). 2011; 74:207–11 (Case study)
Sethi S. (*see* Gupta et al). 2011; 74:110–8
Shah DK, Karasek V, Gerkin RD, Ramirez FC, Young MA. Sex preferences for colonoscopists and GI physicians among patients and health care professionals., 2011;74:122–7
Shah JN. (*see* Binmoeller et al). 2011; 74:1019–25
Shah NK. (*see* Lee et al). 2011; 74:128–34
Shah P. (*see* Guarner-Argente et al). 2011; 74:81–6
Shah RJ. (*see* Meining et al). 2011; 74:961–8
Shaheen NJ. (*see* Sperry et al). 2011; 74:985–91
Shahid H. (*see* Siddiqui et al). 2011; 74:535–40
Shaikh SN. (*see* Ryou et al). 2011; 74:189–94 (New methods: experimental endoscopy)
Shao F, Wang C, Qiu L, Huang Q, Hu Y. Meta-analysis should be interpreted with caution., 2011;74:1172 (Letter to the editor)
Sharif K. (*see* Perera et al). 2011; 74:1429 (Letter to the editor)
Sharma P. (*see* Gupta et al). 2011; (*see* Rastogi et al). 2011; 74:58–64; 74:593–602; 74:610–24
Sharma P, Meining AR, Coron E, Lightdale CJ, Wolfsen HC, Bansal A, Bajbouj M, Galmiche J-P, Abrams JA, Rastogi A, Gupta N, Michalek JE, Lauwers GY, Wallace MB. Real-time increased detection of neoplastic tissue in Barrett's esophagus with probe-based confocal laser endomicroscopy: final results of an international multicenter, prospective, randomized, controlled trial., 2011;74:465–72
Shea YR. (*see* Arora et al). 2011; 74:688–90 (At the focal point)
Sheehan JJ. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Sherman S. (*see* Chen et al). 2011; (*see* Coté et al). 2011; (*see* LeBlanc et al). 2011; (*see* Moffatt et al). 2011; 74:1300–7; 74:1431 (Letter to the editor); 74:65–73; 74:805–14
Shi J. (*see* Xu et al). 2011; 74:1001–9
Shi Q, Zhong Y-S, Yao L, Zhou P, Xu M, Wang P. Endoscopic submucosal dissection for treatment of esophageal submucosal tumors originating from the muscularis propria layer., 2011;74: 1194–200
Shibuya R. (*see* Kawamura et al). 2011; 74:415–8 (Case study)
Shikuwa S. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Shim J-J, Jang JY, Chang R. An unusual EUS finding of a gastric extraluminal compression., 2011; 74:406–7 (At the focal point)
Shimatani M. (*see* Matsushita et al). 2011; 74:451 (Letter to the editor)
Shimizu T. (*see* Kawaguchi et al). 2011; 74:922–3 (At the focal point)
Shin JE. (*see* Lee et al). 2011; 74:1094–102
Shin JK. (*see* Park et al). 2011; 74:1337–46
Shin WG. (*see* Park et al). 2011; 74:1422–4 (Brief report)
Shindo T. (*see* Kusunoki et al). 2011; 74:798–804
Shinhata H. (*see* Nishimura et al). 2011; (*see* Sakamoto et al). 2011; 74:1157–61 (Case study); 74: 328–33
Shinoura S. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Shintaku Masako, Nishida T, Shiomi K, Shintaku Masayuki. Active opening and closing movements of the orifices of esophageal intramural pseudodiverticulosis., 2011;74:1420–2 (Brief report)
Shintaku Masayuki. (*see* Shintaku et al). 2011; 74: 1420–2 (Brief report)
Shiojima H. (*see* Harada et al). 2011; 74:937–9 (Brief report)
Shiomi K. (*see* Shintaku et al). 2011; 74:1420–2 (Brief report)
Shiraishi N. (*see* Akagi et al). 2011; 74:1026–32
Siddiqui AA, Kowalski TE, Shahid H, O'Donnell S, Tolin J, Loren DE, Infantolino A, Hong S-K, Eloubeidi MA. False-positive EUS-guided FNA cytology for solid pancreatic lesions., 2011;74:535–40
Siddiqui J. (*see* Gerke et al). 2011; 74:761–71
Siddiqui UD. (*see* Konda et al). 2011; 74:1049–60
Singal AG. (*see* Lewis et al). 2011; 74:753–60
Singh I. (*see* Huang et al). 2011; 74:971–80
Singh V. (*see* Rastogi et al). 2011; 74:58–64; 74: 593–602
Sleeman D. (*see* Kubiliun et al). 2011; 74:541–7
Slivka A. (*see* Chen et al). 2011; (*see* Meining et al). 2011; (*see* Papachristou and Slivka). 2011; 74: 1429–30 (Letter to the editor); 74:805–14; 74: 961–8
Smith LA. (*see* Cerefice et al). 2011; 74:520–6
Smith MT. (*see* Schmeltzer and Smith). 2011; 74: 716–7 (Brief report)
Soetikno R. (*see* Raju et al). 2011; 74:1380–8 (Review article)
Somsouk M. (*see* Day et al). 2011; 74:885–96
Song AR. (*see* Kim et al). 2011; 74:1127–32 (New methods: clinical endoscopy)
Song HJ. (*see* Ahn et al). 2011; (*see* Lee et al). 2011; 74:1010–8; 74:485–93
Song IS. (*see* Choi et al). 2011; 74:276–84
Spada C, Hassan C, Munoz-Navas M, Neuhaus H, Deviere J, Fockens P, Coron E, Gay G, Toth E, Riccioni ME, Carretero C, Charton JP, Gossum AV, Wientjes CA, Sacher-Huvelin S, Delvaux M, Nemeth A, Petruzziello L, de Frias CP, Mayershofer R, Aminejab L, Dekker E, Galmiche J-P, Frederic M, Johansson GW, Cesaro P, Costamagna G. Second-generation colon capsule endoscopy compared with colonoscopy., 2011;74: 581–9
Speer T. (*see* Urquhart et al). 2011; 74:378–9 (Thinking outside the box)
Sperry SLW, Crockett SD, Miller CB, Shaheen NJ, Dellon ES. Esophageal foreign-body impactions: epidemiology, time trends, and the impact of the increasing prevalence of eosinophilic esophagitis., 2011;74:985–91
Speziale A. (*see* King and Speziale). 2011; 74: 1403–4 (At the focal point)
Spiegel BM. (*see* Huang et al). 2011; 74:971–80
Srivastava A. (*see* Greene et al). 2011; 74:334–40
Stadler B. (*see* Dulic-Lakovic et al). 2011; 74: 573–80
Stavropoulos SN. (*see* Buscaglia et al). 2011; 74: 207–11 (Case study)
Stefanova M. (*see* Martinek et al). 2011; 74:367–73
Stevens P. (*see* Meining et al). 2011; 74:961–8
Stevens PD. (*see* Buscaglia et al). 2011; (*see* Chen et al). 2011; 74:207–11 (Case study); 74:805–14
Stevens T. (*see* Law et al). 2011; (*see* Parsi et al). 2011; 74:1148–51 (Case study); 74:1166–8 (Brief report)
Strey C. (*see* Albert et al). 2011; 74:389–97 (New methods: clinical endoscopy)
Strosova A. (*see* Martinek et al). 2011; 74:367–73
Sturgess R. (*see* Kalaitzakis and Sturgess). 2011; 74:409–10 (At the focal point)
Suchanek S. (*see* Martinek et al). 2011; 74:367–73
Sud R. (*see* Puri et al). 2011; 74:1400–2 (At the focal point)
Sugano K. (*see* Nishimura et al). 2011; (*see* Sakamoto et al). 2011; 74:1157–61 (Case study); 74: 328–33
Sugiyama M. (*see* Abe et al). 2011; 74:792–7
Sun X. (*see* Saltzman et al). 2011; 74:1215–24
Sunada K. (*see* Nishimura et al). 2011; (*see* Sakamoto et al). 2011; (*see* Togashi et al). 2011; 74: 1157–61 (Case study); 74:328–33; 74:940 (Letter to the editor)
Sung J. (*see* Barkun et al). 2011; 74:234–5 (Letter to the editor)
Sung JJ-y. (*see* Chiu and Sung). 2011; 74:494–5 (Editorial)

Surace M, Mercky P, Demarquay J-F, Gonzalez J-M, Dumas R, Ah-Soune P, Vitton V, Grimaud J, Barthet M. Endoscopic management of GI fistulae with the over-the-scope clip system (with video)., 2011;74:1416–9 (Case study)
Sussman JJ. (*see* Ahmed et al). 2011; 74:231–3 (Brief report)
Suzuki K. (*see* Akagi et al). 2011; 74:1026–32
Szepes A. (*see* Hritz et al). 2011; 74:1430–1 (Letter to the editor)

T

Tabak YP. (*see* Saltzman et al). 2011; 74:1215–24
Tada M. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Tadepalli US, Feihel D, Miller KM, Itzkowitz SH, Freedman JS, Kornacki S, Cohen LB, Bamji ND, Bodian CA, Aisenberg J. A morphologic analysis of sessile serrated polyps observed during routine colonoscopy (with video)., 2011;74:1360–8
Tagami A. (*see* Nishiwaki et al). 2011; 74:784–91
Taguri M. (*see* Hirasawa et al). 2011; 74:1268–75
Tahashi Y. (*see* Matsushita et al). 2011; 74:237–8 (Letter to the editor)
Tai C-M, Lin J-T. Response to: Excessive length of a tube in the stomach: a risk factor for tangled or knotted tube., 2011;74:238 (Letter to the editor)
Tajima M. (*see* Akagi et al). 2011; 74:1026–32
Takada J. (*see* da Costa Martins et al). 2011; (*see* Nishiwaki et al). 2011; 74:709–11 (Brief report); 74:784–91
Takagi I. (*see* Kusunoki et al). 2011; 74:798–804
Takahara N. (*see* Hamada et al). 2011; 74:548–55
Takahashi H. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Takaki Y. (*see* Nagahama et al). 2011; 74:1259–67
Takaoka M. (*see* Matsushita et al). 2011; 74:451 (Letter to the editor)
Takeshima F. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Takeuchi H. (*see* Abe et al). 2011; 74:792–7
Takeuchi M. (*see* Hashimoto et al). 2011; 74:1389–93 (New methods)
Tanabe H. (*see* Nagahama et al). 2011; 74:1259–67
Tanaka K. (*see* Hirasawa et al). 2011; 74:1268–75
Tandan M. (*see* Ramchandani et al). 2011; 74:511–9
Tang C. (*see* Hu et al). 2011; 74:928–31 (Case study)
Tang RS. (*see* Lee et al). 2011; 74:128–34
Tang S-J. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Tang S-j, McCrady W, Rawls D. Acute herpes simplex gingivostomatitis and esophagitis (with video)., 2011;74:195–6 (At the focal point)
Tanpowpong P. (*see* Yoo et al). 2011; 74:992–1000
Tateya I. (*see* Muto et al). 2011; 74:477–84
Taylor JR. (*see* Elmunzer and Taylor). 2011; 74:196–7 (At the focal point)
Taylor M. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Tearney GJ. (*see* Yoo et al). 2011; 74:992–1000
Tedde ML. (*see* Rodrigues et al). 2011; 74:1173 (Letter to the editor)
ten Kate FJW. (*see* Pouw et al). 2011; 74:35–43
Tennyson CA, Green PH. The role of capsule endoscopy in patients with nonresponsive celiac disease., 2011;74:1323–4 (Editorial)
Testoni PA. (*see* Agostoni et al). 2011; (*see* Carrara et al). 2011; 74:223–5 (Brief report); 74:266–75
Thimmapuram J, Oosterveen S. Look before you eat: hazards of grilling., 2011;74:1399–400 (At the focal point)
Thompson CC. (*see* Ryou et al). 2011; 74:189–94 (New methods: experimental endoscopy)
Thompson E. (*see* Bodger et al). 2011; 74:825–33
Thompson J. (*see* Abell et al). 2011; 74:496–503
Tian J, Prasad GA, Lutzke LS, Lewis JT, Wang KK. Outcomes of T1b esophageal adenocarcinoma patients., 2011;74:1201–6
Tischendorf JJ. (*see* Gross et al). 2011; 74:1354–9
Toda N. (*see* Hamada et al). 2011; 74:548–55
Togashi K, Sunada K, Yoshida N, Hewett DG, Yamamoto H. Flexible spectral-imaging color enhancement: optimized settings for polyp detection?, 2011;74:940 (Letter to the editor)
Togawa O. (*see* Hamada et al). 2011; 74:548–55
Tokar J. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Tokoro C, Inamori M, Sekino Y, Sakai E, Uchiyama T, Iida H, Hosono K, Endo H, Sakamoto Y, Takahashi H, Koide T, Yasuzaki H, Goto A, Abe Y, Kawana I, Nakajima A, Maeda S, Oshiro H, Inayama Y. Localized primary AL amyloidosis of the colon without other GI involvement., 2011; 74:925–7 (At the focal point)
Tolin J. (*see* Siddiqui et al). 2011; 74:535–40
Topazian MD. (*see* Gleeson et al). 2011; 74:897–905
Toth E. (*see* Spada et al). 2011; 74:581–9
Trautwein C. (*see* Gross et al). 2011; 74:1354–9
Traverso LW. (*see* Pannala et al). 2011; 74:295–302
Travis AC. (*see* Saltzman et al). 2011; 74:1215–24
Triadafilopoulos G. (*see* Friedland and Triadafilopoulos). 2011; 74:182–8 (New methods: experimental endoscopy)
Tsai MC. (*see* Chen et al). 2011; 74:1145–6 (At the focal point)
Tsujino T. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Tsukui T. (*see* Kusunoki et al). 2011; 74:798–804
Tsutsumi K. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Türck J. (*see* Schneider et al). 2011; 74:1163–6 (Brief report)

U

Uchida N. (*see* Larghi et al). 2011; 74:504–10
Uchiyama T. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Ueki N. (*see* Kusunoki et al). 2011; 74:798–804
Ullman T. (*see* Goldstone et al). 2011; 74:1087–93
Ulusarac O. (*see* Rastogi et al). 2011; 74:58–64
Um SH. (*see* Seo et al). 2011; 74:1142–3 (At the focal point)
Urquhart P, Speer T, Gibson R. Challenging clinical paradigms of common bile duct diameter., 2011;74:378–9 (Thinking outside the box)
Uzel G. (*see* Arora et al). 2011; 74:688–90 (At the focal point)

V

Validire P. (*see* Aubert et al). 2011; 74:221–3 (Brief report)
Van Dyke CT. (*see* Atlas et al). 2011; 74:1315–22
Van Handel DM. (*see* Gerke et al). 2011; 74:761–71
van Heel NCM, Haringsma J, Wijnhoven BPL, Kuipers EJ. Endoscopic removal of self-expandable metal stents from the esophagus (with video)., 2011;74:44–50
van Tilburg AJP. (*see* Poley et al). 2011; 74:916–20 (New methods)
van Vilsteren FGI. (*see* Pouw et al). 2011; 74:35–43
Vandervoort JG. (*see* Meisner et al). 2011; 74:876–84
Varadarajulu S. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Varadarajulu S, Phadnis MA, Christein JD, Wilcox CM. Multiple transluminal gateway technique for EUS-guided drainage of symptomatic walled-off pancreatic necrosis., 2011;74:74–80
Varadarajulu S, Wilcox CM, Christein JD. EUS-guided therapy for management of peripancreatic fluid collections after distal pancreatectomy in 20 consecutive patients., 2011;74:418–23 (Case study)
Varadarajulu S, Wilcox CM. Endoscopic placement of permanent indwelling transmural stents in disconnected pancreatic duct syndrome: does benefit outweigh the risks?, 2011;74:1408–12 (Case study)
Vargo JJ. (*see* Law et al). 2011; (*see* Mehta et al). 2011; (*see* Parsi et al). 2011; 74:1148–51 (Case study); 74:1166–8 (Brief report); 74:303–8
Vassiliou MC. (*see* von Renteln et al). 2011; 74:906–11
Vázquez-Astray E. (*see* Meisner et al). 2011; 74:876–84
Vecchio J. (*see* Zubarik et al). 2011; 74:87–95
Veerappan GR. (*see* Goldberg and Veerappan). 2011; 74:1432–3 (Letter to the editor)
Velayutham V. (*see* Mohan et al). 2011; 74:197–9 (At the focal point)
Venkataraman J. (*see* Mohan et al). 2011; 74:197–9 (At the focal point)
Venugopal K. (*see* Chong et al). 2011; 74:933–5 (Brief report)
Verna EC. (*see* Larghi et al). 2011; 74:504–10
Vick K. (*see* Daram et al). 2011; 74:683–6 (New methods: clinical endoscopy)
Visser M. (*see* Pouw et al). 2011; 74:35–43
Vitton V. (*see* Surace et al). 2011; 74:1416–9 (Case study)
Voermans RP, Ponchon T, Schumacher B, Fumex F, Bergman JJGHM, Larghi A, Neuhaus H, Costamagna G, Fockens P. Forward-viewing *versus* oblique-viewing echoendoscopes in transluminal drainage of pancreatic fluid collections: a multicenter, randomized, controlled trial., 2011;74:1285–93
Volfson A, McKinley MJ. Prolonged endoclip retention time., 2011;74:727–8 (Letter to the editor)
von Renteln D, Dulai PS, Pohl H, Vassiliou MC, Rösch T, Rothstein RI. Endoscopic submucosal dissection with a flexible Maryland dissector: randomized comparison of mesna and saline solution for submucosal injection (with videos)., 2011;74:906–11
von Renteln D, Kratt T, Rösch T, Denzer UW, Schachschal G. Endoscopic full-thickness resection in the colon by using a clip-and-cut technique: an animal study., 2011;74:1108–14

W

Wagh MS, Forsmark CE. Endoscopic creation of a gastrogastric conduit for reversal of gastric bypass., 2011;74:932–3 (Brief report)
Wakamatsu T. (*see* Matsushita et al). 2011; 74:237–8 (Letter to the editor)
Waldbaum L. (*see* Wani et al). 2011; 74:1238–47
Wallace MB. (*see* Konda et al). 2011; (*see* Sharma et al). 2011; 74:1049–60; 74:465–72
Walter LC. (*see* Day et al). 2011; 74:885–96
Wang A. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Wang AY. (*see* Richter et al). 2011; 74:22–34
Wang C. (*see* Shao et al). 2011; 74:1172 (Letter to the editor)
Wang G-Q. (*see* Bergman et al). 2011; 74:1181–90

Wang H-Y. (*see* Wang et al). 2011; 74:398–402 (New methods: clinical endoscopy)
Wang J. (*see* Ahmed et al). 2011; 74:231–3 (Brief report)
Wang KK. (*see* Gleeson et al). 2011; (*see* Saleem et al). 2011; (*see* Tian et al). 2011; 74:1201–6; 74:714–6 (Brief report); 74:897–905
Wang P. (*see* Shi et al). 2011; 74:1194–200
Wang T-E, Wang H-Y, Lin C-C, Chen T-Y, Chang C-W, Chen C-J, Chen M-J. Simulating a target lesion for endoscopic submucosal dissection training in an ex vivo pig model., 2011;74:398–402 (New methods: clinical endoscopy)
Wang Y. (*see* Hu et al). 2011; 74:928–31 (Case study)
Wani S. (*see* Rastogi et al). 2011; 74:58–64
Wani S, Azar R, Hovis CE, Hovis RM, Cote GA, Hall M, Waldbaum L, Kushnir V, Early D, Mullady DK, Murad F, Edmundowicz SA, Jonnalagadda SS. Obesity as a risk factor for sedation-related complications during propofol-mediated sedation for advanced endoscopic procedures., 2011; 74:1238–47
Wani SB. (*see* Gupta et al). 2011; (*see* Rastogi et al). 2011; 74:593–602; 74:610–24
Watkins J. (*see* Coté et al). 2011; 74:65–73
Waxman I. (*see* Konda et al). 2011; 74:1049–60
Weeks ES. (*see* Abell et al). 2011; 74:496–503
Wehrmann T. (*see* Milovic et al). 2011; 74:1294–9
Weilert F. (*see* Binmoeller et al). 2011; 74:1019–25
Weinstein GS. (*see* Guarner-Argente et al). 2011; 74:219–21 (Brief report)
Westervelt RM. (*see* Ryou et al). 2011; 74:189–94 (New methods: experimental endoscopy)
Wetzel L. (*see* Lee et al). 2011; 74:128–34
Weusten B. (*see* Bergman et al). 2011; 74:1181–90
Weusten BLAM. (*see* Pouw et al). 2011; 74:35–43
Wickles N. (*see* Neumann et al). 2011; 74:200–2 (At the focal point)
Wientjes CA. (*see* Spada et al). 2011; 74:581–9
Wijnhoven BPL. (*see* van Heel et al). 2011; 74:44–50
Wilcox CM. (*see* Varadarajulu and Wilcox). 2011; (*see* Varadarajulu et al). 2011; 74:1408–12 (Case study); 74:418–23 (Case study); 74:74–80
Winograd R. (*see* Gross et al). 2011; 74:1354–9
Woeste G. (*see* Albert et al). 2011; 74:389–97 (New methods: clinical endoscopy)
Wolfsen HC. (*see* Sharma et al). 2011; 74:465–72
Won JY. (*see* Jang et al). 2011; 74:1040–8
Wong K-T. (*see* Wong et al). 2011; 74:450 (Letter to the editor)
Wong Kee Song L-M. (*see* Pfau et al). 2011; 74:1175–80 (Technology status evaluation report)
Wong P. (*see* Almadi et al). 2011; 74:380–8 (Technical review)
Wong TC-I, Wong K-T, Lau JYW. Response to: Endovascular management of peptic ulcer bleeding: maximizing results and minimizing recurrent bleeding., 2011;74:450 (Letter to the editor)
Worden K. (*see* Leeds et al). 2011; 74:1033–9

X

Xia L, Hua J, Drey X, Khashab M, Liang S, Kim Y-s, Jimeno-Ayllon C, Kalloo AN, Li Z. Endoscopic visceral fat removal as therapy for obesity and metabolic syndrome: a sham-controlled pilot study (with video)., 2011;74:637–44 (Thinking outside the box)
Xiao L. (*see* Kim et al). 2011; 74:817–24
Xie W-F. (*see* Xu et al). 2011; 74:1001–9
Xin L, Liao Z, Jiang Y-P, Li Z-S. Indications, detectability, positive findings, total enteroscopy, and complications of diagnostic double-balloon endoscopy: a systematic review of data over the first decade of use., 2011;74:563–70
Xu M. (*see* Shi et al). 2011; 74:1194–200
Xu W, Shi J, Zeng X, Li X, Xie W-F, Guo J, Lin Y. EUS elastography for the differentiation of benign and malignant lymph nodes: a meta-analysis., 2011;74:1001–9
Xue L. (*see* Bergman et al). 2011; 74:1181–90

Y

Yadav A, Heigh RI, Hara AK, Decker GA, Crowell MD, Gurudu SR, Pasha SF, Fleischer DE, Harris LA, Post J, Leighton JA. Performance of the patency capsule compared with nonenteroclysis radiologic examinations in patients with known or suspected intestinal strictures., 2011;74:834–9
Yagi Y. (*see* Yoo et al). 2011; 74:992–1000
Yagioka H. (*see* Hamada et al). 2011; 74:548–55
Yahara S. (*see* Hirasawa et al). 2011; 74:1268–75
Yamaguchi N. (*see* Norimura et al). 2011; 74:428–34 (Case study)
Yamamoto A. (*see* Sakuma et al). 2011; 74:404–6 (At the focal point)
Yamamoto H. (*see* Nishimura et al). 2011; (*see* Sakamoto et al). 2011; (*see* Togashi et al). 2011; 74:1157–61 (Case study); 74:328–33; 74:940 (Letter to the editor)
Yamamoto K. (*see* Fujii et al). 2011; 74:407–9 (At the focal point)
Yamamoto N. (*see* Hamada et al). 2011; 74:548–55; 74:696–9 (Case study)
Yanagida O. (*see* Abe et al). 2011; 74:792–7
Yang D-H. (*see* Byeon et al). 2011; (*see* Kim et al). 2011; 74:1075–83; 74:228–30 (Brief report)
Yang DH. (*see* Kim et al). 2011; 74:1170–1 (Brief report)
Yang H-K. (*see* Choi et al). 2011; 74:276–84
Yang S-K. (*see* Byeon et al). 2011; (*see* Kim et al). 2011; 74:1075–83; 74:1170–1 (Brief report); 74:228–30 (Brief report)
Yano T. (*see* Muto et al). 2011; (*see* Nishimura et al). 2011; (*see* Sakamoto et al). 2011: 74:1157–61 (Case study); 74:328–33; 74:477–84
Yao K. (*see* Nagahama et al). 2011; 74:1259–67
Yao L. (*see* Shi et al). 2011; 74:1194–200
Yarze JC, Chase MP. Avoidance of PEG 3350 in patients with CHF, cirrhosis, and chronic kidney disease., 2011;74:236–7 (Letter to the editor)
Yarze JC. Gastrocolic fistula related to NSAID-induced gastric ulcer., 2011;74:687–8 (At the focal point)
Yasaka M. (*see* Nagahama et al). 2011; 74:1259–67
Yashima Y. (*see* Hamada et al). 2011; 74:548–55
Yasuda K. (*see* Akagi et al). 2011; 74:1026–32
Yasuzaki H. (*see* Tokoro et al). 2011; 74:925–7 (At the focal point)
Yazumi S. (*see* Sakuma et al). 2011; 74:404–6 (At the focal point)
Ye BD. (*see* Byeon et al). 2011; (*see* Kim et al). 2011; 74:1075–83; 74:1170–1 (Brief report); 74:228–30 (Brief report)
yen Chen T. (*see* Chen et al). 2011; 74:1145–6 (At the focal point)
Yeon JE. (*see* Kim et al). 2011; 74:703–7 (Case study)
Yi H. (*see* Hu et al). 2011; 74:928–31 (Case study)
Yim HJ. (*see* Kim et al). 2011; 74:703–7 (Case study)
Yokota S. (*see* Harada et al). 2011; 74:937–9 (Brief report)
Yoo H, Kang D, Katz AJ, Lauwers GY, Nishioka NS, Yagi Y, Tanpowpong P, Namati J, Bouma BE, Tearney GJ. Reflectance confocal microscopy for the diagnosis of eosinophilic esophagitis: a pilot study conducted on biopsy specimens., 2011;74:992–1000
Yook JH. (*see* Lee et al). 2011; 74:1010–8
Yoon BC. (*see* Lee et al). 2011; 74:693–5 (Case study)
Yoon JY, Jung YS, Hong SP, Kim TI, Kim WH, Cheon JH. Clinical outcomes and risk factors for technical and clinical failures of self-expandable metal stent insertion for malignant colorectal obstruction., 2011;74:858–68
Yoon JY, Jung YS, Hong SP, Kim TI, Kim WH, Cheon JH. Outcomes of secondary stent-in-stent self-expandable metal stent insertion for malignant colorectal obstruction., 2011;74:625–33
Yoon K-W. (*see* Park et al). 2011; 74:869–75
Yoon SS, Rivera R, Antignano L, Kaul V. A case of mediastinitis after radiofrequency ablation for Barrett's esophagus., 2011;74:1407–8 (Case study)
Yoshida N. (*see* Togashi et al). 2011; 74:940 (Letter to the editor)
Yoshida Y. (*see* Matsumoto et al). 2011; 74:1152–6 (Case study)
Yoshizawa A. (*see* Muto et al). 2011; 74:477–84
You JW. (*see* Jang et al). 2011; 74:1040–8
Young MA. (*see* Shah et al). 2011; 74:122–7

Z

Zabalza M. (*see* Pellisé et al). 2011; 74:840–8
Zanon GF. (*see* Bocus et al). 2011; 74:204–7 (Case study)
Zavada F. (*see* Martinek et al). 2011; 74:367–73
Zavoral M. (*see* Martinek et al). 2011; 74:367–73
Zavos C. (*see* Katsinelos et al). 2011; 74:1432 (Letter to the editor); 74:725 (Letter to the editor)
Zdrnja K. (*see* Heuss et al). 2011; 74:1207–14
Zeng X. (*see* Xu et al). 2011; 74:1001–9
Zeuzem S. (*see* Albert et al). 2011; 74:389–97 (New methods: clinical endoscopy)
Zhang Q. (*see* Hu et al). 2011; 74:928–31 (Case study)
Zhang Y-M. (*see* Bergman et al). 2011; 74:1181–90
Zhong Y-S. (*see* Shi et al). 2011; 74:1194–200
Zhou P. (*see* Shi et al). 2011; 74:1194–200
Ziessman H. (*see* Hopfer and Ziessman). 2011; 74:375–7 (The fellows' corner)
Zubarik R, Gordon SR, Lidofsky SD, Anderson SR, Pipas JM, Badger G, Ganguly E, Vecchio J. Screening for pancreatic cancer in a high-risk population with serum CA 19-9 and targeted EUS: a feasibility study., 2011;74:87–95
Zuccaro G. (*see* Mehta et al). 2011; 74:303–8

SUBJECT INDEX TO VOLUME 74*
(*July-December 2011*)

A

Ablation techniques
Ablation of esophageal squamous neoplasia: addressing the bigger picture (Abrams). 2011;74:1191-3 (Editorial)
A case of mediastinitis after radiofrequency ablation for Barrett's esophagus (Yoon et al). 2011;74:1407-8 (Case study)
Cryoablation of persistent Barrett's epithelium after definitive chemoradiation therapy for esophageal adenocarcinoma (Barthel et al). 2011;74:51-7 (Original article: Clinical endoscopy)
Endoscopic radiofrequency ablation of cholangiocarcinoma: new palliative treatment modality (with videos) (Monga et al). 2011;74:935-7 (Brief report)
EUS-guided alcohol ablation of metastatic pelvic lymph nodes after endoscopic resection of polypoid rectal cancer: the need for long-term surveillance (DeWitt and Mohamadnejad). 2011;74:446-7 (Brief report)
Neosquamous epithelium after Barrett's ablation: cause for concern? (Dua et al). 2011;74:1424-5 (Brief report)
A novel device for ablation of abnormal esophageal mucosa (with video) (Friedland and Triadafilopoulos). 2011;74:182-8 (New method: Experimental endoscopy)
Outcomes from a prospective trial of endoscopic radiofrequency ablation of early squamous cell neoplasia of the esophagus (Bergman et al). 2011;74:1181-90 (Original article: Clinical endoscopy)
Radiofrequency ablation-associated necrosis of the hepatic duct confluence: re-establishing biliary continuity with percutaneous cholangiographic-peroral cholangioscopic rendezvous (with videos) (Schneider et al). 2011;74:1163-6 (Brief report)

Abscess
Drainage of a para-aortic abscess by transrectal endoscopic retroperitoneoscopy (with video) (Donatelli et al). 2011;74:1162-3 (Brief report)
Tubercular gastroduodenal abscess presenting with obstructive jaundice: diagnosis with EUS-guided FNA (Puri et al). 2011;74:1400-2 (At the focal point)

Adenoma; *see also* Colorectal neoplasms; Polyps
Adenoma detection rate increases with each decade of life after 50 years of age (Diamond et al). 2011;74:135-40 (Original article: Clinical endoscopy)
Can we improve adenoma detection rates? A systematic review of intervention studies (Corley et al). 2011;74:656-65 (Review article)
Colonoscopic yields in 40- to 49-year-old patients with a history of colorectal cancer in a first-degree relative: how high is the risk? (Dryer and Schmulewitz). 2011;74:119-21 (Editorial)
Hidden extras: the projected impact of colorectal cancer screening and the burden of procedures on screening centers (Dunne and Harewood) (Letter). 2011;74:448-9
Likelihood of missed and recurrent adenomas in the proximal versus the distal colon (Laiyemo et al). 2011;74:253-61 (Original article: Clinical endoscopy)
Measurement of adenoma detection and discrimination during colonoscopy in routine practice: an exploratory study (Denis et al). 2011;74:1325-36 (Original article: Clinical endoscopy)
Missed polyps, missed opportunities (Anantharishnan and Chan). 2011;74:262-5 (Editorial)
Miss rate of right-sided colon examination during colonoscopy defined by retroflexion: an observational study (Hewett and Rex). 2011;74:246-52 (Original article: Clinical endoscopy)
Neoplasia detection rates after positive fecal occult blood test results are not affected by endoscopy center: a population-based study (Bretagne et al). 2011;74:141-7 (Original article: Clinical endoscopy)
Prevalence of any size adenomas and advanced adenomas in 40- to 49-year-old individuals undergoing screening colonoscopy because of a family history of colorectal carcinoma in a first-degree relative (Gupta et al). 2011;74:110-8 (Original article: Clinical endoscopy)
Quality of colonoscopy withdrawal technique and variability in adenoma detection rates (with videos) (Lee et al). 2011;74:128-34 (Original article: Clinical endoscopy)
Successful endoscopic treatment of intraductal extension of a villous adenoma with high-grade dysplasia, with 3-year follow-up (Saleem et al). 2011;74:714-6 (Brief report)

Afferent limb syndrome
Afferent limb syndrome and delayed GI problems after pancreaticoduodenectomy for pancreatic cancer: single-center, 14-year experience (Pannala et al). 2011;74:295-302 (Original article: Clinical endoscopy)

Age factors
Adenoma detection rate increases with each decade of life after 50 years of age (Diamond et al). 2011;74:135-40 (Original article: Clinical endoscopy)
Adverse events in older patients undergoing colonoscopy: a systematic review and meta-analysis (Day et al). 2011;74:885-96 (Original article: Clinical endoscopy)
Albumin level and patient age predict outcomes in patients referred for gastrostomy insertion: internal and external validation of a gastrostomy score and comparison with artificial neural networks (Leeds et al). 2011;74:1033-9 (Original article: Clinical endoscopy)

Albumins
Albumin level and patient age predict outcomes in patients referred for gastrostomy insertion: internal and external validation of a gastrostomy score and comparison with artificial neural networks (Leeds et al). 2011;74:1033-9 (Original article: Clinical endoscopy)
Percutaneous endoscopic gastrostomy tube placement should be done when indicated, regardless of C-reactive protein and albumin levels (Rodrigues and Antaki) (Letter); (Blomberg and Lagergren) (Response). 2011;74:726-7

Alginates
Sodium alginate as an ideal submucosal injection material for endoscopic submucosal resection: preliminary experimental and clinical study (Akagi et al). 2011;74:1026-32 (Original article: Clinical endoscopy)

Algorithms
Matching colonoscopy and pathology data in population-based registries: development of a novel algorithm and the initial experience of the New Hampshire Colonoscopy Registry (Greene et al). 2011;74:334-40 (Original article: Clinical endoscopy)

Ampulla of Vater
Successful endoscopic treatment of intraductal extension of a villous adenoma with high-grade dysplasia, with 3-year follow-up (Saleem et al). 2011;74:714-6 (Brief report)

Amyloidosis
Localized primary AL amyloidosis of the colon without other GI involvement (Tokoro et al). 2011;74:925-7 (At the focal point)

Analgesia; *see also* Sedation
Nitrous oxide for analgesia in colonoscopy without sedation (Løberg et al). 2011;74:1347-53 (Original article: Clinical endoscopy)
A prospective, randomized study of EUS-guided celiac plexus neurolysis for pancreatic cancer: one injection or two? (LeBlanc et al). 2011;74:1300-7 (Original article: Clinical endoscopy)

Anastomosis, surgical
Endoscopic management of postoperative ileocolonic anastomotic bleeding by using water submersion (Gor and Patil). 2011;74:721-2 (Brief report)
Magnetic compression anastomosis is useful in biliary anastomotic strictures after living donor liver transplantation (Jang et al). 2011;74:1040-8 (Original article: Clinical endoscopy)
Novel application of GI electrical stimulation in Roux stasis syndrome (with video) (Daram et al). 2011;74:683-6 (New method: Clinical endoscopy)

Angiomyolipoma
An unusual EUS finding of a gastric extraluminal compression (Shim et al). 2011;74:406-7 (At the focal point)

Antibiotic prophylaxis
Use of antimicrobials for EUS-guided FNA of pancreatic cysts: a retrospective, comparative analysis (Guarner-Argente et al). 2011;74:81-6 (Original article: Clinical endoscopy)

Anti-inflammatory agents, non-steroidal
Gastrocolic fistula related to NSAID-induced gastric ulcer (Yarze). 2011;74:687-8 (At the focal point)

Aortic diseases
Drainage of a para-aortic abscess by transrectal endoscopic retroperitoneoscopy (with video) (Donatelli et al). 2011;74:1162-3 (Brief report)

Appendiceal neoplasms
Successful endoscopic removal of an appendiceal polyp in a child with juvenile polyposis syndrome (Nowicki and Bishop). 2011;74:441-3 (Brief report)

*July, pp. 1-238; August, pp. 239-454; September, pp. 455-730; October, pp. 731-942; November, pp. 943-1174; December, pp. 1175-1468.

Ascites
Spontaneous gallbladder perforation presenting as biliary ascites (Mohan et al). 2011;74:197-9 (At the focal point)

B

Balloon dilatation
Balloon dilation when using double-balloon enteroscopy for small-bowel strictures associated with ischemic enteritis (Nishimura et al). 2011; 74:1157-61 (Case study)
Endoscopic papillary large-balloon dilation combined with endoscopic biliary sphincterotomy for the removal of bile duct stones (with video) (Meine and Baron). 2011;74:1119-26 (Technical review)
Endoscopic submucosal dissection for gastric neoplasms by using a novel attachment device—a one-sided, expandable balloon (Kawamura et al). 2011;74:415-8 (Case study)
Large-balloon dilation after sphincterotomy: anatomical and technical issues (Ozaslan) (Letter); (Katsinelos et al) (Response). 2011;74: 723-5

Bariatrics
Endoscopic creation of a gastrogastric conduit for reversal of gastric bypass (Wagh and Forsmark). 2011;74:932-3 (Brief report)
Endoscopic visceral fat removal as therapy for obesity and metabolic syndrome: a sham-controlled pilot study (with video) (Xia et al). 2011;74:637-44 (Thinking outside the box)
EUS-assisted, fluoroscopically guided gastrostomy tube placement in patients with Roux-en-Y gastric bypass: a novel technique for access to the gastric remnant (Attam et al). 2011; 74:677-82 (New method: Clinical endoscopy)
Migrated anchoring gastric band removed by double-balloon enteroscopy (Jeon et al). 2011; 74:225-7 (Brief report)
A pathway to endoscopic bariatric therapies (ASGE/ASMBS Task Force on Endoscopic Bariatric Therapy). 2011;74:943-53 (White paper)
Transoral gastroplasty for morbid obesity: a multicenter trial with a 1-year outcome (Familiari et al). 2011;74:1248-58 (Original article: Clinical endoscopy)

Barrett's esophagus; *see also* Esophageal neoplasms
A case of mediastinitis after radiofrequency ablation for Barrett's esophagus (Yoon et al). 2011;74:1407-8 (Case study)
Cryoablation of persistent Barrett's epithelium after definitive chemoradiation therapy for esophageal adenocarcinoma (Barthel et al). 2011;74:51-7 (Original article: Clinical endoscopy)
Efficacy and safety of EMR to completely remove Barrett's esophagus: experience in 41 patients (Gerke et al). 2011;74:761-71 (Original article: Clinical endoscopy)
Factors associated with esophageal stricture formation after endoscopic mucosal resection for neoplastic Barrett's esophagus (Lewis et al). 2011;74:753-60 (Original article: Clinical endoscopy)
Neosquamous epithelium after Barrett's ablation: cause for concern? (Dua et al). 2011;74: 1424-5 (Brief report)
A novel device for ablation of abnormal esophageal mucosa (with video) (Friedland and Triadafilopoulos). 2011;74:182-8 (New method: Experimental endoscopy)
Probe-based confocal laser endomicroscopy in Barrett's esophagus: the real deal or another tease? (Falk). 2011;74:473-6 (Editorial)
Randomized trial on endoscopic resection-cap versus multiband mucosectomy for piecemeal endoscopic resection of early Barrett's esophagus (Pouw et al). 2011;74:35-43 (Original article: Clinical endoscopy)
Real-time increased detection of neoplastic tissue in Barrett's esophagus with probe-based confocal laser endomicroscopy: final results of an international multicenter, prospective, randomized, controlled trial (Sharma et al). 2011; 74:465-72 (Original article: Clinical endoscopy)

Basket impaction
Sufficient sphincterotomy or rescue for impacted entrapped bile stones (Peng and Chow) (Letter); (Katsinelos et al) (Response). 2011;74: 1430-1

Bezoars
Endoscopic removal of a gastric trichobezoar in a pediatric patient (Aybar and Safta). 2011;74: 435-7 (Brief report)

Biliary stricture or obstruction; *see also* Cholelithiasis
Better imaging versus better value: striking a balance in confocal laser endomicroscopy (Hernandez). 2011;74:969-70 (Editorial)
Breaking the barrier: using extractable fully covered metal stents to treat benign biliary hilar strictures (Poley et al). 2011;74:916-20 (New methods)
Covered biliary metal stents: which, where, when? (Krokidis et al) (Letter). 2011;74:1173-4
Direct visualization of indeterminate pancreaticobiliary strictures with probe-based confocal laser endomicroscopy: a multicenter experience (Meining et al). 2011;74:961-8 (Original article: Clinical endoscopy)
Endoscopic biliary recanalization by using a needle catheter in patients with complete ligation or stricture of the bile duct: safety and feasibility of a novel technique (with videos) (Gupta et al). 2011;74:423-8 (Case study)
EUS-guided biliary drainage with transluminal stenting after failed ERCP: predictors of adverse events and long-term results (Park et al). 2011;74:1276-84 (Original article: Clinical endoscopy)
Magnetic compression anastomosis is useful in biliary anastomotic strictures after living donor liver transplantation (Jang et al). 2011;74: 1040-8 (Original article: Clinical endoscopy)
Meta-analysis of randomized trials comparing the patency of covered and uncovered self-expandable metal stents for palliation of distal malignant bile duct obstruction (Saleem et al). 2011;74:321-7 (Original article: Clinical endoscopy)
Meta-analysis should be interpreted with caution (Shao et al) (Letter); (Murad and Baron) (Response). 2011;74:1172-3
Radiofrequency ablation-associated necrosis of the hepatic duct confluence: re-establishing biliary continuity with percutaneous cholangiographic-peroral cholangioscopic rendezvous (with videos) (Schneider et al). 2011;74:1163-6 (Brief report)
Role of ERCP in patients after hematopoietic stem cell transplantation (Kim et al). 2011;74: 817-24 (Original article: Clinical endoscopy)
Tuberculous lymph node at the porta hepatis: diagnosis by EUS-guided FNA (Macías-Garcia et al). 2011;74:437-9 (Brief report)

Biliary tract diseases; *see also* Cholelithiasis
Aberrant right hepatic duct with patent ducts of Luschka (Elmunzer and Taylor). 2011;74:196-7 (At the focal point)
Direct transnasal cholangioscopy with ultraslim endoscopes: a one-step intraductal balloon-guided approach (Pohl and Ell). 2011;74: 309-16 (Original article: Clinical endoscopy)
New techniques for direct biliary visualization: do we need them and what can be achieved? (Neuhaus). 2011;74:317-20 (Editorial)
Pancreaticobiliary complications after composite visceral transplantation: incidence, risk, and management strategies (Perera et al) (Letter); (Papachristou and Slivka) (Response). 2011; 74:1428-9
Role of single-operator peroral cholangioscopy in the diagnosis of indeterminate biliary lesions: a single-center, prospective study (Ramchandani et al). 2011;74:511-9 (Original article: Clinical endoscopy)
Single-operator cholangioscopy in biliary disorders: going beyond visualization (Gaidhane and Kahaleh). 2011;74:815-6 (Editorial)
Single-operator cholangioscopy in patients requiring evaluation of bile duct disease or therapy of biliary stones (with videos) (Chen et al). 2011;74:805-14 (Original article: Clinical endoscopy)
Utility of a prototype peroral video cholangioscopy system with narrow-band imaging for evaluation of biliary disorders (with videos) (Parsi et al). 2011;74:1148-51 (Case study)

Biliary tract neoplasms
Biliary leiomyoma diagnosed by Spyglass cholangioscopy (with video) (Kalaitzakis and Sturgess). 2011;74:409-10 (At the focal point)
Endoscopic radiofrequency ablation of cholangiocarcinoma: new palliative treatment modality (with videos) (Monga et al). 2011;74:935-7 (Brief report)
Meta-analysis of randomized trials comparing the patency of covered and uncovered self-expandable metal stents for palliation of distal malignant bile duct obstruction (Saleem et al). 2011;74:321-7 (Original article: Clinical endoscopy)

Biodegradable implants
Drug-eluting/biodegradable stents (ASGE Technology Committee). 2011;74:954-8 (Report on emerging technology)

Biopsy; *see also* Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)
Adherence to biopsy guidelines increases celiac disease diagnosis (Lebwohl et al). 2011;74: 103-9 (Original article: Clinical endoscopy)
Clinical impact of EUS-guided Trucut biopsy results on decision making for patients with gastric subepithelial tumors ≥2 cm (Lee et al). 2011;74:1010-8 (Original article: Clinical endoscopy)
Confocal laser endomicroscopy: finally ready to change clinical practice? (Bisschops). 2011;74: 781-3 (Editorial)
EUS-guided fine-needle tissue acquisition by using a 19-gauge needle in a selected patient population: a prospective study (Larghi et al). 2011;74:504-10 (Original article: Clinical endoscopy)
EUS-guided single-incision needle-knife biopsy: description and results of a new method for tissue sampling of subepithelial GI tumors (with video) (de la Serna-Higuera et al). 2011; 74:672-6 (New method: Clinical endoscopy)
Optical biopsies by confocal endomicroscopy prevent additive endoscopic biopsies before endoscopic submucosal dissection in gastric epithelial neoplasias: a prospective, comparative study (Jeon et al). 2011;74:772-80 (Original article: Clinical endoscopy)
Reflectance confocal microscopy for the diagnosis of eosinophilic esophagitis: a pilot study conducted on biopsy specimens (Yoo et al).

2011;74:992-1000 (Original article: Clinical endoscopy)
Touch preparation of jumbo forceps biopsies allows rapid adequacy assessment of subepithelial GI masses (Keswani et al). 2011;74:411-4 (Case study)

Biosensing techniques
An implantable wireless biosensor for the immediate detection of upper GI bleeding: a new fluorescein-based tool for diagnosis and surveillance (with video) (Ryou et al). 2011;74:189-94 (New method: Experimental endoscopy)

Bisphosphonates
Esophagitis dissecans superficialis (Longman et al). 2011;74:403-4 (At the focal point)

Bleeding; *see* Hemorrhage

Bowel preparation
Avoidance of PEG 3350 in patients with CHF, cirrhosis, and chronic kidney disease (Yarze and Chase) (Letter); (Caldera and Selby) (Response). 2011;74:236-7

C

CA-19-9 antigen
Screening for pancreatic cancer in a high-risk population with serum CA 19-9 and targeted EUS: a feasibility study (Zubarik et al). 2011;74:87-95 (Original article: Clinical endoscopy)

Capsule endoscopy (CE)
Capsule endoscopy for small-bowel evaluation in Crohn's disease (Doherty et al). 2011;74:167-75 (Review article)
Capsule endoscopy in nonresponsive celiac disease (Atlas et al). 2011;74:1315-22 (Original article: Clinical endoscopy)
A case of beef tapeworm (*Taenia saginata*) infection observed by using video capsule endoscopy and radiography (with videos). 2011;74:690-1 (At the focal point)
Development of a novel index to discriminate bulge from mass on small-bowel capsule endoscopy (Girelli et al). 2011;74:1067-74 (Original article: Clinical endoscopy)
The Edinburgh experience with two small-bowel capsule endoscopy systems (Koulaouzidis et al) (Letter); (Pioche and Saurin) (Response). 2011;74:941-2
Impact of inpatient status and gender on small-bowel capsule endoscopy findings (Robinson et al). 2011;74:1061-6 (Original article: Clinical endoscopy)
Performance of the patency capsule compared with nonenteroclysis radiologic examinations in patients with known or suspected intestinal strictures (Yadav et al). 2011;74:834-9 (Original article: Clinical endoscopy)
The role of capsule endoscopy in patients with nonresponsive celiac disease (Tennyson and Green). 2011;74:1323-4 (Editorial)
Second-generation colon capsule endoscopy compared with colonoscopy (Spada et al) 2011;74:581-9 (Original article: Clinical endoscopy). Correction 2011;74:1174
Will colon capsule endoscopy replace screening colonoscopy? (Dominitz and Ko). 2011;74:590-2 (Editorial)

Carcinoembryonic antigen
Cyst fluid carcinoembryonic antigen in the investigation of cystic neuroendocrine tumors of the pancreas (Croagh et al). 2011;74:1413-6 (Case study)

Carcinoid tumor
Carcinoid of the minor duodenal papilla causing upper GI bleeding (Nicolás-Pérez et al). 2011;74:1146-7 (At the focal point)
Duodenal carcinoid tumors: 5 cases treated by endoscopic submucosal dissection (Matsumoto et al). 2011;74:1152-6 (Case study)

Carcinoma, signet ring cell
An unusual endoscopic finding of gastric adenocarcinoma (Chen et al). 2011;74:1145-6 (At the focal point)

Caroli disease
ERCP after Fag Kan Roux-en-Y-hepatojejunostomy in Caroli's syndrome (Coppola et al) (Letter). 2011;74:235-6

Catheters
Endoscopic biliary recanalization by using a needle catheter in patients with complete ligation or stricture of the bile duct: safety and feasibility of a novel technique (with videos) (Gupta et al). 2011;74:423-8 (Case study)

Celiac disease
Adherence to biopsy guidelines increases celiac disease diagnosis (Lebwohl et al). 2011;74:103-9 (Original article: Clinical endoscopy)
Capsule endoscopy in nonresponsive celiac disease (Atlas et al). 2011;74:1315-22 (Original article: Clinical endoscopy)
The role of capsule endoscopy in patients with nonresponsive celiac disease (Tennyson and Green). 2011;74:1323-4 (Editorial)

Celiac plexus
A prospective, randomized study of EUS-guided celiac plexus neurolysis for pancreatic cancer: one injection or two? (LeBlanc et al). 2011;74:1300-7 (Original article: Clinical endoscopy)

Child
Endoscopic removal of a gastric trichobezoar in a pediatric patient (Aybar and Safta). 2011;74:435-7 (Brief report)
GI involvement of sigmoid mucosal erosion in a 13-year-old girl with microscopic polyangiitis (Harada et al). 2011;74:937-9 (Brief report)
High-frequency miniprobes and 3-dimensional EUS for preoperative evaluation of the etiology of congenital esophageal stenosis in children (with video) (Bocus et al). 2011;74:204-7 (Case study)
Malakoplakia: an unusual cause of lower GI bleeding in a child (Sekaran et al). 2011;74:443-5 (Brief report)
Successful endoscopic removal of an appendiceal polyp in a child with juvenile polyposis syndrome (Nowicki and Bishop). 2011;74:441-3 (Brief report)

Cholagogues and choleretics
Is the addition of choleretic agents in multiple double-pigtail biliary stents effective for difficult common bile duct stones in elderly patients? A prospective, multicenter study (Lee et al). 2011;74:96-102 (Original article: Clinical endoscopy)

Cholangiocarcinoma
Endoscopic radiofrequency ablation of cholangiocarcinoma: new palliative treatment modality (with videos) (Monga et al). 2011;74:935-7 (Brief report)

Cholangioscopy
Biliary leiomyoma diagnosed by Spyglass cholangioscopy (with video) (Kalaitzakis and Sturgess). 2011;74:409-10 (At the focal point)
Direct transnasal cholangioscopy with ultraslim endoscopes: a one-step intraductal balloon-guided approach (Pohl and Ell). 2011;74:309-16 (Original article: Clinical endoscopy)
New techniques for direct biliary visualization: do we need them and what can be achieved? (Neuhaus). 2011;74:317-20 (Editorial)
Percutaneous transhepatic cholangioscopy with an ultraslim video upper endoscope with CO_2 insufflation: a feasibility study (Hamada et al). 2011;74:696-9 (Case study)
Role of single-operator peroral cholangioscopy in the diagnosis of indeterminate biliary lesions: a single-center, prospective study (Ramchandani et al). 2011;74:511-9 (Original article: Clinical endoscopy)
Single operator cholangioscopy–guided laser lithotripsy in patients with difficult biliary and pancreatic ductal stones (with videos) (Maydeo et al). 2011;74:1308-14 (Original article: Clinical endoscopy)
Single-operator cholangioscopy in biliary disorders: going beyond visualization (Gaidhane and Kahaleh). 2011;74:815-6 (Editorial)
Single-operator cholangioscopy in patients requiring evaluation of bile duct disease or therapy of biliary stones (with videos) (Chen et al). 2011;74:805-14 (Original article: Clinical endoscopy)
Utility of a prototype peroral video cholangioscopy system with narrow-band imaging for evaluation of biliary disorders (with videos) (Parsi et al). 2011;74:1148-51 (Case study)

Cholecystectomy
Complete transection of the main bile duct: minimally invasive treatment with an endoscopic-radiologic rendezvous (Fiocca et al). 2011;74:1393-8 (New method)

Cholecystitis
Acute cholecystitis after colonoscopy: a case series (Maddur et al). 2011;74:211-3 (Case study)
Feasibility and safety of EUS-guided transgastric/transduodenal gallbladder drainage with single-step placement of a modified covered self-expandable metal stent in patients unsuitable for cholecystectomy (Jang et al). 2011;74:176-81 (New method: Clinical endoscopy)

Cholecystostomy
Feasibility and safety of EUS-guided transgastric/transduodenal gallbladder drainage with single-step placement of a modified covered self-expandable metal stent in patients unsuitable for cholecystectomy (Jang et al). 2011;74:176-81 (New method: Clinical endoscopy)

Cholelithiasis
Challenging clinical paradigms of common bile duct diameter (Urquhart et al). 2011;74:378-9 (Thinking outside the box)
Complex biliary stones: treatment with removable self-expandable metal stents: a new approach (with videos) (Cerefice et al). 2011;74:520-6 (Original article: Clinical endoscopy)
Endoscopic papillary large-balloon dilation combined with endoscopic biliary sphincterotomy for the removal of bile duct stones (with video) (Meine and Baron). 2011;74:1119-26 (Technical review)
Gallstone ileus successfully treated with endoscopic fragmentation by using double-balloon endoscopy (with video) (Kim et al). 2011;74:228-30 (Brief report)
Holmium laser lithotripsy under direct peroral cholangioscopy by using an ultra-slim upper endoscope for patients with retained bile duct stones (with video) (Kim et al). 2011;74:1127-32 (New method: Clinical endoscopy)
Is the addition of choleretic agents in multiple double-pigtail biliary stents effective for difficult common bile duct stones in elderly patients? A prospective, multicenter study (Lee et al). 2011;74:96-102 (Original article: Clinical endoscopy)
Large-balloon dilation after sphincterotomy: anatomical and technical issues (Ozaslan) (Letter); (Katsinelos et al) (Response). 2011;74:723-5
The role of endoscopy in the management of choledocholithiasis (ASGE Standards of Practice Committee). 2011;74:731-44 (Guideline)
Single operator cholangioscopy–guided laser lithotripsy in patients with difficult biliary and

pancreatic ductal stones (with videos) (Maydeo et al). 2011;74:1308-14 (Original article: Clinical endoscopy)
Single-operator cholangioscopy in biliary disorders: going beyond visualization (Gaidhane and Kahaleh). 2011;74:815-6 (Editorial)
Single-operator cholangioscopy in patients requiring evaluation of bile duct disease or therapy of biliary stones (with videos) (Chen et al). 2011;74:805-14 (Original article: Clinical endoscopy)
Sufficient sphincterotomy or rescue for impacted entrapped bile stones (Peng and Chow) (Letter); (Katsinelos et al) (Response). 2011;74:1430-1

Cholescintigraphy
Nuclear medicine hepatobiliary imaging (cholescintigraphy) (Hopfer and Ziessman). 2011;74:375-7 (The Fellows' Corner)

Choristoma
A case of gastric aberrant pancreas diagnosed with EUS-guided FNA (Fujii et al). 2011;74:407-9 (At the focal point)

Chromoendoscopy
The color of the most effective tool to use in dysplasia surveillance in inflammatory bowel disease (Bernstein). 2011;74:849-51 (Editorial)
Flexible spectral-imaging color enhancement: optimized settings for polyp detection? (Togashi et al) (Letter). 2011;74:940
Narrow-band imaging as an alternative to chromoendoscopy for the detection of dysplasia in long-standing inflammatory bowel disease: a prospective, randomized, crossover study (Pellisé et al). 2011;74:840-8 (Original article: Clinical endoscopy)
Usefulness of magnifying endoscopy with narrow-band imaging for determining the horizontal extent of early gastric cancer when there is an unclear margin by chromoendoscopy (with video) (Nagahama et al). 2011;74:1259-67 (Original article: Clinical endoscopy)

Clips
Benefit of a clipping device in use in intestinal bleeding and intestinal leakage (Albert et al). 2011;74:389-97 (New method: Clinical endoscopy)
Efficacy of full-thickness GI perforation closure with a novel over-the-scope clip application device: an animal study (Matthes et al). 2011;74:1369-75 (Original article: Experimental endoscopy)
Endoscopic closure of large, spontaneous, choledochoduodenal fistula by using an over-the-scope clip (Neumann et al). 2011;74:200-2 (At the focal point)
Endoscopic management of GI fistulae with the over-the-scope clip system (with video) (Surace et al). 2011;74:1416-9 (Case study)
Prolonged endoclip retention time (Volfson and McKinley) (Letter). 2011;74:727-8

Colitis
Ischemic colitis as a cause of severe hematochezia: risk factors and outcomes compared with other colon diagnoses (Chavalitdhamrong et al). 2011;74:852-7 (Original article: Clinical endoscopy)
Progression of low-grade dysplasia in ulcerative colitis: effect of colonic location (Goldstone et al). 2011;74:1087-93 (Original article: Clinical endoscopy)

Colon, redundant
Push enteroscopy has a 96% cecal intubation rate in colonoscopies that failed because of redundant colons (Jackson et al). 2011;74:341-6 (Original article: Clinical endoscopy)

Colonic diseases
Clear water filling and puncture: sufficient for endoscopic diagnosis of pneumatosis cystoides intestinalis? (with video) (Kim et al). 2011;74:1170-1 (Brief report)
GI involvement of sigmoid mucosal erosion in a 13-year-old girl with microscopic polyangiitis (Harada et al). 2011;74:937-9 (Brief report)
Localized primary AL amyloidosis of the colon without other GI involvement (Tokoro et al). 2011;74:925-7 (At the focal point)
Lower GI bleeding from ileocolonic histoplasmosis (Patel and Schwartz). 2011;74:1404-6 (At the focal point)

Colonoscopists
Sex preferences for colonoscopists and GI physicians among patients and health care professionals (Shah et al). 2011;74:122-7 (Original article: Clinical endoscopy)

Colonoscopy
Acute cholecystitis after colonoscopy: a case series (Maddur et al). 2011;74:211-3 (Case study)
Adenoma detection rate increases with each decade of life after 50 years of age (Diamond et al). 2011;74:135-40 (Original article: Clinical endoscopy)
Adverse events in older patients undergoing colonoscopy: a systematic review and meta-analysis (Day et al). 2011;74:885-96 (Original article: Clinical endoscopy)
Avoidance of PEG 3350 in patients with CHF, cirrhosis, and chronic kidney disease (Yarze and Chase) (Letter); (Caldera and Selby) (Response). 2011;74:236-7
Can we improve adenoma detection rates? A systematic review of intervention studies (Corley et al). 2011;74:656-65 (Review article)
Colonoscopic yields in 40- to 49-year-old patients with a history of colorectal cancer in a first-degree relative: how high is the risk? (Dryer and Schmulewitz). 2011;74:119-21 (Editorial)
Complications of colonoscopy (ASGE Standards of Practice Committee). 2011;74:745-52 (Guideline)
Development of distal rectal cancer 5 years after a normal photograph of the distal rectum (Rex) (Letter). 2011;74:728-9
Endoscopic management of colonoscopic perforations (with videos) (Raju et al). 2011;74:1380-8 (Review article)
Flexible spectral-imaging color enhancement: optimized settings for polyp detection? (Togashi et al) (Letter). 2011;74:940
Hidden extras: the projected impact of colorectal cancer screening and the burden of procedures on screening centers (Dunne and Harewood) (Letter). 2011;74:448-9
Likelihood of missed and recurrent adenomas in the proximal versus the distal colon (Laiyemo et al). 2011;74:253-61 (Original article: Clinical endoscopy)
Matching colonoscopy and pathology data in population-based registries: development of a novel algorithm and the initial experience of the New Hampshire Colonoscopy Registry (Greene et al). 2011;74:334-40 (Original article: Clinical endoscopy)
Measurement of adenoma detection and discrimination during colonoscopy in routine practice: an exploratory study (Denis et al). 2011;74:1325-36 (Original article: Clinical endoscopy)
Missed polyps, missed opportunities (Anantha krishnan and Chan). 2011;74:262-5 (Editorial)
Miss rate of right-sided colon examination during colonoscopy defined by retroflexion: an observational study (Hewett and Rex). 2011;74:246-52 (Original article: Clinical endoscopy)
A morphologic analysis of sessile serrated polyps observed during routine colonoscopy (with video) (Tadepalli et al). 2011;74:1360-8 (Original article: Clinical endoscopy)
Narrow-band imaging versus I-Scan for the real-time histological prediction of diminutive colonic polyps: a prospective comparative study by using the simple unified endoscopic classification (Lee et al). 2011;74:603-9 (Original article: Clinical endoscopy)
Neoplasia detection rates after positive fecal occult blood test results are not affected by endoscopy center: a population-based study (Bretagne et al). 2011;74:141-7 (Original article: Clinical endoscopy)
Nitrous oxide for analgesia in colonoscopy without sedation (Løberg et al). 2011;74:1347-53 (Original article: Clinical endoscopy)
Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study (Lee et al). 2011;74:1094-102 (Original article: Clinical endoscopy)
Prevalence of any size adenomas and advanced adenomas in 40- to 49-year-old individuals undergoing screening colonoscopy because of a family history of colorectal carcinoma in a first-degree relative (Gupta et al). 2011;74:110-8 (Original article: Clinical endoscopy)
Push enteroscopy has a 96% cecal intubation rate in colonoscopies that failed because of redundant colons (Jackson et al). 2011;74:341-6 (Original article: Clinical endoscopy)
Quality of colonoscopy withdrawal technique and variability in adenoma detection rates (with videos) (Lee et al). 2011;74:128-34 (Original article: Clinical endoscopy)
Randomized, controlled trial of standard-definition white-light, high-definition white-light, and narrow-band imaging colonoscopy for the detection of colon polyps and prediction of polyp histology (Rastogi et al). 2011;74:593-602 (Original article: Clinical endoscopy)
Second-generation colon capsule endoscopy compared with colonoscopy (Spada et al) 2011;74:581-9 (Original article: Clinical endoscopy). Correction 2011;74:1174
Spending less for rescuing a failed colonoscopy (Lee) (Letter); (Keswani) (Schembre) (Responses). 2011;74:451-2
Training to competency in colonoscopy: assessing and defining competency standards (Sedlack) 2011;74:355-66 (Original article: Clinical endoscopy). Correction 2011;74:729
Usefulness of cap-assisted colonoscopy during colonoscopic EMR: a randomized, controlled trial (Park et al). 2011;74:869-75 (Original article: Clinical endoscopy)
Will colon capsule endoscopy replace screening colonoscopy? (Dominitz and Ko). 2011;74:590-2 (Editorial)

Colorectal neoplasms; *see also* Adenoma; Polyps; Rectal neoplasms
Clinical outcomes and factors related to resectability and curability of EMR for early colorectal cancer (Park et al). 2011;74:1337-46 (Original article: Clinical endoscopy)
Clinical outcomes and risk factors for technical and clinical failures of self-expandable metal stent insertion for malignant colorectal obstruction (Yoon et al). 2011;74:858-68 (Original article: Clinical endoscopy)
Colonoscopic yields in 40- to 49-year-old patients with a history of colorectal cancer in a first-degree relative: how high is the risk? (Dryer and Schmulewitz). 2011;74:119-21 (Editorial)

Endoscopic full-thickness resection in the colon by using a clip-and-cut technique: an animal study (von Renteln et al). 2011;74:1108-14 (Original article: Experimental endoscopy)
Endoscopic submucosal dissection with or without snaring for colorectal neoplasms (Byeon et al). 2011;74:1075-83 (Original article: Clinical endoscopy)
ESD for colorectal neoplasms: dissecting value from virtue (Chandrasekhara and Ginsberg). 2011;74:1084-6 (Editorial)
Outcomes of secondary stent-in-stent self-expandable metal stent insertion for malignant colorectal obstruction (Yoon et al). 2011;74:625-33 (Original article: Clinical endoscopy)
Prevalence of any size adenomas and advanced adenomas in 40- to 49-year-old individuals undergoing screening colonoscopy because of a family history of colorectal carcinoma in a first-degree relative (Gupta et al). 2011;74:110-8 (Original article: Clinical endoscopy)
Progression of low-grade dysplasia in ulcerative colitis: effect of colonic location (Goldstone et al). 2011;74:1087-93 (Original article: Clinical endoscopy)
Safety of colonic tattoo with sterile carbon particle suspension: a proposed guideline with illustrative cases (Moss et al). 2011;74:214-8 (Case study)
Self-expandable metal stents for relieving malignant colorectal obstruction: short-term safety and efficacy within 30 days of stent procedure in 447 patients (Meisner et al). 2011;74:876-84 (Original article: Clinical endoscopy)

Common bile duct; *see also* Cholelithiasis
Challenging clinical paradigms of common bile duct diameter (Urquhart et al). 2011;74:378-9 (Thinking outside the box)
Complete transection of the main bile duct: minimally invasive treatment with an endoscopic-radiologic rendezvous (Fiocca et al). 2011;74:1393-8 (New method)

Computers
Computer-based classification of small colorectal polyps by using narrow-band imaging with optical magnification (Gross et al). 2011;74:1354-9 (Original article: Clinical endoscopy)
The debate for nonanesthesiologist-administered propofol sedation in endoscopy rages on (Pambianco and Hardi) (Letter). 2011;74:449
An implantable wireless biosensor for the immediate detection of upper GI bleeding: a new fluorescein-based tool for diagnosis and surveillance (with video) (Ryou et al). 2011;74:189-94 (New method: Experimental endoscopy)
The SEDASYS System is not intended for the sedation of high-risk patients (Martin et al) (Letter). 2011;74:723

Continuing Medical Education Activity
August 2011. 2011;74:374
December 2011. 2011;74:1376
July 2011. 2011;74:154
November 2011. 2011;74:1115
October 2011. 2011;74:912
September 2011. 2011;74:634

Costs and cost analysis
Endoscopy for upper GI cancer screening in the general population: a cost-utility analysis (Gupta et al). 2011;74:610-24 (Original article: Clinical endoscopy)
A simple risk score accurately predicts in-hospital mortality, length of stay, and cost in acute upper GI bleeding (Saltzman et al). 2011;74:1215-24 (Original article: Clinical endoscopy)

C-reactive protein
Percutaneous endoscopic gastrostomy tube placement should be done when indicated, regardless of C-reactive protein and albumin levels (Rodrigues and Antaki) (Letter); (Blomberg and Lagergren) (Response). 2011;74:726-7

Crohn's disease
Capsule endoscopy for small-bowel evaluation in Crohn's disease (Doherty et al). 2011;74:167-75 (Review article)

Cryosurgery
Cryoablation of persistent Barrett's epithelium after definitive chemoradiation therapy for esophageal adenocarcinoma (Barthel et al). 2011;74:51-7 (Original article: Clinical endoscopy)
A novel device for ablation of abnormal esophageal mucosa (with video) (Friedland and Triadafilopoulos). 2011;74:182-8 (New method: Experimental endoscopy)

Cyanoacrylates
EUS-guided transesophageal treatment of gastric fundal varices with combined coiling and cyanoacrylate glue injection (with videos) (Binmoeller et al). 2011;74:1019-25 (Original article: Clinical endoscopy)

Cystogastrostomy
EUS-guided double cystgastrostomy of 2 infected pseudocysts in series: a novel case of endoscopic cystocystgastrostomy (Chahal) (Letter). 2011;74:448

Cysts; *see also* Pancreatic cyst or pseudocyst
Clear water filling and puncture: sufficient for endoscopic diagnosis of pneumatosis cystoides intestinalis? (with video) (Kim et al). 2011;74:1170-1 (Brief report)

D

DBE; *see* Double-balloon enteroscopy (DBE)

Diagnosis
Patients often hold the clue for diagnosis—even if they do not know it (Brandt). 2011;74:159-60 (The art of history and physical examination)

Dieulafoy lesions
Bleeding Dieulafoy lesions of the small bowel: a systematic study on the epidemiology and efficacy of enteroscopic treatment (Dulic-Lakovic et al). 2011;74:573-80 (Original article: Clinical endoscopy)

Diverticulum
Active opening and closing movements of the orifices of esophageal intramural pseudodiverticulosis (Shintaku et al). 2011;74:1420-2 (Brief report)
Endoscopic treatment of Zenker's diverticulum by harmonic scalpel (Hondo et al). 2011;74:666-71 (New method: Clinical endoscopy)

Double-balloon enteroscopy (DBE)
Balloon dilation when using double-balloon enteroscopy for small-bowel strictures associated with ischemic enteritis (Nishimura et al). 2011;74:1157-61 (Case study)
A decade of double-balloon enteroscopy: what have we learned? (Ross). 2011;74:571-2 (Editorial)
Gallstone ileus successfully treated with endoscopic fragmentation by using double-balloon endoscopy (with video) (Kim et al). 2011;74:228-30 (Brief report)
Indications, detectability, positive findings, total enteroscopy, and complications of diagnostic double-balloon endoscopy: a systematic review of data over the first decade of use (Xin et al). 2011;74:563-70 (Original article: Clinical endoscopy)
Migrated anchoring gastric band removed by double-balloon enteroscopy (Jeon et al). 2011;74:225-7 (Brief report)
Nonsurgical management of small-bowel polyps in Peutz-Jeghers syndrome with extensive polypectomy by using double-balloon endoscopy (Sakamoto et al). 2011;74:328-33 (Original article: Clinical endoscopy)

Duodenal diseases
Carcinoid of the minor duodenal papilla causing upper GI bleeding (Nicolás-Pérez et al). 2011;74:1146-7 (At the focal point)
Case series of duodenal follicular lymphoma, observed by magnified endoscopy with narrow-band imaging (Norimura et al). 2011;74:428-34 (Case study)
Duodenal carcinoid tumors: 5 cases treated by endoscopic submucosal dissection (Matsumoto et al). 2011;74:1152-6 (Case study)
Duodenal invasion is a risk factor for the early dysfunction of biliary metal stents in unresectable pancreatic cancer (Hamada et al). 2011;74:548-55 (Original article: Clinical endoscopy)
Duodenal variceal bleeding successfully treated with endoscopic banding (with video) (Schmeltzer and Smith). 2011;74:716-7 (Brief report)
EUS-guided single-incision needle-knife biopsy: description and results of a new method for tissue sampling of subepithelial GI tumors (with video) (de la Serna-Higuera et al). 2011;74:672-6 (New method: Clinical endoscopy)
New appearance of a snowman-like, polypoid lesion on the major duodenal papilla in a patient with relapsing autoimmune pancreatitis (Kim et al). 2011;74:923-4 (At the focal point)
Strongyloidiasis presenting as duodenal obstruction in a patient infected with human T-cell lymphotropic virus type 1 (Hindy et al). 2011;74:439-41 (Brief report)
Touch preparation of jumbo forceps biopsies allows rapid adequacy assessment of subepithelial GI masses (Keswani et al). 2011;74:411-4 (Case study)

Dysphagia
Esophageal web resolved by endoscopic incision in a patient with Plummer-Vinson syndrome (Seo et al). 2011;74:1142-3 (At the focal point)

E

Editorials
Ablation of esophageal squamous neoplasia: addressing the bigger picture (Abrams). 2011;74:1191-3
Better imaging versus better value: striking a balance in confocal laser endomicroscopy (Hernandez). 2011;74:969-70
Colonoscopic yields in 40- to 49-year-old patients with a history of colorectal cancer in a first-degree relative: how high is the risk? (Dryer and Schmulewitz). 2011;74:119-21
The color of the most effective tool to use in dysplasia surveillance in inflammatory bowel disease (Bernstein). 2011;74:849-51
Confocal laser endomicroscopy: finally ready to change clinical practice? (Bisschops). 2011;74:781-3
A decade of double-balloon enteroscopy: what have we learned? (Ross). 2011;74:571-2
Endoscopic resection for early gastric cancer: one piece is better than dash to pieces (Chiu and Sung). 2011;74:494-5
ESD for colorectal neoplasms: dissecting value from virtue (Chandrasekhara and Ginsberg). 2011;74:1084-6
Improved risk assessment in upper GI bleeding (Kuipers). 2011;74:1225-9
Is nasogastric tube lavage in patients with acute upper GI bleeding indicated or antiquated? (Pallin and Saltzman). 2011;74:981-4

Missed polyps, missed opportunities (Anantha krishnan and Chan). 2011;74:262-5
New techniques for direct biliary visualization: do we need them and what can be achieved? (Neuhaus). 2011;74:317-20
Probe-based confocal laser endomicroscopy in Barrett's esophagus: the real deal or another tease? (Falk). 2011;74:473-6
The role of capsule endoscopy in patients with nonresponsive celiac disease (Tennyson and Green). 2011;74:1323-4
Single-operator cholangioscopy in biliary disorders: going beyond visualization (Gaidhane and Kahaleh). 2011;74:815-6
Will colon capsule endoscopy replace screening colonoscopy? (Dominitz and Ko). 2011;74:590-2

Education, medical; *see also* Continuing Medical Education Activity
Advanced endoscopy procedures in private practice: is the juice worth the squeeze? (Barroso). 2011;74:913-5 (The Fellows' Corner)
Advice to program directors and applicants for gastroenterology fellowship application and selection (Cappell). 2011;74:155-8 (The Fellows' Corner)
A humanitarian exercise during gastroenterology fellowship (Bernick and Lawson). 2011;74:635-6 (The Fellows' Corner)
Learning EUS tricks from the masters (DeWitt et al). 2011;74:1116-8 (The Fellows' Corner)
Nuclear medicine hepatobiliary imaging (cholescintigraphy) (Hopfer and Ziessman). 2011;74:375-7 (The Fellows' Corner)
Simulating a target lesion for endoscopic submucosal dissection training in an ex vivo pig model (Wang et al). 2011;74:398-402 (New method: Experimental endoscopy)
Training on an ex vivo animal model improves endoscopic skills: a randomized, single-blind study (Martinek et al). 2011;74:367-73 (Original article: Experimental endoscopy)
Training to competency in colonoscopy: assessing and defining competency standards (Sedlack) 2011;74:355-66 (Original article: Clinical endoscopy). Correction 2011;74:729
When to call the anesthesiologist for assistance with sedation (DeLegge). 2011;74:1377-9 (The Fellows' Corner)

EGD; *see* Esophagogastroduodenoscopy (EGD)

Elasticity imaging techniques
EUS elastography for the differentiation of benign and malignant lymph nodes: a meta-analysis (Xu et al). 2011;74:1001-9 (Original article: Clinical endoscopy)
Gastric metastasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography (Carrara et al). 2011;74:223-5 (Brief report)

Electric stimulation therapy
A double-masked, randomized, placebo-controlled trial of temporary endoscopic mucosal gastric electrical stimulation for gastroparesis (Abell et al). 2011;74:496-503 (Original article: Clinical endoscopy)
Novel application of GI electrical stimulation in Roux stasis syndrome (with video) (Daram et al). 2011;74:683-6 (New method: Clinical endoscopy)

Embolization, therapeutic
Endovascular management of peptic ulcer bleeding: maximizing results and minimizing recurrent bleeding (Loffroy) (Letter); (Wong et al) (Response). 2011;74:449-50

EMR; *see* Endoscopic mucosal resection (EMR)

Endoscopes
Biliary leiomyoma diagnosed by Spyglass cholangioscopy (with video) (Kalaitzakis and Sturgess). 2011;74:409-10 (At the focal point)
Direct transnasal cholangioscopy with ultraslim endoscopes: a one-step intraductal balloon-guided approach (Pohl and Ell). 2011;74:309-16 (Original article: Clinical endoscopy)
Forward-viewing versus oblique-viewing echoendoscopes in transluminal drainage of pancreatic fluid collections: a multicenter, randomized, controlled trial (Voermans et al). 2011;74:1285-93 (Original article: Clinical endoscopy)
GI endoscopes (ASGE Technology Committee). 2011;74:1-6 (Report on emerging technology)
Holmium laser lithotripsy under direct peroral cholangioscopy by using an ultra-slim upper endoscope for patients with retained bile duct stones (with video) (Kim et al). 2011;74:1127-32 (New method: Clinical endoscopy)
New techniques for direct biliary visualization: do we need them and what can be achieved? (Neuhaus). 2011;74:317-20 (Editorial)
Percutaneous transhepatic cholangioscopy with an ultraslim video upper endoscope with CO_2 insufflation: a feasibility study (Hamada et al). 2011;74:696-9 (Case study)
Push enteroscopy has a 96% cecal intubation rate in colonoscopies that failed because of redundant colons (Jackson et al). 2011;74:341-6 (Original article: Clinical endoscopy)

Endoscopic mucosal resection (EMR)
Clinical outcomes and factors related to resectability and curability of EMR for early colorectal cancer (Park et al). 2011;74:1337-46 (Original article: Clinical endoscopy)
Efficacy and safety of EMR to completely remove Barrett's esophagus: experience in 41 patients (Gerke et al). 2011;74:761-71 (Original article: Clinical endoscopy)
Factors associated with esophageal stricture formation after endoscopic mucosal resection for neoplastic Barrett's esophagus (Lewis et al). 2011;74:753-60 (Original article: Clinical endoscopy)
Usefulness of cap-assisted colonoscopy during colonoscopic EMR: a randomized, controlled trial (Park et al). 2011;74:869-75 (Original article: Clinical endoscopy)

Endoscopic resection
Endoscopic and oncologic outcomes after endoscopic resection for early gastric cancer: 1370 cases of absolute and extended indications (Ahn et al). 2011;74:485-93 (Original article: Clinical endoscopy)
Endoscopic full-thickness resection in the colon by using a clip-and-cut technique: an animal study (von Renteln et al). 2011;74:1108-14 (Original article: Experimental endoscopy)
Endoscopic resection for early gastric cancer: one piece is better than dash to pieces (Chiu and Sung). 2011;74:494-5 (Editorial)
Long-term outcome of transoral organ-preserving pharyngeal endoscopic resection for superficial pharyngeal cancer (Muto et al). 2011;74:477-84 (Original article: Clinical endoscopy)
Randomized trial on endoscopic resection-cap versus multiband mucosectomy for piecemeal endoscopic resection of early Barrett's esophagus (Pouw et al). 2011;74:35-43 (Original article: Clinical endoscopy)

Endoscopic retrograde cholangiopancreatography (ERCP)
Acute parotitis after ERCP (Nadkarni et al). 2011;74:199-200 (At the focal point)
All-cause mortality after first ERCP in England: clinically guided analysis of hospital episode statistics with linkage to registry of death (Bodger et al). 2011;74:825-33 (Original article: Clinical endoscopy)
Are low-volume ERCPists a problem in the United States? A plea to examine and improve ERCP practice—NOW (Cotton). 2011;74:161-6 (Perspective)
Better imaging versus better value: striking a balance in confocal laser endomicroscopy (Hernandez). 2011;74:969-70 (Editorial)
Biliary stent migration with colonic perforation: a very rare complication and the lesson that should be learned from it (Lankisch et al). 2011;74:924-5 (At the focal point)
Complications after ERCP in liver transplant recipients (Balderramo et al). 2011;74:285-94 (Original article: Clinical endoscopy)
Direct visualization of indeterminate pancreaticobiliary strictures with probe-based confocal laser endomicroscopy: a multicenter experience (Meining et al). 2011;74:961-8 (Original article: Clinical endoscopy)
Effect of the time of day on the success and adverse events of ERCP (Mehta et al). 2011;74:303-8 (Original article: Clinical endoscopy)
ERCP after Fag Kan Roux-en-Y-hepatojejunostomy in Caroli's syndrome (Coppola et al) (Letter). 2011;74:235-6
EUS-guided biliary drainage with transluminal stenting after failed ERCP: predictors of adverse events and long-term results (Park et al). 2011;74:1276-84 (Original article: Clinical endoscopy)
Extracorporeal shock wave lithotripsy with a transportable mini-lithotripter and subsequent endoscopic treatment improves clinical outcome in obstructive calcific chronic pancreatitis (Milovic et al). 2011;74:1294-9 (Original article: Clinical endoscopy)
Individual and practice differences among physicians who perform ERCP at varying frequency: a national survey (Coté et al). 2011;74:65-73 (Original article: Clinical endoscopy)
Role of ERCP in patients after hematopoietic stem cell transplantation (Kim et al). 2011;74:817-24 (Original article: Clinical endoscopy)
Use of udenafil is not associated with a reduction in post-ERCP pancreatitis: results of a randomized, placebo-controlled, multicenter trial (Oh et al). 2011;74:556-62 (Original article: Clinical endoscopy)

Endoscopic submucosal dissection (ESD)
Confocal laser endomicroscopy: finally ready to change clinical practice? (Bisschops). 2011;74:781-3 (Editorial)
Duodenal carcinoid tumors: 5 cases treated by endoscopic submucosal dissection (Matsumoto et al). 2011;74:1152-6 (Case study)
The efficacy of endoscopic triamcinolone injection for the prevention of esophageal stricture after endoscopic submucosal dissection (Hashimoto et al). 2011;74:1389-93 (New method)
Endoscopic histologic diagnosis of gastric GI submucosal tumors via the endoscopic submucosal dissection technique (Lee et al). 2011;74:693-5 (Case study)
Endoscopic submucosal dissection for gastric neoplasms by using a novel attachment device—a one-sided, expandable balloon (Kawamura et al). 2011;74:415-8 (Case study)
Endoscopic submucosal dissection for treatment of esophageal submucosal tumors originating from the muscularis propria layer (Shi et al). 2011;74:1194-200 (Original article: Clinical endoscopy)
Endoscopic submucosal dissection with a flexible Maryland dissector: randomized comparison of mesna and saline solution for submucosal injection (with videos) (von Renteln et al). 2011;74:906-11 (Original article: Experimental endoscopy)

Endoscopic submucosal dissection with or without snaring for colorectal neoplasms (Byeon et al). 2011;74:1075-83 (Original article: Clinical endoscopy)
ESD for colorectal neoplasms: dissecting value from virtue (Chandrasekhara and Ginsberg). 2011;74:1084-6 (Editorial)
Gastric endoscopic submucosal dissection assisted by a new traction method: the clip-band technique. A feasibility study in a porcine model (with video) (Parra-Blanco et al). 2011; 74:1137-41 (New method: Experimental endoscopy)
The incidence of deep vein thrombosis in Japanese patients undergoing endoscopic submucosal dissection (Kusunoki et al). 2011;74:798-804 (Original article: Clinical endoscopy)
Long-term outcomes of combination of endoscopic submucosal dissection and laparoscopic lymph node dissection without gastrectomy for early gastric cancer patients who have a potential risk of lymph node metastasis (Abe et al). 2011;74:792-7 (Original article: Clinical endoscopy)
Optical biopsies by confocal endomicroscopy prevent additive endoscopic biopsies before endoscopic submucosal dissection in gastric epithelial neoplasias: a prospective, comparative study (Jeon et al). 2011;74:772-80 (Original article: Clinical endoscopy)
Risk assessment chart for curability of early gastric cancer with endoscopic submucosal dissection (Hirasawa et al). 2011;74:1268-75 (Original article: Clinical endoscopy)
Simulating a target lesion for endoscopic submucosal dissection training in an ex vivo pig model (Wang et al). 2011;74:398-402 (New method: Experimental endoscopy)
Sodium alginate as an ideal submucosal injection material for endoscopic submucosal resection: preliminary experimental and clinical study (Akagi et al). 2011;74:1026-32 (Original article: Clinical endoscopy)
Two-point fixed endoscopic submucosal dissection in rectal tumor (with video) (Motohashi). 2011;74:1132-6 (New method: Clinical endoscopy)

Endoscopic ultrasonography (EUS)

Benefit of pronase in image quality during EUS (Han et al). 2011;74:1230-7 (Original article: Clinical endoscopy)
Clinical impact of EUS-guided Trucut biopsy results on decision making for patients with gastric subepithelial tumors ≥2 cm (Lee et al). 2011;74:1010-8 (Original article: Clinical endoscopy)
EUS and magnetic resonance imaging in the staging of rectal cancer: a prospective and comparative study (Fernández-Esparrach et al). 2011;74:347-54 (Original article: Clinical endoscopy)
EUS-assisted, fluoroscopically guided gastrostomy tube placement in patients with Roux-en-Y gastric bypass: a novel technique for access to the gastric remnant (Attam et al). 2011; 74:677-82 (New method: Clinical endoscopy)
EUS elastography for the differentiation of benign and malignant lymph nodes: a meta-analysis (Xu et al). 2011;74:1001-9 (Original article: Clinical endoscopy)
EUS-guided alcohol ablation of metastatic pelvic lymph nodes after endoscopic resection of polypoid rectal cancer: the need for long-term surveillance (DeWitt and Mohamadnejad). 2011;74:446-7 (Brief report)
EUS-guided biliary drainage with transluminal stenting after failed ERCP: predictors of adverse events and long-term results (Park et al). 2011;74:1276-84 (Original article: Clinical endoscopy)
EUS-guided double cystgastrostomy of 2 infected pseudocysts in series: a novel case of endoscopic cystocystgastrostomy (Chahal) (Letter). 2011;74:448
EUS-guided single-incision needle-knife biopsy: description and results of a new method for tissue sampling of subepithelial GI tumors (with video) (de la Serna-Higuera et al). 2011; 74:672-6 (New method: Clinical endoscopy)
EUS-guided therapy for management of peripancreatic fluid collections after distal pancreatectomy in 20 consecutive patients (Varadarajulu et al). 2011;74:418-23 (Case study)
EUS-guided transesophageal treatment of gastric fundal varices with combined coiling and cyanoacrylate glue injection (with videos) (Binmoeller et al). 2011;74:1019-25 (Original article: Clinical endoscopy)
Feasibility and safety of EUS-guided transgastric/transduodenal gallbladder drainage with single-step placement of a modified covered self-expandable metal stent in patients unsuitable for cholecystectomy (Jang et al). 2011;74: 176-81 (New method: Clinical endoscopy)
Forward-viewing versus oblique-viewing echoendoscopes in transluminal drainage of pancreatic fluid collections: a multicenter, randomized, controlled trial (Voermans et al). 2011;74:1285-93 (Original article: Clinical endoscopy)
High-frequency miniprobes and 3-dimensional EUS for preoperative evaluation of the etiology of congenital esophageal stenosis in children (with video) (Bocus et al). 2011;74:204-7 (Case study)
Learning EUS tricks from the masters (DeWitt et al). 2011;74:1116-8 (The Fellows' Corner)
Multiple transluminal gateway technique for EUS-guided drainage of symptomatic walled-off pancreatic necrosis (Varadarajulu et al). 2011;74:74-80 (Original article: Clinical endoscopy)
A prospective, randomized study of EUS-guided celiac plexus neurolysis for pancreatic cancer: one injection or two? (LeBlanc et al). 2011;74: 1300-7 (Original article: Clinical endoscopy)
Role of EUS for the evaluation of mediastinal adenopathy (ASGE Standards of Practice Committee). 2011;74:239-45 (Guideline)
Screening for pancreatic cancer in a high-risk population with serum CA 19-9 and targeted EUS: a feasibility study (Zubarik et al). 2011; 74:87-95 (Original article: Clinical endoscopy)
Techniques of image enhancement in EUS (with videos) (Fusaroli et al). 2011;74:645-55 (Technical review)
An unusual EUS finding of a gastric extraluminal compression (Shim et al). 2011;74:406-7 (At the focal point)

Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)

A case of EUS-guided FNA–related pancreatic cancer metastasis to the stomach (Ahmed et al). 2011;74:231-3 (Brief report)
A case of gastric aberrant pancreas diagnosed with EUS-guided FNA (Fujii et al). 2011;74: 407-9 (At the focal point)
EUS-FNA assessment of extramesenteric lymph node status in primary rectal cancer (Gleeson et al). 2011;74:897-905 (Original article: Clinical endoscopy)
EUS-FNA with rescue fluorescence in situ hybridization for the diagnosis of pancreatic carcinoma in patients with inconclusive on-site cytopathology results (Kubiliun et al). 2011;74: 541-7 (Original article: Clinical endoscopy)
EUS-guided fine-needle tissue acquisition by using a 19-gauge needle in a selected patient population: a prospective study (Larghi et al). 2011;74:504-10 (Original article: Clinical endoscopy)
False-positive EUS-guided FNA cytology for solid pancreatic lesions (Siddiqui et al). 2011; 74:535-40 (Original article: Clinical endoscopy)
First assessment of needle-based confocal laser endomicroscopy during EUS-FNA procedures of the pancreas (with videos) (Konda et al). 2011;74:1049-60 (Original article: Clinical endoscopy)
Gastric metastasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography (Carrara et al). 2011;74:223-5 (Brief report)
A prospective, single-blind, randomized, controlled trial of EUS-guided FNA with and without a stylet (Rastogi et al). 2011;74:58-64 (Original article: Clinical endoscopy)
Tubercular gastroduodenal abscess presenting with obstructive jaundice: diagnosis with EUS-guided FNA (Puri et al). 2011;74:1400-2 (At the focal point)
Tuberculous lymph node at the porta hepatis: diagnosis by EUS-guided FNA (Macías-Garcia et al). 2011;74:437-9 (Brief report)
Tumor seeding after EUS-guided FNA of pancreatic tail neoplasia (Chong et al). 2011;74:933-5 (Brief report)
Use of antimicrobials for EUS-guided FNA of pancreatic cysts: a retrospective, comparative analysis (Guarner-Argente et al). 2011;74:81-6 (Original article: Clinical endoscopy)

Endoscopic ultrasonography-guided fine-needle tissue acquisition (EUS-FNTA)

EUS-guided fine-needle tissue acquisition by using a 19-gauge needle in a selected patient population: a prospective study (Larghi et al). 2011;74:504-10 (Original article: Clinical endoscopy)

Enteral nutrition

PEG rescue with gastropexy after early tube withdrawal: an application of natural orifice transluminal endoscopic surgery (with video) (da Costa Martins et al). 2011;74:709-11 (Brief report)
Retrospective analyses of complications associated with transcutaneous replacement of percutaneous gastrostomy and jejunostomy feeding devices (Nishiwaki et al). 2011;74:784-91 (Original article: Clinical endoscopy)
The role of endoscopy in enteral feeding (ASGE Standards of Practice Committee). 2011;74: 7-12 (Guideline)

Epinephrine

Simple injection of hypertonic saline–epinephrine solution oral to the papilla for prevention and treatment of post-sphincterotomy bleeding (Matsushita et al) (Letter). 2011;74:451

ERCP; *see* Endoscopic retrograde cholangiopancreatography (ERCP)

Errata

Enhanced ultrasound imaging (ASGE Technology Committee) (2011;73:857-60). 2011;74:238
ERCP by laparoscopic transgastric access and cholecystectomy at the same time in a patient with gastric bypass who was seen with choledocholithiasis (Peeters et al) (2010;72:1115-6). 2011;74:453
Second-generation colon capsule endoscopy compared with colonoscopy (Spada et al) (2011;74:581-9). 2011;74:1174
Spondylodiscitis complicating cholangitis caused by stent occlusion (Katsinelos et al) (2011;73: 1326-7). 2011;74:453

Training to competency in colonoscopy: assessing and defining competency standards (Sedlack) (2011;74:355-66). 2011;74:729

ESD; *see* Endoscopic submucosal dissection (ESD)

Esophageal diseases

Active opening and closing movements of the orifices of esophageal intramural pseudodiverticulosis (Shintaku et al). 2011;74:1420-2 (Brief report)

Endoscopic removal of self-expandable metal stents from the esophagus (with video) (van Heel et al). 2011;74:44-50 (Original article: Clinical endoscopy)

Epidermoid carcinoma complicating esophageal lichen planus without cutaneous or oral involvement (Aubert et al). 2011;74:221-3 (Brief report)

Esophageal perforation by fish bone ingestion (Ihama et al). 2011;74:921-3 (At the focal point)

Fully covered self-expandable metal stents for benign esophageal disease: a multicenter retrospective case series of 31 patients (Buscaglia et al). 2011;74:207-11 (Case study)

Pill-related esophageal intramural dissection treated by an endoscopic procedure (Park et al). 2011;74:1422-4 (Brief report)

Swallowed fluticasone for the treatment of esophageal lichen planus (Hou and Qureshi). 2011;74:708-9 (Brief report)

Esophageal neoplasms; *see also* Barrett's esophagus

Ablation of esophageal squamous neoplasia: addressing the bigger picture (Abrams). 2011;74:1191-3 (Editorial)

Aortoesophageal fistula after radiation therapy for esophageal cancer (with video) (Kawaguchi et al). 2011;74:922-3 (At the focal point)

Cryoablation of persistent Barrett's epithelium after definitive chemoradiation therapy for esophageal adenocarcinoma (Barthel et al). 2011;74:51-7 (Original article: Clinical endoscopy)

Endoscopic enucleation of large esophageal leiomyomas (Hu et al). 2011;74:928-31 (Case study)

Endoscopic submucosal dissection for treatment of esophageal submucosal tumors originating from the muscularis propria layer (Shi et al). 2011;74:1194-200 (Original article: Clinical endoscopy)

Endoscopy for upper GI cancer screening in the general population: a cost-utility analysis (Gupta et al). 2011;74:610-24 (Original article: Clinical endoscopy)

Epidermoid carcinoma complicating esophageal lichen planus without cutaneous or oral involvement (Aubert et al). 2011;74:221-3 (Brief report)

Esophageal squamous papilloma with tentacular processes (Nakamura et al). 2011;74:1143-4 (At the focal point)

EUS-guided single-incision needle-knife biopsy: description and results of a new method for tissue sampling of subepithelial GI tumors (with video) (de la Serna-Higuera et al). 2011;74:672-6 (New method: Clinical endoscopy)

Outcomes from a prospective trial of endoscopic radiofrequency ablation of early squamous cell neoplasia of the esophagus (Bergman et al). 2011;74:1181-90 (Original article: Clinical endoscopy)

Outcomes of T1b esophageal adenocarcinoma patients (Tian et al). 2011;74:1201-6 (Original article: Clinical endoscopy)

Touch preparation of jumbo forceps biopsies allows rapid adequacy assessment of subepithelial GI masses (Keswani et al). 2011;74:411-4 (Case study)

Esophageal stenosis or obstruction

Antimigration property of a newly designed covered metal stent for esophageal stricture: an in vivo animal study (Ji et al). 2011;74:148-53 (Original article: Experimental endoscopy)

Efficacy and safety of EMR to completely remove Barrett's esophagus: experience in 41 patients (Gerke et al). 2011;74:761-71 (Original article: Clinical endoscopy)

The efficacy of endoscopic triamcinolone injection for the prevention of esophageal stricture after endoscopic submucosal dissection (Hashimoto et al). 2011;74:1389-93 (New method)

Esophageal foreign-body impactions: epidemiology, time trends, and the impact of the increasing prevalence of eosinophilic esophagitis (Sperry et al). 2011;74:985-91 (Original article: Clinical endoscopy)

Esophageal stent–induced fistulization to an anterior cervical plate (Guarner-Argente et al). 2011;74:219-21 (Brief report)

Excessive length of a tube in the stomach: a risk factor for a tangled or knotted tube (Matsushita et al) (Letter); (Tai and Lin) (Response). 2011;74:237-8

Factors associated with esophageal stricture formation after endoscopic mucosal resection for neoplastic Barrett's esophagus (Lewis et al). 2011;74:753-60 (Original article: Clinical endoscopy)

High-frequency miniprobes and 3-dimensional EUS for preoperative evaluation of the etiology of congenital esophageal stenosis in children (with video) (Bocus et al). 2011;74:204-7 (Case study)

Esophagectomy

Outcomes of T1b esophageal adenocarcinoma patients (Tian et al). 2011;74:1201-6 (Original article: Clinical endoscopy)

Esophagitis

Acute herpes simplex gingivostomatitis and esophagitis (with video) (Tang et al). 2011;74:195-6 (At the focal point)

Esophageal foreign-body impactions: epidemiology, time trends, and the impact of the increasing prevalence of eosinophilic esophagitis (Sperry et al). 2011;74:985-91 (Original article: Clinical endoscopy)

Esophagitis dissecans superficialis (Longman et al). 2011;74:403-4 (At the focal point)

Reflectance confocal microscopy for the diagnosis of eosinophilic esophagitis: a pilot study conducted on biopsy specimens (Yoo et al). 2011;74:992-1000 (Original article: Clinical endoscopy)

Esophagogastroduodenoscopy (EGD)

Propofol sedation alone or in combination with pharyngeal lidocaine anesthesia for routine upper GI endoscopy: a randomized, double-blind, placebo-controlled, non-inferiority trial (Heuss et al). 2011;74:1207-14 (Original article: Clinical endoscopy)

EUS; *see* Endoscopic ultrasonography (EUS)

F

Fellowships

Advanced endoscopy procedures in private practice: is the juice worth the squeeze? (Barroso). 2011;74:913-5 (The Fellows' Corner)

Advice to program directors and applicants for gastroenterology fellowship application and selection (Cappell). 2011;74:155-8 (The Fellows' Corner)

A humanitarian exercise during gastroenterology fellowship (Bernick and Lawson). 2011;74:635-6 (The Fellows' Corner)

Learning EUS tricks from the masters (DeWitt et al). 2011;74:1116-8 (The Fellows' Corner)

Nuclear medicine hepatobiliary imaging (cholescintigraphy) (Hopfer and Ziessman). 2011;74:375-7 (The Fellows' Corner)

When to call the anesthesiologist for assistance with sedation (DeLegge). 2011;74:1377-9 (The Fellows' Corner)

Fistula

Aortoesophageal fistula after radiation therapy for esophageal cancer (with video) (Kawaguchi et al). 2011;74:922-3 (At the focal point)

Benefit of a clipping device in use in intestinal bleeding and intestinal leakage (Albert et al). 2011;74:389-97 (New method: Clinical endoscopy)

Bronchoscopic closure of tracheoesophageal fistulas (Rodrigues et al) (Letter). 2011;74:1173

Duodenobronchial fistula presenting with persistent pneumonia: report of a case (Kim et al). 2011;74:703-7 (Case study)

Endoscopic closure of large, spontaneous, choledochoduodenal fistula by using an over-the-scope clip (Neumann et al). 2011;74:200-2 (At the focal point)

Endoscopic management of GI fistulae with the over-the-scope clip system (with video) (Surace et al). 2011;74:1416-9 (Case study)

Esophageal stent–induced fistulization to an anterior cervical plate (Guarner-Argente et al). 2011;74:219-21 (Brief report)

Gastrocolic fistula related to NSAID-induced gastric ulcer (Yarze). 2011;74:687-8 (At the focal point)

Melena from jejunal mucosal varices caused by esophageal variceal sclerotherapy–induced splenic arteriovenous fistula (Sakuma et al). 2011;74:404-6 (At the focal point)

Fluorescein

An implantable wireless biosensor for the immediate detection of upper GI bleeding: a new fluorescein-based tool for diagnosis and surveillance (with video) (Ryou et al). 2011;74:189-94 (New method: Experimental endoscopy)

Fluorescence in situ hybridization (FISH)

EUS-FNA with rescue fluorescence in situ hybridization for the diagnosis of pancreatic carcinoma in patients with inconclusive on-site cytopathology results (Kubiliun et al). 2011;74:541-7 (Original article: Clinical endoscopy)

Fluticasone

Swallowed fluticasone for the treatment of esophageal lichen planus (Hou and Qureshi). 2011;74:708-9 (Brief report)

FNA; *see* Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)

Foreign bodies

A case of portal vein thrombosis caused by ingestion of a foreign body (Milner and Chatterjee). 2011;74:1168-70 (Brief report)

Esophageal foreign-body impactions: epidemiology, time trends, and the impact of the increasing prevalence of eosinophilic esophagitis (Sperry et al). 2011;74:985-91 (Original article: Clinical endoscopy)

Esophageal perforation by fish bone ingestion (Ihama et al). 2011;74:921-3 (At the focal point)

Look before you eat: hazards of grilling (Thimmapuram and Oosterveen). 2011;74:1399-400 (At the focal point)

G

Gallbladder diseases; *see also* Cholecystitis; Cholelithiasis

Spontaneous gallbladder perforation presenting as biliary ascites (Mohan et al). 2011;74:197-9 (At the focal point)

Gastric bypass
Endoscopic creation of a gastrogastric conduit for reversal of gastric bypass (Wagh and Forsmark). 2011;74:932-3 (Brief report)
EUS-assisted, fluoroscopically guided gastrostomy tube placement in patients with Roux-en-Y gastric bypass: a novel technique for access to the gastric remnant (Attam et al). 2011; 74:677-82 (New method: Clinical endoscopy)
Gastric diseases; *see* Stomach diseases
Gastric outlet obstruction
Duodenal stent placement: a tale of two halves (Pee and Muller). 2011;74:202-3 (At the focal point)
Early massive bleeding after duodenal self-expandable metal stent placement for palliation of malignant gastric outlet obstruction (with video) (Saleem et al). 2011;74:1426-7 (Brief report)
The role of endoscopy in gastroduodenal obstruction and gastroparesis (ASGE Standards of Practice Committee). 2011;74:13-21 (Guideline)
Gastroenterologists
Sex preferences for colonoscopists and GI physicians among patients and health care professionals (Shah et al). 2011;74:122-7 (Original article: Clinical endoscopy)
Gastroparesis
A double-masked, randomized, placebo-controlled trial of temporary endoscopic mucosal gastric electrical stimulation for gastroparesis (Abell et al). 2011;74:496-503 (Original article: Clinical endoscopy)
Novel application of GI electrical stimulation in Roux stasis syndrome (with video) (Daram et al). 2011;74:683-6 (New method: Clinical endoscopy)
The role of endoscopy in gastroduodenal obstruction and gastroparesis (ASGE Standards of Practice Committee). 2011;74:13-21 (Guideline)
Gastroplasty
Transoral gastroplasty for morbid obesity: a multicenter trial with a 1-year outcome (Familiari et al). 2011;74:1248-58 (Original article: Clinical endoscopy)
Guidelines
Complications of colonoscopy (ASGE Standards of Practice Committee). 2011;74:745-52 (Guideline)
The role of endoscopy in enteral feeding (ASGE Standards of Practice Committee). 2011;74: 7-12 (Guideline)
The role of endoscopy in gastroduodenal obstruction and gastroparesis (ASGE Standards of Practice Committee). 2011;74:13-21 (Guideline)
The role of endoscopy in the management of choledocholithiasis (ASGE Standards of Practice Committee). 2011;74:731-44 (Guideline)
Role of EUS for the evaluation of mediastinal adenopathy (ASGE Standards of Practice Committee). 2011;74:239-45 (Guideline)

H

Head injuries, penetrating
A bullet to the head (Norris et al). 2011;74:1402-3 (At the focal point)
Hematopoietic stem cell transplantation
Role of ERCP in patients after hematopoietic stem cell transplantation (Kim et al). 2011;74: 817-24 (Original article: Clinical endoscopy)
Hemobilia
Patients often hold the clue for diagnosis—even if they do not know it (Brandt). 2011;74:159-60 (The art of history and physical examination)
Hemorrhage
Benefit of a clipping device in use in intestinal bleeding and intestinal leakage (Albert et al). 2011;74:389-97 (New method: Clinical endoscopy)
Bleeding after percutaneous endoscopic gastrostomy is linked to serotonin reuptake inhibitors, not aspirin or clopidogrel (Richter et al). 2011;74:22-34 (Original article: Clinical endoscopy)
Bleeding Dieulafoy lesions of the small bowel: a systematic study on the epidemiology and efficacy of enteroscopic treatment (Dulic-Lakovic et al). 2011;74:573-80 (Original article: Clinical endoscopy)
Carcinoid of the minor duodenal papilla causing upper GI bleeding (Nicolás-Pérez et al). 2011; 74:1146-7 (At the focal point)
A decade of double-balloon enteroscopy: what have we learned? (Ross). 2011;74:571-2 (Editorial)
Duodenal variceal bleeding successfully treated with endoscopic banding (with video) (Schmeltzer and Smith). 2011;74:716-7 (Brief report)
Early massive bleeding after duodenal self-expandable metal stent placement for palliation of malignant gastric outlet obstruction (with video) (Saleem et al). 2011;74:1426-7 (Brief report)
The Edinburgh experience with two small-bowel capsule endoscopy systems (Koulaouzidis et al) (Letter); (Pioche and Saurin) (Response). 2011;74:941-2
Endoscopic management of postoperative ileocolonic anastomotic bleeding by using water submersion (Gor and Patil). 2011;74:721-2 (Brief report)
Endovascular management of peptic ulcer bleeding: maximizing results and minimizing recurrent bleeding (Loffroy) (Letter); (Wong et al) (Response). 2011;74:449-50
Erythromycin is preferable to metoclopramide as a prokinetic in acute upper GI bleeding (Daram and Garretson) (Letter); (Barkun et al) (Response). 2011;74:234-5
Impact of nasogastric lavage on outcomes in acute GI bleeding (Huang et al). 2011;74: 971-80 (Original article: Clinical endoscopy)
An implantable wireless biosensor for the immediate detection of upper GI bleeding: a new fluorescein-based tool for diagnosis and surveillance (with video) (Ryou et al). 2011;74: 189-94 (New method: Experimental endoscopy)
Improved risk assessment in upper GI bleeding (Kuipers). 2011;74:1225-9 (Editorial)
Indications, detectability, positive findings, total enteroscopy, and complications of diagnostic double-balloon endoscopy: a systematic review of data over the first decade of use (Xin et al). 2011;74:563-70 (Original article: Clinical endoscopy)
Ischemic colitis as a cause of severe hematochezia: risk factors and outcomes compared with other colon diagnoses (Chavalitdhamrong et al). 2011;74:852-7 (Original article: Clinical endoscopy)
Is nasogastric tube lavage in patients with acute upper GI bleeding indicated or antiquated? (Pallin and Saltzman). 2011;74:981-4 (Editorial)
Lower GI bleeding from ileocolonic histoplasmosis (Patel and Schwartz). 2011;74:1404-6 (At the focal point)
Malakoplakia: an unusual cause of lower GI bleeding in a child (Sekaran et al). 2011;74: 443-5 (Brief report)
Prolonged endoclip retention time (Volfson and McKinley) (Letter). 2011;74:727-8
Simple injection of hypertonic saline–epinephrine solution oral to the papilla for prevention and treatment of post-sphincterotomy bleeding (Matsushita et al) (Letter). 2011;74:451
A simple risk score accurately predicts in-hospital mortality, length of stay, and cost in acute upper GI bleeding (Saltzman et al). 2011; 74:1215-24 (Original article: Clinical endoscopy)
Training on an ex vivo animal model improves endoscopic skills: a randomized, single-blind study (Martinek et al). 2011;74:367-73 (Original article: Experimental endoscopy)
Hepatic duct, common
Radiofrequency ablation-associated necrosis of the hepatic duct confluence: re-establishing biliary continuity with percutaneous cholangiographic-peroral cholangioscopic rendezvous (with videos) (Schneider et al). 2011;74:1163-6 (Brief report)
Hepatojejunostomy
ERCP after Fag Kan Roux-en-Y-hepatojejunostomy in Caroli's syndrome (Coppola et al) (Letter). 2011;74:235-6
Herpes simplex
Acute herpes simplex gingivostomatitis and esophagitis (with video) (Tang et al). 2011;74: 195-6 (At the focal point)
Histoplasmosis
Lower GI bleeding from ileocolonic histoplasmosis (Patel and Schwartz). 2011;74:1404-6 (At the focal point)
Humanitarian work
A humanitarian exercise during gastroenterology fellowship (Bernick and Lawson). 2011; 74:635-6 (The Fellows' Corner)
Human T-cell lymphotropic virus type 1
Strongyloidiasis presenting as duodenal obstruction in a patient infected with human T-cell lymphotropic virus type 1 (Hindy et al). 2011; 74:439-41 (Brief report)
Hypertension, portal
Ectopic varices (Almadi et al). 2011;74:380-8 (Technical review)
Melena from jejunal mucosal varices caused by esophageal variceal sclerotherapy–induced splenic arteriovenous fistula (Sakuma et al). 2011;74:404-6 (At the focal point)

I

Ileus
Gallstone ileus successfully treated with endoscopic fragmentation by using double-balloon endoscopy (with video) (Kim et al). 2011;74: 228-30 (Brief report)
Image enhancement
Benefit of pronase in image quality during EUS (Han et al). 2011;74:1230-7 (Original article: Clinical endoscopy)
Techniques of image enhancement in EUS (with videos) (Fusaroli et al). 2011;74:645-55 (Technical review)
Inflammation
Pulmonary and peritoneal inflammatory findings in transgastric NOTES compared with laparoscopy: pooled analysis from randomized porcine survival studies (Moran et al). 2011;74:1103-7 (Original article: Experimental endoscopy)
Inflammatory bowel diseases
The color of the most effective tool to use in dysplasia surveillance in inflammatory bowel disease (Bernstein). 2011;74:849-51 (Editorial)
Narrow-band imaging as an alternative to chromoendoscopy for the detection of dysplasia in long-standing inflammatory bowel disease: a

prospective, randomized, crossover study (Pellisé et al). 2011;74:840-8 (Original article: Clinical endoscopy)

Inpatients
Impact of inpatient status and gender on small-bowel capsule endoscopy findings (Robinson et al). 2011;74:1061-6 (Original article: Clinical endoscopy)

Insufflation
Percutaneous transhepatic cholangioscopy with an ultraslim video upper endoscope with CO_2 insufflation: a feasibility study (Hamada et al). 2011;74:696-9 (Case study)

Intestinal obstruction
Clinical outcomes and risk factors for technical and clinical failures of self-expandable metal stent insertion for malignant colorectal obstruction (Yoon et al). 2011;74:858-68 (Original article: Clinical endoscopy)
Outcomes of secondary stent-in-stent self-expandable metal stent insertion for malignant colorectal obstruction (Yoon et al). 2011;74:625-33 (Original article: Clinical endoscopy)
Performance of the patency capsule compared with nonenteroclysis radiologic examinations in patients with known or suspected intestinal strictures (Yadav et al). 2011;74:834-9 (Original article: Clinical endoscopy)
Self-expandable metal stents for relieving malignant colorectal obstruction: short-term safety and efficacy within 30 days of stent procedure in 447 patients (Meisner et al). 2011;74:876-84 (Original article: Clinical endoscopy)

Intestinal perforation
Biliary stent migration with colonic perforation: a very rare complication and the lesson that should be learned from it (Lankisch et al). 2011;74:924-5 (At the focal point)
Efficacy of full-thickness GI perforation closure with a novel over-the-scope clip application device: an animal study (Matthes et al). 2011;74:1369-75 (Original article: Experimental endoscopy)
Endoscopic management of colonoscopic perforations (with videos) (Raju et al). 2011;74:1380-8 (Review article)
Training on an ex vivo animal model improves endoscopic skills: a randomized, single-blind study (Martinek et al). 2011;74:367-73 (Original article: Experimental endoscopy)

Intestine, small; *see also* Capsule endoscopy (CE); Double-balloon enteroscopy (DBE)
Bleeding Dieulafoy lesions of the small bowel: a systematic study on the epidemiology and efficacy of enteroscopic treatment (Dulic-Lakovic et al). 2011;74:573-80 (Original article: Clinical endoscopy)
Retrograde spiral enteroscopy: feasibility, success, and safety in a series of 22 patients (Nagula et al). 2011;74:699-702 (Case study)

Intra-abdominal fat
Endoscopic visceral fat removal as therapy for obesity and metabolic syndrome: a sham-controlled pilot study (with video) (Xia et al). 2011;74:637-44 (Thinking outside the box)

Intubation
Excessive length of a tube in the stomach: a risk factor for a tangled or knotted tube (Matsushita et al) (Letter); (Tai and Lin) (Response). 2011;74:237-8

I-Scan
Narrow-band imaging versus I-Scan for the real-time histological prediction of diminutive colonic polyps: a prospective comparative study by using the simple unified endoscopic classification (Lee et al). 2011;74:603-9 (Original article: Clinical endoscopy)

Ischemic enteritis
Balloon dilation when using double-balloon enteroscopy for small-bowel strictures associated with ischemic enteritis (Nishimura et al). 2011;74:1157-61 (Case study)

J

Jaundice
Tubercular gastroduodenal abscess presenting with obstructive jaundice: diagnosis with EUS-guided FNA (Puri et al). 2011;74:1400-2 (At the focal point)

Jejunostomy
Retrospective analyses of complications associated with transcutaneous replacement of percutaneous gastrostomy and jejunostomy feeding devices (Nishiwaki et al). 2011;74:784-91 (Original article: Clinical endoscopy)

Job application
Advice to program directors and applicants for gastroenterology fellowship application and selection (Cappell). 2011;74:155-8 (The Fellows' Corner)

Juvenile polyposis syndrome
Successful endoscopic removal of an appendiceal polyp in a child with juvenile polyposis syndrome (Nowicki and Bishop). 2011;74:441-3 (Brief report)

K

Kidney neoplasms
An unusual EUS finding of a gastric extraluminal compression (Shim et al). 2011;74:406-7 (At the focal point)

L

Laparoscopy
Pulmonary and peritoneal inflammatory findings in transgastric NOTES compared with laparoscopy: pooled analysis from randomized porcine survival studies (Moran et al). 2011;74:1103-7 (Original article: Experimental endoscopy)

Leiomyoma
Biliary leiomyoma diagnosed by Spyglass cholangioscopy (with video) (Kalaitzakis and Sturgess). 2011;74:409-10 (At the focal point)
Endoscopic enucleation of large esophageal leiomyomas (Hu et al). 2011;74:928-31 (Case study)

Letters to the Editor
Avoidance of PEG 3350 in patients with CHF, cirrhosis, and chronic kidney disease (Yarze and Chase) (Letter); (Caldera and Selby) (Response). 2011;74:236-7
Bronchoscopic closure of tracheoesophageal fistulas (Rodrigues et al) (Letter). 2011;74:1173
Covered biliary metal stents: which, where, when? (Krokidis et al) (Letter). 2011;74:1173-4
The debate for nonanesthesiologist-administered propofol sedation in endoscopy rages on (Pambianco and Hardi) (Letter). 2011;74:449
Development of distal rectal cancer 5 years after a normal photograph of the distal rectum (Rex) (Letter). 2011;74:728-9
Does removal of prophylactic pancreatic stents induce acute pancreatitis? (Hritz et al) (Letter); (Moffatt et al) (Response). 2011;74:1429-30
The Edinburgh experience with two small-bowel capsule endoscopy systems (Koulaouzidis et al) (Letter); (Pioche and Saurin) (Response). 2011;74:941-2
Endovascular management of peptic ulcer bleeding: maximizing results and minimizing recurrent bleeding (Loffroy) (Letter); (Wong et al) (Response). 2011;74:449-50
ERCP after Fag Kan Roux-en-Y-hepatojejunostomy in Caroli's syndrome (Coppola et al) (Letter). 2011;74:235-6
Erythromycin is preferable to metoclopramide as a prokinetic in acute upper GI bleeding (Daram and Garretson) (Letter); (Barkun et al) (Response). 2011;74:234-5
EUS-guided double cystgastrostomy of 2 infected pseudocysts in series: a novel case of endoscopic cystocystgastrostomy (Chahal) (Letter). 2011;74:448
Excessive length of a tube in the stomach: a risk factor for a tangled or knotted tube (Matsushita et al) (Letter); (Tai and Lin) (Response). 2011;74:237-8
Flexible spectral-imaging color enhancement: optimized settings for polyp detection? (Togashi et al) (Letter). 2011;74:940
Hidden extras: the projected impact of colorectal cancer screening and the burden of procedures on screening centers (Dunne and Harewood) (Letter). 2011;74:448-9
Large-balloon dilation after sphincterotomy: anatomical and technical issues (Ozaslan) (Letter); (Katsinelos et al) (Response). 2011;74:723-5
Meta-analysis should be interpreted with caution (Shao et al) (Letter); (Murad and Baron) (Response). 2011;74:1172-3
Novel use of the Soehendra stent extractor for pancreatic stone lithotripsy (Molloy and Mallat) (Letter). 2011;74:725-6
Pancreaticobiliary complications after composite visceral transplantation: incidence, risk, and management strategies (Perera et al) (Letter); (Papachristou and Slivka) (Response). 2011;74:1428-9
Percutaneous endoscopic gastrostomy tube placement should be done when indicated, regardless of C-reactive protein and albumin levels (Rodrigues and Antaki) (Letter); (Blomberg and Lagergren) (Response). 2011;74:726-7
Prolonged endoclip retention time (Volfson and McKinley) (Letter). 2011;74:727-8
The SEDASYS System is not intended for the sedation of high-risk patients (Martin et al) (Letter). 2011;74:723
Simple injection of hypertonic saline–epinephrine solution oral to the papilla for prevention and treatment of post-sphincterotomy bleeding (Matsushita et al) (Letter). 2011;74:451
Somatoform disorder after conscious sedation (Goldberg and Veerappan) (Letter). 2011;74:1431-2
Spending less for rescuing a failed colonoscopy (Lee) (Letter); (Keswani) (Schembre) (Responses). 2011;74:451-2
Sufficient sphincterotomy or rescue for impacted entrapped bile stones (Peng and Chow) (Letter); (Katsinelos et al) (Response). 2011;74:1430-1

Lichen planus
Epidermoid carcinoma complicating esophageal lichen planus without cutaneous or oral involvement (Aubert et al). 2011;74:221-3 (Brief report)
Swallowed fluticasone for the treatment of esophageal lichen planus (Hou and Qureshi). 2011;74:708-9 (Brief report)

Lidocaine
Propofol sedation alone or in combination with pharyngeal lidocaine anesthesia for routine upper GI endoscopy: a randomized, double-blind, placebo-controlled, non-inferiority trial (Heuss et al). 2011;74:1207-14 (Original article: Clinical endoscopy)

Lithotripsy
Cleaning of occluded pancreatic duct endoprostheses: a new indication for extracorporeal

shock wave lithotripsy (Farnbacher et al). 2011;74:527-34 (Original article: Clinical endoscopy)
Extracorporeal shock wave lithotripsy with a transportable mini-lithotripter and subsequent endoscopic treatment improves clinical outcome in obstructive calcific chronic pancreatitis (Milovic et al). 2011;74:1294-9 (Original article: Clinical endoscopy)
Holmium laser lithotripsy under direct peroral cholangioscopy by using an ultra-slim upper endoscope for patients with retained bile duct stones (with video) (Kim et al). 2011;74:1127-32 (New method: Clinical endoscopy)
Novel use of the Soehendra stent extractor for pancreatic stone lithotripsy (Molloy and Mallat) (Letter). 2011;74:725-6
Single operator cholangioscopy–guided laser lithotripsy in patients with difficult biliary and pancreatic ductal stones (with videos) (Maydeo et al). 2011;74:1308-14 (Original article: Clinical endoscopy)

Liver transplantation
Complications after ERCP in liver transplant recipients (Balderramo et al). 2011;74:285-94 (Original article: Clinical endoscopy)
Magnetic compression anastomosis is useful in biliary anastomotic strictures after living donor liver transplantation (Jang et al). 2011;74:1040-8 (Original article: Clinical endoscopy)

Lymphangiectasia, intestinal
Secondary intestinal lymphangiectasia due to multiple myeloma (Bhat et al). 2011;74:718-20 (Brief report)

Lymph nodes
EUS elastography for the differentiation of benign and malignant lymph nodes: a meta-analysis (Xu et al). 2011;74:1001-9 (Original article: Clinical endoscopy)
EUS-FNA assessment of extramesenteric lymph node status in primary rectal cancer (Gleeson et al). 2011;74:897-905 (Original article: Clinical endoscopy)
EUS-guided alcohol ablation of metastatic pelvic lymph nodes after endoscopic resection of polypoid rectal cancer: the need for long-term surveillance (DeWitt and Mohamadnejad). 2011;74:446-7 (Brief report)
Long-term outcomes of combination of endoscopic submucosal dissection and laparoscopic lymph node dissection without gastrectomy for early gastric cancer patients who have a potential risk of lymph node metastasis (Abe et al). 2011;74:792-7 (Original article: Clinical endoscopy)
Lymph node metastasis in multiple synchronous early gastric cancer (Choi et al). 2011;74:276-84 (Original article: Clinical endoscopy)
Role of EUS for the evaluation of mediastinal adenopathy (ASGE Standards of Practice Committee). 2011;74:239-45 (Guideline)
Tuberculous lymph node at the porta hepatis: diagnosis by EUS-guided FNA (Macías-Garcia et al). 2011;74:437-9 (Brief report)

Lymphoma, follicular
Case series of duodenal follicular lymphoma, observed by magnified endoscopy with narrow-band imaging (Norimura et al). 2011;74:428-34 (Case study)

M

Magnetic resonance imaging (MRI)
EUS and magnetic resonance imaging in the staging of rectal cancer: a prospective and comparative study (Fernández-Esparrach et al). 2011;74:347-54 (Original article: Clinical endoscopy)

Magnetics
Magnetic compression anastomosis is useful in biliary anastomotic strictures after living donor liver transplantation (Jang et al). 2011;74:1040-8 (Original article: Clinical endoscopy)

Magnifying endoscopy
Case series of duodenal follicular lymphoma, observed by magnified endoscopy with narrow-band imaging (Norimura et al). 2011;74:428-34 (Case study)
Computer-based classification of small colorectal polyps by using narrow-band imaging with optical magnification (Gross et al). 2011;74:1354-9 (Original article: Clinical endoscopy)
Usefulness of magnifying endoscopy with narrow-band imaging for determining the horizontal extent of early gastric cancer when there is an unclear margin by chromoendoscopy (with video) (Nagahama et al). 2011;74:1259-67 (Original article: Clinical endoscopy)

Malakoplakia
Malakoplakia: an unusual cause of lower GI bleeding in a child (Sekaran et al). 2011;74:443-5 (Brief report)

Manometry
Sphincter of Oddi manometry (ASGE Technology Committee). 2011;74:1175-80 (Technology status evaluation report)

Maryland dissector
Endoscopic submucosal dissection with a flexible Maryland dissector: randomized comparison of mesna and saline solution for submucosal injection (with videos) (von Renteln et al). 2011;74:906-11 (Original article: Experimental endoscopy)

Mediastinal diseases
A case of mediastinitis after radiofrequency ablation for Barrett's esophagus (Yoon et al). 2011;74:1407-8 (Case study)
Role of EUS for the evaluation of mediastinal adenopathy (ASGE Standards of Practice Committee). 2011;74:239-45 (Guideline)

Melena
Melena from jejunal mucosal varices caused by esophageal variceal sclerotherapy–induced splenic arteriovenous fistula (Sakuma et al). 2011;74:404-6 (At the focal point)

Memorial
Emmet B. Keeffe, MD (Ahmed and Esquivel). 2011;74:959-60 (In Memoriam)

Mesna
Endoscopic submucosal dissection with a flexible Maryland dissector: randomized comparison of mesna and saline solution for submucosal injection (with videos) (von Renteln et al). 2011;74:906-11 (Original article: Experimental endoscopy)

Meta-analysis
Meta-analysis should be interpreted with caution (Shao et al) (Letter); (Murad and Baron) (Response). 2011;74:1172-3

Metabolic syndrome X
Endoscopic visceral fat removal as therapy for obesity and metabolic syndrome: a sham-controlled pilot study (with video) (Xia et al). 2011;74:637-44 (Thinking outside the box)

Microscopic polyangiitis
GI involvement of sigmoid mucosal erosion in a 13-year-old girl with microscopic polyangiitis (Harada et al). 2011;74:937-9 (Brief report)

Microscopy, confocal
Better imaging versus better value: striking a balance in confocal laser endomicroscopy (Hernandez). 2011;74:969-70 (Editorial)
Confocal laser endomicroscopy: finally ready to change clinical practice? (Bisschops). 2011;74:781-3 (Editorial)
Direct visualization of indeterminate pancreaticobiliary strictures with probe-based confocal laser endomicroscopy: a multicenter experience (Meining et al). 2011;74:961-8 (Original article: Clinical endoscopy)
First assessment of needle-based confocal laser endomicroscopy during EUS-FNA procedures of the pancreas (with videos) (Konda et al). 2011;74:1049-60 (Original article: Clinical endoscopy)
Optical biopsies by confocal endomicroscopy prevent additive endoscopic biopsies before endoscopic submucosal dissection in gastric epithelial neoplasias: a prospective, comparative study (Jeon et al). 2011;74:772-80 (Original article: Clinical endoscopy)
Probe-based confocal laser endomicroscopy in Barrett's esophagus: the real deal or another tease? (Falk). 2011;74:473-6 (Editorial)
Real-time increased detection of neoplastic tissue in Barrett's esophagus with probe-based confocal laser endomicroscopy: final results of an international multicenter, prospective, randomized, controlled trial (Sharma et al). 2011;74:465-72 (Original article: Clinical endoscopy)
Reflectance confocal microscopy for the diagnosis of eosinophilic esophagitis: a pilot study conducted on biopsy specimens (Yoo et al). 2011;74:992-1000 (Original article: Clinical endoscopy)

Models, animal
Simulating a target lesion for endoscopic submucosal dissection training in an ex vivo pig model (Wang et al). 2011;74:398-402 (New method: Experimental endoscopy)
Training on an ex vivo animal model improves endoscopic skills: a randomized, single-blind study (Martinek et al). 2011;74:367-73 (Original article: Experimental endoscopy)

Mortality
All-cause mortality after first ERCP in England: clinically guided analysis of hospital episode statistics with linkage to registry of death (Bodger et al). 2011;74:825-33 (Original article: Clinical endoscopy)
A simple risk score accurately predicts in-hospital mortality, length of stay, and cost in acute upper GI bleeding (Saltzman et al). 2011;74:1215-24 (Original article: Clinical endoscopy)

MRI; *see* Magnetic resonance imaging (MRI)

Multiband mucosectomy
Randomized trial on endoscopic resection-cap versus multiband mucosectomy for piecemeal endoscopic resection of early Barrett's esophagus (Pouw et al). 2011;74:35-43 (Original article: Clinical endoscopy)

Multiple myeloma
Secondary intestinal lymphangiectasia due to multiple myeloma (Bhat et al). 2011;74:718-20 (Brief report)

Multiple transluminal gateway technique (MTGT)
Multiple transluminal gateway technique for EUS-guided drainage of symptomatic walled-off pancreatic necrosis (Varadarajulu et al). 2011;74:74-80 (Original article: Clinical endoscopy)

Mycobacterial infections, atypical
GI involvement in disseminated *Mycobacterium genavense*: endoscopy and histology (Arora et al). 2011;74:688-90 (At the focal point)

N

Narrow-band imaging (NBI)
Case series of duodenal follicular lymphoma, observed by magnified endoscopy with

narrow-band imaging (Norimura et al). 2011; 74:428-34 (Case study)
The color of the most effective tool to use in dysplasia surveillance in inflammatory bowel disease (Bernstein). 2011;74:849-51 (Editorial)
Computer-based classification of small colorectal polyps by using narrow-band imaging with optical magnification (Gross et al). 2011;74: 1354-9 (Original article: Clinical endoscopy)
Narrow-band imaging as an alternative to chromoendoscopy for the detection of dysplasia in long-standing inflammatory bowel disease: a prospective, randomized, crossover study (Pellisé et al). 2011;74:840-8 (Original article: Clinical endoscopy)
Narrow-band imaging versus I-Scan for the real-time histological prediction of diminutive colonic polyps: a prospective comparative study by using the simple unified endoscopic classification (Lee et al). 2011;74:603-9 (Original article: Clinical endoscopy)
Randomized, controlled trial of standard-definition white-light, high-definition white-light, and narrow-band imaging colonoscopy for the detection of colon polyps and prediction of polyp histology (Rastogi et al). 2011;74: 593-602 (Original article: Clinical endoscopy)
Usefulness of magnifying endoscopy with narrow-band imaging for determining the horizontal extent of early gastric cancer when there is an unclear margin by chromoendoscopy (with video) (Nagahama et al). 2011;74: 1259-67 (Original article: Clinical endoscopy)
Utility of a prototype peroral video cholangioscopy system with narrow-band imaging for evaluation of biliary disorders (with videos) (Parsi et al). 2011;74:1148-51 (Case study)

Nasogastric lavage
Impact of nasogastric lavage on outcomes in acute GI bleeding (Huang et al). 2011;74: 971-80 (Original article: Clinical endoscopy)
Is nasogastric tube lavage in patients with acute upper GI bleeding indicated or antiquated? (Pallin and Saltzman). 2011;74:981-4 (Editorial)

Natural orifice transluminal endoscopic surgery (NOTES)
Drainage of a para-aortic abscess by transrectal endoscopic retroperitoneoscopy (with video) (Donatelli et al). 2011;74:1162-3 (Brief report)
PEG rescue with gastropexy after early tube withdrawal: an application of natural orifice transluminal endoscopic surgery (with video) (da Costa Martins et al). 2011;74:709-11 (Brief report)
Pulmonary and peritoneal inflammatory findings in transgastric NOTES compared with laparoscopy: pooled analysis from randomized porcine survival studies (Moran et al). 2011;74: 1103-7 (Original article: Experimental endoscopy)

Neoplasm metastasis
A case of EUS-guided FNA–related pancreatic cancer metastasis to the stomach (Ahmed et al). 2011;74:231-3 (Brief report)
EUS-guided alcohol ablation of metastatic pelvic lymph nodes after endoscopic resection of polypoid rectal cancer: the need for long-term surveillance (DeWitt and Mohamadnejad). 2011;74:446-7 (Brief report)
Gastric metastasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography (Carrara et al). 2011;74:223-5 (Brief report)
Lymph node metastasis in multiple synchronous early gastric cancer (Choi et al). 2011;74: 276-84 (Original article: Clinical endoscopy)
Tumor seeding after EUS-guided FNA of pancreatic tail neoplasia (Chong et al). 2011;74:933-5 (Brief report)

Neoplasm staging
EUS and magnetic resonance imaging in the staging of rectal cancer: a prospective and comparative study (Fernández-Esparrach et al). 2011;74:347-54 (Original article: Clinical endoscopy)
EUS-FNA assessment of extramesenteric lymph node status in primary rectal cancer (Gleeson et al). 2011;74:897-905 (Original article: Clinical endoscopy)
Outcomes of T1b esophageal adenocarcinoma patients (Tian et al). 2011;74:1201-6 (Original article: Clinical endoscopy)

Nitrous oxide
Nitrous oxide for analgesia in colonoscopy without sedation (Løberg et al). 2011;74:1347-53 (Original article: Clinical endoscopy)

NOTES; *see* Natural orifice transluminal endoscopic surgery (NOTES)

Nuclear medicine
Nuclear medicine hepatobiliary imaging (cholescintigraphy) (Hopfer and Ziessman). 2011;74:375-7 (The Fellows' Corner)

Nurses
Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study (Lee et al). 2011;74: 1094-102 (Original article: Clinical endoscopy)

O

Obesity; *see also* Bariatrics
Endoscopic visceral fat removal as therapy for obesity and metabolic syndrome: a sham-controlled pilot study (with video) (Xia et al). 2011;74:637-44 (Thinking outside the box)
Obesity as a risk factor for sedation-related complications during propofol-mediated sedation for advanced endoscopic procedures (Wani et al). 2011;74:1238-47 (Original article: Clinical endoscopy)

Organ transplantation; *see also* Liver transplantation
Pancreaticobiliary complications after composite visceral transplantation: incidence, risk, and management strategies (Perera et al) (Letter); (Papachristou and Slivka) (Response). 2011; 74:1428-9

Ovarian neoplasms
Gastric metastasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography (Carrara et al). 2011;74:223-5 (Brief report)

P

Pain management; *see* Analgesia

Pancreatectomy
EUS-guided therapy for management of peripancreatic fluid collections after distal pancreatectomy in 20 consecutive patients (Varadarajulu et al). 2011;74:418-23 (Case study)

Pancreatic cyst or pseudocyst
Cyst fluid carcinoembryonic antigen in the investigation of cystic neuroendocrine tumors of the pancreas (Croagh et al). 2011;74:1413-6 (Case study)
Cystic pheochromocytoma mimicking a malignant pancreatic cyst (Lee et al). 2011;74:712-3 (Brief report)
EUS-guided double cystgastrostomy of 2 infected pseudocysts in series: a novel case of endoscopic cystocystgastrostomy (Chahal) (Letter). 2011;74:448
Gastric perforation caused by a pancreatic pseudocyst (King and Speziale). 2011;74: 1403-4 (At the focal point)
Use of antimicrobials for EUS-guided FNA of pancreatic cysts: a retrospective, comparative analysis (Guarner-Argente et al). 2011;74:81-6 (Original article: Clinical endoscopy)

Pancreatic diseases
Aberrant right hepatic duct with patent ducts of Luschka (Elmunzer and Taylor). 2011;74:196-7 (At the focal point)
First assessment of needle-based confocal laser endomicroscopy during EUS-FNA procedures of the pancreas (with videos) (Konda et al). 2011;74:1049-60 (Original article: Clinical endoscopy)
Multiple transluminal gateway technique for EUS-guided drainage of symptomatic walled-off pancreatic necrosis (Varadarajulu et al). 2011;74:74-80 (Original article: Clinical endoscopy)
Pancreaticobiliary complications after composite visceral transplantation: incidence, risk, and management strategies (Perera et al) (Letter); (Papachristou and Slivka) (Response). 2011; 74:1428-9

Pancreatic ducts
Better imaging versus better value: striking a balance in confocal laser endomicroscopy (Hernandez). 2011;74:969-70 (Editorial)
Cleaning of occluded pancreatic duct endoprostheses: a new indication for extracorporeal shock wave lithotripsy (Farnbacher et al). 2011;74:527-34 (Original article: Clinical endoscopy)
Direct visualization of indeterminate pancreaticobiliary strictures with probe-based confocal laser endomicroscopy: a multicenter experience (Meining et al). 2011;74:961-8 (Original article: Clinical endoscopy)
Does removal of prophylactic pancreatic stents induce acute pancreatitis? (Hritz et al) (Letter); (Moffatt et al) (Response). 2011;74:1429-30
Endoscopic placement of permanent indwelling transmural stents in disconnected pancreatic duct syndrome: does benefit outweigh the risks? (Varadarajulu and Wilcox). 2011;74: 1408-12 (Case study)
Extracorporeal shock wave lithotripsy with a transportable mini-lithotripter and subsequent endoscopic treatment improves clinical outcome in obstructive calcific chronic pancreatitis (Milovic et al). 2011;74:1294-9 (Original article: Clinical endoscopy)
Novel use of the Soehendra stent extractor for pancreatic stone lithotripsy (Molloy and Mallat) (Letter). 2011;74:725-6
Single operator cholangioscopy–guided laser lithotripsy in patients with difficult biliary and pancreatic ductal stones (with videos) (Maydeo et al). 2011;74:1308-14 (Original article: Clinical endoscopy)

Pancreatic neoplasms
Afferent limb syndrome and delayed GI problems after pancreaticoduodenectomy for pancreatic cancer: single-center, 14-year experience (Pannala et al). 2011;74:295-302 (Original article: Clinical endoscopy)
A case of EUS-guided FNA–related pancreatic cancer metastasis to the stomach (Ahmed et al). 2011;74:231-3 (Brief report)
Cyst fluid carcinoembryonic antigen in the investigation of cystic neuroendocrine tumors of the pancreas (Croagh et al). 2011;74:1413-6 (Case study)
Duodenal invasion is a risk factor for the early dysfunction of biliary metal stents in unresectable pancreatic cancer (Hamada et al). 2011; 74:548-55 (Original article: Clinical endoscopy)
EUS-FNA with rescue fluorescence in situ hybridization for the diagnosis of pancreatic carcinoma in patients with inconclusive on-site

cytopathology results (Kubiliun et al). 2011;74: 541-7 (Original article: Clinical endoscopy)
False-positive EUS-guided FNA cytology for solid pancreatic lesions (Siddiqui et al). 2011; 74:535-40 (Original article: Clinical endoscopy)
A prospective, randomized study of EUS-guided celiac plexus neurolysis for pancreatic cancer: one injection or two? (LeBlanc et al). 2011;74: 1300-7 (Original article: Clinical endoscopy)
Screening for pancreatic cancer in a high-risk population with serum CA 19-9 and targeted EUS: a feasibility study (Zubarik et al). 2011; 74:87-95 (Original article: Clinical endoscopy)
Tumor seeding after EUS-guided FNA of pancreatic tail neoplasia (Chong et al). 2011;74:933-5 (Brief report)

Pancreaticoduodenectomy
Afferent limb syndrome and delayed GI problems after pancreaticoduodenectomy for pancreatic cancer: single-center, 14-year experience (Pannala et al). 2011;74:295-302 (Original article: Clinical endoscopy)

Pancreatitis
Acute pancreatitis and aspiration pneumonia after administration of synthetic human secretin (with video) (Law et al). 2011;74:1166-8 (Brief report)
Does removal of prophylactic pancreatic stents induce acute pancreatitis? (Hritz et al) (Letter); (Moffatt et al) (Response). 2011;74:1429-30
Extracorporeal shock wave lithotripsy with a transportable mini-lithotripter and subsequent endoscopic treatment improves clinical outcome in obstructive calcific chronic pancreatitis (Milovic et al). 2011;74:1294-9 (Original article: Clinical endoscopy)
New appearance of a snowman-like, polypoid lesion on the major duodenal papilla in a patient with relapsing autoimmune pancreatitis (Kim et al). 2011;74:923-4 (At the focal point)
Use of udenafil is not associated with a reduction in post-ERCP pancreatitis: results of a randomized, placebo-controlled, multicenter trial (Oh et al). 2011;74:556-62 (Original article: Clinical endoscopy)

Papilloma
Esophageal squamous papilloma with tentacular processes (Nakamura et al). 2011;74:1143-4 (At the focal point)

Parasites
A case of beef tapeworm (*Taenia saginata*) infection observed by using video capsule endoscopy and radiography (with videos). 2011; 74:690-1 (At the focal point)
Strongyloidiasis presenting as duodenal obstruction in a patient infected with human T-cell lymphotropic virus type 1 (Hindy et al). 2011; 74:439-41 (Brief report)

Parotitis
Acute parotitis after ERCP (Nadkarni et al). 2011; 74:199-200 (At the focal point)

Pediatric patient; *see* Child

Peptic ulcer; *see* Ulcer

Percutaneous endoscopic gastrostomy (PEG)
Albumin level and patient age predict outcomes in patients referred for gastrostomy insertion: internal and external validation of a gastrostomy score and comparison with artificial neural networks (Leeds et al). 2011;74:1033-9 (Original article: Clinical endoscopy)
Bleeding after percutaneous endoscopic gastrostomy is linked to serotonin reuptake inhibitors, not aspirin or clopidogrel (Richter et al). 2011;74:22-34 (Original article: Clinical endoscopy)
EUS-assisted, fluoroscopically guided gastrostomy tube placement in patients with Roux-en-Y gastric bypass: a novel technique for access to the gastric remnant (Attam et al). 2011; 74:677-82 (New method: Clinical endoscopy)
PEG rescue with gastropexy after early tube withdrawal: an application of natural orifice transluminal endoscopic surgery (with video) (da Costa Martins et al). 2011;74:709-11 (Brief report)
Percutaneous endoscopic gastrostomy tube placement should be done when indicated, regardless of C-reactive protein and albumin levels (Rodrigues and Antaki) (Letter); (Blomberg and Lagergren) (Response). 2011; 74:726-7
Retrospective analyses of complications associated with transcutaneous replacement of percutaneous gastrostomy and jejunostomy feeding devices (Nishiwaki et al). 2011;74:784-91 (Original article: Clinical endoscopy)

Peripancreatic fluid collections
Endoscopic placement of permanent indwelling transmural stents in disconnected pancreatic duct syndrome: does benefit outweigh the risks? (Varadarajulu and Wilcox). 2011;74: 1408-12 (Case study)
EUS-guided therapy for management of peripancreatic fluid collections after distal pancreatectomy in 20 consecutive patients (Varadarajulu et al). 2011;74:418-23 (Case study)
Forward-viewing versus oblique-viewing echoendoscopes in transluminal drainage of pancreatic fluid collections: a multicenter, randomized, controlled trial (Voermans et al). 2011;74:1285-93 (Original article: Clinical endoscopy)

Peutz-Jeghers syndrome
Nonsurgical management of small-bowel polyps in Peutz-Jeghers syndrome with extensive polypectomy by using double-balloon endoscopy (Sakamoto et al). 2011;74:328-33 (Original article: Clinical endoscopy)

Pharyngeal diseases
Long-term outcome of transoral organ-preserving pharyngeal endoscopic resection for superficial pharyngeal cancer (Muto et al). 2011;74:477-84 (Original article: Clinical endoscopy)
Look before you eat: hazards of grilling (Thimmapuram and Oosterveen). 2011;74:1399-400 (At the focal point)

Pheochromocytoma
Cystic pheochromocytoma mimicking a malignant pancreatic cyst (Lee et al). 2011;74:712-3 (Brief report)

Physician's practice patterns
Advanced endoscopy procedures in private practice: is the juice worth the squeeze? (Barroso). 2011;74:913-5 (The Fellows' Corner)
Are low-volume ERCPists a problem in the United States? A plea to examine and improve ERCP practice—NOW (Cotton). 2011;74:161-6 (Perspective)
Individual and practice differences among physicians who perform ERCP at varying frequency: a national survey (Coté et al). 2011;74: 65-73 (Original article: Clinical endoscopy)

Pill-related injury
Pill-related esophageal intramural dissection treated by an endoscopic procedure (Park et al). 2011;74:1422-4 (Brief report)

Plummer-Vinson syndrome
Esophageal web resolved by endoscopic incision in a patient with Plummer-Vinson syndrome (Seo et al). 2011;74:1142-3 (At the focal point)

Pneumatosis cystoides intestinalis
Clear water filling and puncture: sufficient for endoscopic diagnosis of pneumatosis cystoides intestinalis? (with video) (Kim et al). 2011;74: 1170-1 (Brief report)

Pneumonia
Acute pancreatitis and aspiration pneumonia after administration of synthetic human secretin (with video) (Law et al). 2011;74:1166-8 (Brief report)
Duodenobronchial fistula presenting with persistent pneumonia: report of a case (Kim et al). 2011;74:703-7 (Case study)

Polyethylene glycols
Avoidance of PEG 3350 in patients with CHF, cirrhosis, and chronic kidney disease (Yarze and Chase) (Letter); (Caldera and Selby) (Response). 2011;74:236-7

Polyps; *see also* Adenoma; Colorectal neoplasms
Computer-based classification of small colorectal polyps by using narrow-band imaging with optical magnification (Gross et al). 2011;74: 1354-9 (Original article: Clinical endoscopy)
Flexible spectral-imaging color enhancement: optimized settings for polyp detection? (Togashi et al) (Letter). 2011;74:940
Matching colonoscopy and pathology data in population-based registries: development of a novel algorithm and the initial experience of the New Hampshire Colonoscopy Registry (Greene et al). 2011;74:334-40 (Original article: Clinical endoscopy)
Measurement of adenoma detection and discrimination during colonoscopy in routine practice: an exploratory study (Denis et al). 2011;74:1325-36 (Original article: Clinical endoscopy)
A morphologic analysis of sessile serrated polyps observed during routine colonoscopy (with video) (Tadepalli et al). 2011;74:1360-8 (Original article: Clinical endoscopy)
Narrow-band imaging versus I-Scan for the real-time histological prediction of diminutive colonic polyps: a prospective comparative study by using the simple unified endoscopic classification (Lee et al). 2011;74:603-9 (Original article: Clinical endoscopy)
New appearance of a snowman-like, polypoid lesion on the major duodenal papilla in a patient with relapsing autoimmune pancreatitis (Kim et al). 2011;74:923-4 (At the focal point)
Nonsurgical management of small-bowel polyps in Peutz-Jeghers syndrome with extensive polypectomy by using double-balloon endoscopy (Sakamoto et al). 2011;74:328-33 (Original article: Clinical endoscopy)
Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study (Lee et al). 2011;74:1094-102 (Original article: Clinical endoscopy)
Randomized, controlled trial of standard-definition white-light, high-definition white-light, and narrow-band imaging colonoscopy for the detection of colon polyps and prediction of polyp histology (Rastogi et al). 2011;74: 593-602 (Original article: Clinical endoscopy)
Second-generation colon capsule endoscopy compared with colonoscopy (Spada et al) 2011;74:581-9 (Original article: Clinical endoscopy). Correction 2011;74:1174
Successful endoscopic removal of an appendiceal polyp in a child with juvenile polyposis syndrome (Nowicki and Bishop). 2011;74: 441-3 (Brief report)
Two polyps on a common stalk (Olson and Govil). 2011;74:692 (At the focal point)
Usefulness of cap-assisted colonoscopy during colonoscopic EMR: a randomized, controlled

trial (Park et al). 2011;74:869-75 (Original article: Clinical endoscopy)
Will colon capsule endoscopy replace screening colonoscopy? (Dominitz and Ko). 2011;74:590-2 (Editorial)

Portal vein
A case of portal vein thrombosis caused by ingestion of a foreign body (Milner and Chatterjee). 2011;74:1168-70 (Brief report)

Prokinetic agents
Erythromycin is preferable to metoclopramide as a prokinetic in acute upper GI bleeding (Daram and Garretson) (Letter); (Barkun et al) (Response). 2011;74:234-5

Pronase
Benefit of pronase in image quality during EUS (Han et al). 2011;74:1230-7 (Original article: Clinical endoscopy)

Propofol
Adverse events during monitored anesthesia care for GI endoscopy: an 8-year experience (Agostoni et al). 2011;74:266-75 (Original article: Clinical endoscopy)
The debate for nonanesthesiologist-administered propofol sedation in endoscopy rages on (Pambianco and Hardi) (Letter). 2011;74:449
Obesity as a risk factor for sedation-related complications during propofol-mediated sedation for advanced endoscopic procedures (Wani et al). 2011;74:1238-47 (Original article: Clinical endoscopy)
Propofol sedation alone or in combination with pharyngeal lidocaine anesthesia for routine upper GI endoscopy: a randomized, double-blind, placebo-controlled, non-inferiority trial (Heuss et al). 2011;74:1207-14 (Original article: Clinical endoscopy)
The SEDASYS System is not intended for the sedation of high-risk patients (Martin et al) (Letter). 2011;74:723

Q

Quality of health care
Adenoma detection rate increases with each decade of life after 50 years of age (Diamond et al). 2011;74:135-40 (Original article: Clinical endoscopy)
Are low-volume ERCPists a problem in the United States? A plea to examine and improve ERCP practice—NOW (Cotton). 2011;74:161-6 (Perspective)
Can we improve adenoma detection rates? A systematic review of intervention studies (Corley et al). 2011;74:656-65 (Review article)
Individual and practice differences among physicians who perform ERCP at varying frequency: a national survey (Coté et al). 2011;74:65-73 (Original article: Clinical endoscopy)
Neoplasia detection rates after positive fecal occult blood test results are not affected by endoscopy center: a population-based study (Bretagne et al). 2011;74:141-7 (Original article: Clinical endoscopy)
Quality of colonoscopy withdrawal technique and variability in adenoma detection rates (with videos) (Lee et al). 2011;74:128-34 (Original article: Clinical endoscopy)

R

Radiofrequency ablation; *see* Ablation techniques

Radiography
Performance of the patency capsule compared with nonenteroclysis radiologic examinations in patients with known or suspected intestinal strictures (Yadav et al). 2011;74:834-9 (Original article: Clinical endoscopy)

Radiotherapy
Aortoesophageal fistula after radiation therapy for esophageal cancer (with video) (Kawaguchi et al). 2011;74:922-3 (At the focal point)

Rectal neoplasms; *see also* Colorectal neoplasms
Development of distal rectal cancer 5 years after a normal photograph of the distal rectum (Rex) (Letter). 2011;74:728-9
EUS and magnetic resonance imaging in the staging of rectal cancer: a prospective and comparative study (Fernández-Esparrach et al). 2011;74:347-54 (Original article: Clinical endoscopy)
EUS-FNA assessment of extramesenteric lymph node status in primary rectal cancer (Gleeson et al). 2011;74:897-905 (Original article: Clinical endoscopy)
EUS-guided alcohol ablation of metastatic pelvic lymph nodes after endoscopic resection of polypoid rectal cancer: the need for long-term surveillance (DeWitt and Mohamadnejad). 2011;74:446-7 (Brief report)
Two-point fixed endoscopic submucosal dissection in rectal tumor (with video) (Motohashi). 2011;74:1132-6 (New method: Clinical endoscopy)

Risk assessment
All-cause mortality after first ERCP in England: clinically guided analysis of hospital episode statistics with linkage to registry of death (Bodger et al). 2011;74:825-33 (Original article: Clinical endoscopy)
Improved risk assessment in upper GI bleeding (Kuipers). 2011;74:1225-9 (Editorial)
Risk assessment chart for curability of early gastric cancer with endoscopic submucosal dissection (Hirasawa et al). 2011;74:1268-75 (Original article: Clinical endoscopy)
A simple risk score accurately predicts in-hospital mortality, length of stay, and cost in acute upper GI bleeding (Saltzman et al). 2011;74:1215-24 (Original article: Clinical endoscopy)

S

SBE; *see* Single-balloon enteroscopy (SBE)

Scalpel, harmonic
Endoscopic treatment of Zenker's diverticulum by harmonic scalpel (Hondo et al). 2011;74:666-71 (New method: Clinical endoscopy)

Sclerotherapy
Melena from jejunal mucosal varices caused by esophageal variceal sclerotherapy–induced splenic arteriovenous fistula (Sakuma et al). 2011;74:404-6 (At the focal point)

Secretin
Acute pancreatitis and aspiration pneumonia after administration of synthetic human secretin (with video) (Law et al). 2011;74:1166-8 (Brief report)

Sedation
Adverse events during monitored anesthesia care for GI endoscopy: an 8-year experience (Agostoni et al). 2011;74:266-75 (Original article: Clinical endoscopy)
The debate for nonanesthesiologist-administered propofol sedation in endoscopy rages on (Pambianco and Hardi) (Letter). 2011;74:449
Obesity as a risk factor for sedation-related complications during propofol-mediated sedation for advanced endoscopic procedures (Wani et al). 2011;74:1238-47 (Original article: Clinical endoscopy)
Propofol sedation alone or in combination with pharyngeal lidocaine anesthesia for routine upper GI endoscopy: a randomized, double-blind, placebo-controlled, non-inferiority trial (Heuss et al). 2011;74:1207-14 (Original article: Clinical endoscopy)
The SEDASYS System is not intended for the sedation of high-risk patients (Martin et al) (Letter). 2011;74:723
Somatoform disorder after conscious sedation (Goldberg and Veerappan) (Letter). 2011;74:1431-2
When to call the anesthesiologist for assistance with sedation (DeLegge). 2011;74:1377-9 (The Fellows' Corner)

Septal occluder device
Bronchoscopic closure of tracheoesophageal fistulas (Rodrigues et al) (Letter). 2011;74:1173

Serotonin reuptake inhibitors
Bleeding after percutaneous endoscopic gastrostomy is linked to serotonin reuptake inhibitors, not aspirin or clopidogrel (Richter et al). 2011;74:22-34 (Original article: Clinical endoscopy)

Sex factors
Impact of inpatient status and gender on small-bowel capsule endoscopy findings (Robinson et al). 2011;74:1061-6 (Original article: Clinical endoscopy)
Sex preferences for colonoscopists and GI physicians among patients and health care professionals (Shah et al). 2011;74:122-7 (Original article: Clinical endoscopy)

Single-balloon enteroscopy (SBE)
Spending less for rescuing a failed colonoscopy (Lee) (Letter); (Keswani) (Schembre) (Responses). 2011;74:451-2

Smooth, protruding lesions index on capsule endoscopy (SPICE)
Development of a novel index to discriminate bulge from mass on small-bowel capsule endoscopy (Girelli et al). 2011;74:1067-74 (Original article: Clinical endoscopy)

Sodium alginate
Sodium alginate as an ideal submucosal injection material for endoscopic submucosal resection: preliminary experimental and clinical study (Akagi et al). 2011;74:1026-32 (Original article: Clinical endoscopy)

Somatoform disorders
Somatoform disorder after conscious sedation (Goldberg and Veerappan) (Letter). 2011;74:1431-2

Sphincter of Oddi dysfunction
Sphincter of Oddi manometry (ASGE Technology Committee). 2011;74:1175-80 (Technology status evaluation report)

Sphincterotomy, endoscopic
Endoscopic papillary large-balloon dilation combined with endoscopic biliary sphincterotomy for the removal of bile duct stones (with video) (Meine and Baron). 2011;74:1119-26 (Technical review)
Large-balloon dilation after sphincterotomy: anatomical and technical issues (Ozaslan) (Letter); (Katsinelos et al) (Response). 2011;74:723-5
Simple injection of hypertonic saline–epinephrine solution oral to the papilla for prevention and treatment of post-sphincterotomy bleeding (Matsushita et al) (Letter). 2011;74:451
Sufficient sphincterotomy or rescue for impacted entrapped bile stones (Peng and Chow) (Letter); (Katsinelos et al) (Response). 2011;74:1430-1

Spiral enteroscopy (SE)
Retrograde spiral enteroscopy: feasibility, success, and safety in a series of 22 patients (Nagula et al). 2011;74:699-702 (Case study)

Stents
Antimigration property of a newly designed covered metal stent for esophageal stricture: an

in vivo animal study (Ji et al). 2011;74:148-53 (Original article: Experimental endoscopy)
Biliary stent migration with colonic perforation: a very rare complication and the lesson that should be learned from it (Lankisch et al). 2011;74:924-5 (At the focal point)
Breaking the barrier: using extractable fully covered metal stents to treat benign biliary hilar strictures (Poley et al). 2011;74:916-20 (New methods)
Cleaning of occluded pancreatic duct endoprostheses: a new indication for extracorporeal shock wave lithotripsy (Farnbacher et al). 2011;74:527-34 (Original article: Clinical endoscopy)
Clinical outcomes and risk factors for technical and clinical failures of self-expandable metal stent insertion for malignant colorectal obstruction (Yoon et al). 2011;74:858-68 (Original article: Clinical endoscopy)
Complex biliary stones: treatment with removable self-expandable metal stents: a new approach (with videos) (Cerefice et al). 2011;74:520-6 (Original article: Clinical endoscopy)
Covered biliary metal stents: which, where, when? (Krokidis et al) (Letter). 2011;74:1173-4
Does removal of prophylactic pancreatic stents induce acute pancreatitis? (Hritz et al) (Letter); (Moffatt et al) (Response). 2011;74:1429-30
Drug-eluting/biodegradable stents (ASGE Technology Committee). 2011;74:954-8 (Report on emerging technology)
Duodenal invasion is a risk factor for the early dysfunction of biliary metal stents in unresectable pancreatic cancer (Hamada et al). 2011;74:548-55 (Original article: Clinical endoscopy)
Duodenal stent placement: a tale of two halves (Pee and Muller). 2011;74:202-3 (At the focal point)
Early massive bleeding after duodenal self-expandable metal stent placement for palliation of malignant gastric outlet obstruction (with video) (Saleem et al). 2011;74:1426-7 (Brief report)
Endoscopic biliary recanalization by using a needle catheter in patients with complete ligation or stricture of the bile duct: safety and feasibility of a novel technique (with videos) (Gupta et al). 2011;74:423-8 (Case study)
Endoscopic placement of permanent indwelling transmural stents in disconnected pancreatic duct syndrome: does benefit outweigh the risks? (Varadarajulu and Wilcox). 2011;74:1408-12 (Case study)
Endoscopic removal of self-expandable metal stents from the esophagus (with video) (van Heel et al). 2011;74:44-50 (Original article: Clinical endoscopy)
Enteral stents (ASGE Technology Committee). 2011;74:455-64 (Technology status evaluation report)
Esophageal stent–induced fistulization to an anterior cervical plate (Guarner-Argente et al). 2011;74:219-21 (Brief report)
EUS-guided biliary drainage with transluminal stenting after failed ERCP: predictors of adverse events and long-term results (Park et al). 2011;74:1276-84 (Original article: Clinical endoscopy)
Feasibility and safety of EUS-guided transgastric/transduodenal gallbladder drainage with single-step placement of a modified covered self-expandable metal stent in patients unsuitable for cholecystectomy (Jang et al). 2011;74:176-81 (New method: Clinical endoscopy)
Fully covered self-expandable metal stents for benign esophageal disease: a multicenter retrospective case series of 31 patients (Buscaglia et al). 2011;74:207-11 (Case study)
Is the addition of choleretic agents in multiple double-pigtail biliary stents effective for difficult common bile duct stones in elderly patients? A prospective, multicenter study (Lee et al). 2011;74:96-102 (Original article: Clinical endoscopy)
Meta-analysis of randomized trials comparing the patency of covered and uncovered self-expandable metal stents for palliation of distal malignant bile duct obstruction (Saleem et al). 2011;74:321-7 (Original article: Clinical endoscopy)
Meta-analysis should be interpreted with caution (Shao et al) (Letter); (Murad and Baron) (Response). 2011;74:1172-3
Outcomes of secondary stent-in-stent self-expandable metal stent insertion for malignant colorectal obstruction (Yoon et al). 2011;74:625-33 (Original article: Clinical endoscopy)
Self-expandable metal stents for relieving malignant colorectal obstruction: short-term safety and efficacy within 30 days of stent procedure in 447 patients (Meisner et al). 2011;74:876-84 (Original article: Clinical endoscopy)

Sterile carbon particle suspension (SCPS)

Safety of colonic tattoo with sterile carbon particle suspension: a proposed guideline with illustrative cases (Moss et al). 2011;74:214-8 (Case study)

Stomach diseases

A case of gastric aberrant pancreas diagnosed with EUS-guided FNA (Fujii et al). 2011;74:407-9 (At the focal point)
Efficacy of full-thickness GI perforation closure with a novel over-the-scope clip application device: an animal study (Matthes et al). 2011;74:1369-75 (Original article: Experimental endoscopy)
Endoscopic removal of a gastric trichobezoar in a pediatric patient (Aybar and Safta). 2011;74:435-7 (Brief report)
EUS-guided transesophageal treatment of gastric fundal varices with combined coiling and cyanoacrylate glue injection (with videos) (Binmoeller et al). 2011;74:1019-25 (Original article: Clinical endoscopy)
Gastric perforation caused by a pancreatic pseudocyst (King and Speziale). 2011;74:1403-4 (At the focal point)

Stomach neoplasms

A case of EUS-guided FNA–related pancreatic cancer metastasis to the stomach (Ahmed et al). 2011;74:231-3 (Brief report)
Clinical impact of EUS-guided Trucut biopsy results on decision making for patients with gastric subepithelial tumors ≥2 cm (Lee et al). 2011;74:1010-8 (Original article: Clinical endoscopy)
Confocal laser endomicroscopy: finally ready to change clinical practice? (Bisschops). 2011;74:781-3 (Editorial)
Endoscopic and oncologic outcomes after endoscopic resection for early gastric cancer: 1370 cases of absolute and extended indications (Ahn et al). 2011;74:485-93 (Original article: Clinical endoscopy)
Endoscopic histologic diagnosis of gastric GI submucosal tumors via the endoscopic submucosal dissection technique (Lee et al). 2011;74:693-5 (Case study)
Endoscopic resection for early gastric cancer: one piece is better than dash to pieces (Chiu and Sung). 2011;74:494-5 (Editorial)
Endoscopic submucosal dissection for gastric neoplasms by using a novel attachment device—a one-sided, expandable balloon (Kawamura et al). 2011;74:415-8 (Case study)
Endoscopy for upper GI cancer screening in the general population: a cost-utility analysis (Gupta et al). 2011;74:610-24 (Original article: Clinical endoscopy)
EUS-guided single-incision needle-knife biopsy: description and results of a new method for tissue sampling of subepithelial GI tumors (with video) (de la Serna-Higuera et al). 2011;74:672-6 (New method: Clinical endoscopy)
Gastric endoscopic submucosal dissection assisted by a new traction method: the clip-band technique. A feasibility study in a porcine model (with video) (Parra-Blanco et al). 2011;74:1137-41 (New method: Experimental endoscopy)
Gastric metastasis from ovarian carcinoma diagnosed by EUS-FNA biopsy and elastography (Carrara et al). 2011;74:223-5 (Brief report)
Long-term outcomes of combination of endoscopic submucosal dissection and laparoscopic lymph node dissection without gastrectomy for early gastric cancer patients who have a potential risk of lymph node metastasis (Abe et al). 2011;74:792-7 (Original article: Clinical endoscopy)
Lymph node metastasis in multiple synchronous early gastric cancer (Choi et al). 2011;74:276-84 (Original article: Clinical endoscopy)
Optical biopsies by confocal endomicroscopy prevent additive endoscopic biopsies before endoscopic submucosal dissection in gastric epithelial neoplasias: a prospective, comparative study (Jeon et al). 2011;74:772-80 (Original article: Clinical endoscopy)
Risk assessment chart for curability of early gastric cancer with endoscopic submucosal dissection (Hirasawa et al). 2011;74:1268-75 (Original article: Clinical endoscopy)
Simulating a target lesion for endoscopic submucosal dissection training in an ex vivo pig model (Wang et al). 2011;74:398-402 (New method: Experimental endoscopy)
Touch preparation of jumbo forceps biopsies allows rapid adequacy assessment of subepithelial GI masses (Keswani et al). 2011;74:411-4 (Case study)
An unusual endoscopic finding of gastric adenocarcinoma (Chen et al). 2011;74:1145-6 (At the focal point)
Usefulness of magnifying endoscopy with narrow-band imaging for determining the horizontal extent of early gastric cancer when there is an unclear margin by chromoendoscopy (with video) (Nagahama et al). 2011;74:1259-67 (Original article: Clinical endoscopy)

Stomatitis, herpetic

Acute herpes simplex gingivostomatitis and esophagitis (with video) (Tang et al). 2011;74:195-6 (At the focal point)

Strongyloidiasis

Strongyloidiasis presenting as duodenal obstruction in a patient infected with human T-cell lymphotropic virus type 1 (Hindy et al). 2011;74:439-41 (Brief report)

T

Taenia saginata

A case of beef tapeworm (*Taenia saginata*) infection observed by using video capsule endoscopy and radiography (with videos). 2011;74:690-1 (At the focal point)

Tattooing

Safety of colonic tattoo with sterile carbon particle suspension: a proposed guideline with illustrative cases (Moss et al). 2011;74:214-8 (Case study)

Technology, medical
Drug-eluting/biodegradable stents (ASGE Technology Committee). 2011;74:954-8 (Report on emerging technology)
Enteral stents (ASGE Technology Committee). 2011;74:455-64 (Technology status evaluation report)
GI endoscopes (ASGE Technology Committee). 2011;74:1-6 (Report on emerging technology)
Sphincter of Oddi manometry (ASGE Technology Committee). 2011;74:1175-80 (Technology status evaluation report)
Thrombosis
A case of portal vein thrombosis caused by ingestion of a foreign body (Milner and Chatterjee). 2011;74:1168-70 (Brief report)
The incidence of deep vein thrombosis in Japanese patients undergoing endoscopic submucosal dissection (Kusunoki et al). 2011;74:798-804 (Original article: Clinical endoscopy)
Time factors
Effect of the time of day on the success and adverse events of ERCP (Mehta et al). 2011;74:303-8 (Original article: Clinical endoscopy)
Tracheoesophageal fistula
Bronchoscopic closure of tracheoesophageal fistulas (Rodrigues et al) (Letter). 2011;74:1173
Traction
Gastric endoscopic submucosal dissection assisted by a new traction method: the clip-band technique. A feasibility study in a porcine model (with video) (Parra-Blanco et al). 2011;74:1137-41 (New method: Experimental endoscopy)
Training; *see* Continuing Medical Education Activity; Education, medical
Triamcinolone
The efficacy of endoscopic triamcinolone injection for the prevention of esophageal stricture after endoscopic submucosal dissection (Hashimoto et al). 2011;74:1389-93 (New method)
Tuberculosis
Tubercular gastroduodenal abscess presenting with obstructive jaundice: diagnosis with EUS-guided FNA (Puri et al). 2011;74:1400-2 (At the focal point)
Tuberculous lymph node at the porta hepatis: diagnosis by EUS-guided FNA (Macías-Garcia et al). 2011;74:437-9 (Brief report)

U

Udenafil
Use of udenafil is not associated with a reduction in post-ERCP pancreatitis: results of a randomized, placebo-controlled, multicenter trial (Oh et al). 2011;74:556-62 (Original article: Clinical endoscopy)
Ulcer
Endovascular management of peptic ulcer bleeding: maximizing results and minimizing recurrent bleeding (Loffroy) (Letter); (Wong et al) (Response). 2011;74:449-50
Gastrocolic fistula related to NSAID-induced gastric ulcer (Yarze). 2011;74:687-8 (At the focal point)
Pill-related esophageal intramural dissection treated by an endoscopic procedure (Park et al). 2011;74:1422-4 (Brief report)
Ulcerative colitis; *see* Colitis

V

Varices
Duodenal variceal bleeding successfully treated with endoscopic banding (with video) (Schmeltzer and Smith). 2011;74:716-7 (Brief report)
Ectopic varices (Almadi et al). 2011;74:380-8 (Technical review)
EUS-guided transesophageal treatment of gastric fundal varices with combined coiling and cyanoacrylate glue injection (with videos) (Binmoeller et al). 2011;74:1019-25 (Original article: Clinical endoscopy)
Melena from jejunal mucosal varices caused by esophageal variceal sclerotherapy–induced splenic arteriovenous fistula (Sakuma et al). 2011;74:404-6 (At the focal point)

W

Water submersion
Endoscopic management of postoperative ileocolonic anastomotic bleeding by using water submersion (Gor and Patil). 2011;74:721-2 (Brief report)
Wounds, gunshot
A bullet to the head (Norris et al). 2011;74:1402-3 (At the focal point)

Z

Zenker diverticulum
Endoscopic treatment of Zenker's diverticulum by harmonic scalpel (Hondo et al). 2011;74:666-71 (New method: Clinical endoscopy)